

```
> restart;
```

```
>  
>
```

First functions

```
> with(LinearAlgebra):with(Groebner):  
  
# transform x into a number in base m, as an array of size N  
# for example tm(3,4,2) = [ 0, 0, 1,1]  
tm:=proc(x,N,m)  
  option remember:  
  local y,i,XX;  
  y:=x;  
  for i from 1 to N do  
    XX[i]:= y mod m;  
    y:=(y-(y mod m))/m;  
  od;  
  return([seq(XX[N-i+1], i=1..N)]);  
end:  
  
# special function tm in the case m=2  
t2:=proc(x,N) option remember: return(tm(x,N,2)):end:  
  
# to display long list of elements; only those with less than l  
characters are displayed  
Affiche:=proc(x,l) local n,i,ens:ens:={}:  
  n:=nops(x): for i from 1 to n do if length(x[i])<l then print  
(i);print(factor(x[i])) else ens:=ens union {i}:fi:od:  
  print("=====");  
  print("trop long",ens);  
end:  
  
# reverse operation of tm -> Transform an array into a number  
itm :=proc(u,m) option remember: local l; l:=nops(u):  
  return(add(u[i]*m^(l-i),i=1..l)):end:  
  
# binary case  
it:=proc(u) option remember: return(itm(u,2)): end:  
  
# set of words on {0,1} with N letters  
ense:= proc(N) option remember; return(seq(t2(i,N),i=0..2^N-1)):  
end:  
# set of words on {0,...,m-1} with N letters  
ensem:= proc(N,m) option remember; return(seq(tm(i,N,m),i=0..  
m^N-1));end:  
  
#Indicator function  
ind := proc(a,b)  
  if a= b then return(1) else return(0):fi:  
end:  
  
# special modulo
```

```

modu := proc(x, m)
  if x<1 then return(modu(x+m, m )):fi:
  if x>m then return(modu(x-m, m )):fi:
  return(x):
end:
# in maple, the arrays start at 1: we then use this form of
modulo, modu(7,6)=1, modu (6,6)=6

```

Illustration of the functions

```

> # Illustration
tm(3,4,2);
tm(324,4,5);
itm([2, 2, 4, 4],5);
[0, 0, 1, 1]
[2, 2, 4, 4]
324

```

(1.1.1)

```

> ense(4);
ensem(2,4);
Affiche({ensem(2,3)},100);
[0, 0, 0, 0], [0, 0, 0, 1], [0, 0, 1, 0], [0, 0, 1, 1], [0, 1, 0, 0], [0, 1, 0, 1], [0, 1, 1, 0], [0,
1, 1, 1], [1, 0, 0, 0], [1, 0, 0, 1], [1, 0, 1, 0], [1, 0, 1, 1], [1, 1, 0, 0], [1, 1, 0, 1], [1,
1, 1, 0], [1, 1, 1, 1]
[0, 0], [0, 1], [0, 2], [0, 3], [1, 0], [1, 1], [1, 2], [1, 3], [2, 0], [2, 1], [2, 2], [2, 3],
[3, 0], [3, 1], [3, 2], [3, 3]

```

```

1
[0, 0]
2
[0, 1]
3
[0, 2]
4
[1, 0]
5
[1, 1]
6
[1, 2]
7
[2, 0]
8
[2, 1]
9
[2, 2]

```

"-----"

(1.1.2)

"trop long", \emptyset

(1.1.2)

```
> # indicator -> Works also to test equality of anything  
ind(1,2); ind(3,3);  
ind([1,2],[2,3]);ind([1,2],[1,2]);
```

```
# modu  
modu(7,6);modu(6,6);modu(0,6);
```

0
1
0
1
1
6
6

(1.1.3)

Example of Section 3.1

```
> P1 := x^2+y^2-z^2-3:  
P2 := x^2+2*y^2-4:  
P3 := y^2+3*z^2-x-2:  
P4 := x*z-y^2+2:  
> Basis ([P1,P2,P3], tdeg(x,y,z));
```

$[2z^2-x-1, 2y^2+x-1, x^2-x-3]$

(1.2.1)

```
> Basis ([P1,P2,P3],plex(x,y,z));
```

$[4z^4-6z^2-1, y^2+z^2-1, -2z^2+x+1]$

(1.2.2)

```
> Basis ([P1,P2,P3,P4], tdeg(x,y,z));  
Basis ([P1,P2,P3,P4], plex(x,y,z));
```

[1]
[1]

(1.2.3)

Section 3.1.1 - Ising

```
> unassign('M','T'); # for further computations  
# Transition definition  
# -> Initialisation  
for u in ense(3) do  
    for v in ense(3) do  
        T[u,v]:=0:  
    od:  
od:  
# -> Non zero transitions  
for u in ense(3) do  
    T[ u, [u[1],1-u[2],u[3]]]:= x^(2+(2*u[2]-1)*(2*u[1]+2*u[3]-2));  
od;  
  
## product of M over 5 letters  
MM:=proc(a,b,c,d,e) return( M[a,b]*M[b,c]*M[c,d]*M[d,e]):  
end:
```

Z5:=proc(u) ## for a word u of size 5 and L = 3 we need the

```

following Z
    return( add( MM(u[1],v[1],v[2],v[3],u[5]) *T [v,[u
[2],u[3],u[4]]]/MM( op(u) )
                    -T[[u[2],u[3],u[4]],v], v in ense(3))):
end:

Cycle9MT:=proc(a,b,c,d,e) option remember: local Vec:
    Vec :=[ a, b, c, d, e, 0, 0, 0, 0]:
        return( simplify( add(Z5( [seq( Vec[modu(i +j, 9)],j=1..5] ] ),i=1..9)))):
end:

```

$$\begin{aligned}
T_{[0, 0, 0], [0, 1, 0]} &:= x^4 \\
T_{[0, 0, 1], [0, 1, 1]} &:= x^2 \\
T_{[0, 1, 0], [0, 0, 0]} &:= 1 \\
T_{[0, 1, 1], [0, 0, 1]} &:= x^2 \\
T_{[1, 0, 0], [1, 1, 0]} &:= x^2 \\
T_{[1, 0, 1], [1, 1, 1]} &:= 1 \\
T_{[1, 1, 0], [1, 0, 0]} &:= x^2 \\
T_{[1, 1, 1], [1, 0, 1]} &:= x^4
\end{aligned} \tag{1.3.1}$$

```
> for i in {0,1} do M[i,0]:=1-M[i,1]: od:
```

```

SystemEquation := { seq( Cycle9MT(op(u)), u in ense(5)),
seq( M[op(u)]*g[op(u)]-1,u in ense(2))}:

#####
PolynomialSystem := map(x-> numer(normal(x)), SystemEquation)
: # keep the numerators only
Variables:= M[0,1],M[1,1] , seq(g[op(u)],u in ense(2)), x ;
#####
# Grobner
G:= Basis(PolynomialSystem , tdeg(Variables )):
Affiche(G,200);

```

$$\begin{aligned}
Variables &:= M_{0, 1}, M_{1, 1}, g_{0, 0}, g_{0, 1}, g_{1, 0}, g_{1, 1}, x \\
1 & \\
g_{0, 1} - g_{1, 0} & \\
2 & \\
g_{0, 0} - g_{1, 1} & \\
3 & \\
M_{0, 1} + M_{1, 1} - 1 & \\
4 &
\end{aligned}$$

$$\begin{aligned}
& g_{1,0}g_{1,1} - g_{1,0} - g_{1,1} \\
& \quad 5 \\
& M_{1,1}g_{1,1} - 1 \\
& \quad 6 \\
& g_{1,0}M_{1,1} - g_{1,0} + 1 \\
& \quad 7 \\
& (x^2 + g_{1,1} - 1)(x^2 - g_{1,1} + 1) \\
& ===== \\
& "trop long", \emptyset \tag{1.3.2}
\end{aligned}$$

▼ Section 3.1.2 - Voter

```

> # -> Initialisation
unassign('T','M');
> # Transition definition
NonZeroT:= NULL: # will be the set of nonzero transitions
for u in ense(3) do
    for v in ense(3) do
        if ( (v=u) or (v[1]<>u[1]) or (v[3]<>u[3]) or (not v
[2] in {u[1],u[3]})) )
            then
                T[u,v]:=0:
            else
                NonZeroT:= NonZeroT ,T[u,v];
            fi:
    od:
od:
"Parameters = NonZeroTransition", NonZeroT;
>

## product of M over 5 letters
MM:=proc(a,b,c,d,e) return( M[a,b]*M[b,c]*M[c,d]*M[d,e]): end:

Z5:=proc(u) ## for a word u of size 5 and L = 3 we need the
following Z
    return( add( MM(u[1],v[1],v[2],v[3],u[5]) *T[v,[u
[2],u[3],u[4]]]/MM( op(u) ) -T[[u[2],u[3],u[4]],v], v in ense
(3)) ):
end:

Cycle9MT:=proc(a,b,c,d,e) option remember: local Vec:
    Vec :=[ a, b, c, d, e, 0, 0, 0, 0 ]:
    return( simplify( add(Z5( [seq( Vec[modu(i +j, 9)],j=1.
.5) ] ),i=1..9)))):
end:
>
for i in {0,1} do M[i,0]:=1-M[i,1]: od:

```

```

> SystemEquation := { seq( Cycle9MT(op(u)), u in ense(5)), seq
  ( M[op(u)]^*g[op(u)]-1,u in ense(2))}:
#####
PolynomialSystem:= map(x-> numer(normal(x)), SystemEquation):
# numerators only
Variables:= NonZeroT, M[0,1],M[1,1] , seq(g[op(u)],u in ense
(2)) :
#####
# grobner
G:= Basis(PolynomialSystem, plex( Variables)):
Affiche(G,2000);
unassign('M'); # for further computations

"Parameters = NonZeroTransition", T_{[0, 0, 1], [0, 1, 1]}, T_{[0, 1, 0], [0, 0, 0]}, T_{[0, 1, 1], [0, 0, 1]},
T_{[1, 0, 0], [1, 1, 0]}, T_{[1, 0, 1], [1, 1, 1]}, T_{[1, 1, 0], [1, 0, 0]}

$$1$$


$$g_{1, 0} g_{1, 1} - g_{1, 0} - g_{1, 1}$$


$$2$$


$$g_{0, 0} g_{0, 1} - g_{0, 0} - g_{0, 1}$$


$$3$$


$$M_{1, 1} g_{1, 1} - 1$$


$$4$$


$$g_{1, 0} M_{1, 1} - g_{1, 0} + 1$$


$$5$$


$$M_{0, 1} g_{0, 1} - 1$$


$$6$$


$$M_{0, 1} g_{0, 0} - g_{0, 0} + 1$$


$$7$$


$$T_{[1, 0, 1], [1, 1, 1]}$$


$$8$$


$$T_{[0, 1, 0], [0, 0, 0]}$$


$$9$$


$$-M_{1, 1} T_{[0, 1, 1], [0, 0, 1]} g_{0, 0} - M_{1, 1} T_{[1, 1, 0], [1, 0, 0]} g_{0, 0} + T_{[0, 0, 1], [0, 1, 1]} + T_{[1, 0, 0], [1, 1, 0]}$$

"====="
"trop long",  $\emptyset$  (1.4.1)

> latex(G);

$$[g_{\{1,0\}}g_{\{1,1\}}-g_{\{1,0\}}-g_{\{1,1\}}, g_{\{0,0\}}g_{\{0,1\}}-$$


$$g_{\{0,0\}}-g_{\{0,1\}}, M_{\{1,1\}}g_{\{1,1\}}-1, g_{\{1,0\}}M_{\{1,1\}}-g_{\{1,0\}}$$


$$+1, M_{\{0,1\}}]$$


$$g_{\{0,1\}}-1, M_{\{0,1\}}g_{\{0,0\}}-g_{\{0,0\}}+1, T_{\{[1,0,1],[1,1,1]\}}, T_{\{[0,1,0],[0,0,0]\}}, -M_{\{1,1\}}T_{\{[0,1,1],[0,0,1]\}}g_{\{0,0\}}-M_{\{1,1\}}T_{\{[$$


```

```

[1,1,0],[1,0,0}})g_{\{0,0\}}+T_{\{[0,0,1],[0,1,1]\}}+T_{\{[1,0,0],[1,1,0]\}}
]
> Remains:=map(normal,subs({seq(g[op(u)]=1/M[op(u)],u in ensem(2))}),G));
Remains := 
$$\left[ -\frac{-1 + M_{1,1} + M_{1,0}}{M_{1,0} M_{1,1}}, -\frac{-1 + M_{0,1} + M_{0,0}}{M_{0,0} M_{0,1}}, 0, \frac{-1 + M_{1,1} + M_{1,0}}{M_{1,0}}, 0,$$
 
$$\frac{-1 + M_{0,1} + M_{0,0}}{M_{0,0}}, T_{[1,0,1],[1,1,1]}, T_{[0,1,0],[0,0,0]},$$
 
$$\frac{1}{M_{0,0}} (T_{[0,0,1],[0,1,1]} M_{0,0} + T_{[1,0,0],[1,1,0]} M_{0,0} - M_{1,1} T_{[0,1,1],[0,0,1]} - M_{1,1} T_{[1,1,0],[1,0,0]}) \right]$$

> latex(numer(Remains[9]));
M_{\{0,0\}}T_{\{[0,0,1],[0,1,1]\}}+M_{\{0,0\}}T_{\{[1,0,0],[1,1,0]\}}-M_{\{1,1\}}T_{\{[0,1,1],[0,0,1]\}}-M_{\{1,1\}}T_{\{[1,1,0],[1,0,0]\}}
```

Section 3.1.4 : all variants ...

3color tasep

```

> # -> Initialisation
unassign('T','M');
K:=3;

> # Transition definition
NonZeroT:= NULL: # will be the set of nonzero transitions
for u in ensem(2,K) do
    for v in ensem(2,K) do
        if( not [u,v] in {[ [2,1],[1,2] ], [ [2,0],[0,2] ] , [ [1,0],[0,1] ] } )
            then
                T[u,v]:=0:
            else
                NonZeroT := NonZeroT, T[u,v]:
            fi:
        od:
od:
"Parameters = NonZeroTransition", NonZeroT;
> ## product of M over 4 letters
MM:=proc(a,b,c,d) return( M[a,b]*M[b,c]*M[c,d]): end:

Z4:=proc(u) ## for a word u of size 4 and L = 2 we need the
following Z
    return( add( MM(u[1],v[1],v[2],u[4]) *T[v,[u[2],
u[3]]]/MM( op(u) ) -T[[u[2],u[3]],v], v in ensem(2,K))):
```

```

end:

> Cycle7MT:=proc(a,b,c,d) option remember: local Vec:
    Vec :=[ a, b, c, d, 0, 0, 0]:
    return( simplify( add(Z4( [seq( Vec[modu(i +j, 7)],j=1..4) ] ),i=1..7))):
end:
>
for i in {0,1,2} do M[i,0]:=1-M[i,1]-M[i,2]: od:
>
SystemEquation := { seq( Cycle7MT(op(u)), u in ensem(4,K)

$$\text{), seq( M[op(u)]^*g[op(u)]-1,u in ensem(2,K))}:$$

#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= seq(seq(M[i,j],i=0..K-1),j=1..K-1) , seq(g[op

$$(\text{u})],\text{u in ensem}(2,\text{K})), \text{NonZeroT} :$$

#####
# grobner
G:= Basis(PolynomialSystem,plex( Variables)):
Affiche(G,2000);
unassign('M'); # for further computations
K := 3
"Parameters = NonZeroTransition",  $T_{[1, 0], [0, 1]}, T_{[2, 0], [0, 2]}, T_{[2, 1], [1, 2]}$ 

$$\begin{matrix} 1 \\ 2 \\ g_{2, 0}g_{2, 1}g_{2, 2} - g_{2, 0}g_{2, 1} - g_{2, 0}g_{2, 2} - g_{2, 1}g_{2, 2} \\ 3 \\ T_{[2, 1], [1, 2]}(g_{1, 2} - g_{2, 2}) \\ 4 \\ T_{[2, 0], [0, 2]}(g_{1, 2} - g_{2, 2}) \\ 5 \\ T_{[2, 1], [1, 2]}(g_{1, 1} - g_{2, 1}) \\ 6 \\ T_{[2, 0], [0, 2]}(g_{1, 1} - g_{2, 1}) \\ 7 \\ T_{[2, 1], [1, 2]}(g_{1, 0} - g_{2, 0}) \\ 8 \\ T_{[2, 0], [0, 2]}(g_{1, 0} - g_{2, 0}) \\ 9 \\ g_{1, 0}g_{1, 1}g_{1, 2} - g_{1, 0}g_{1, 1} - g_{1, 0}g_{1, 2} - g_{1, 1}g_{1, 2} \end{matrix}$$


```

$$\begin{aligned}
& 10 \\
& T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) \\
& 11 \\
& T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) \\
& 12 \\
& T_{[2, 1], [1, 2]} (g_{0, 1}g_{0, 2}g_{2, 2} - g_{0, 2}g_{2, 2}g_{2, 1} - g_{0, 1}g_{2, 2} + g_{0, 2}g_{2, 1}) \\
& 13 \\
& T_{[2, 1], [1, 2]} (g_{0, 1}g_{0, 2}g_{2, 0} - g_{0, 1}g_{2, 0} - g_{0, 2}g_{2, 0} - g_{0, 2}g_{2, 1}) \\
& 14 \\
& T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0}) \\
& 15 \\
& T_{[2, 1], [1, 2]} (-g_{0, 1}g_{2, 0}g_{2, 2} + g_{0, 0}g_{2, 2} + g_{0, 1}g_{2, 0} + g_{0, 1}g_{2, 2}) \\
& 16 \\
& T_{[2, 1], [1, 2]} (g_{0, 0}g_{2, 1} - g_{0, 1}g_{2, 0}) \\
& 17 \\
& g_{0, 0}g_{0, 1}g_{0, 2} - g_{0, 0}g_{0, 1} - g_{0, 0}g_{0, 2} - g_{0, 1}g_{0, 2} \\
& 18 \\
& M_{2, 2}g_{2, 2} - 1 \\
& 19 \\
& M_{2, 2}g_{2, 0}g_{2, 1} - g_{2, 0}g_{2, 1} + g_{2, 0} + g_{2, 1} \\
& 20 \\
& T_{[2, 1], [1, 2]} (M_{2, 2}g_{0, 2}g_{2, 1} + g_{0, 1}g_{0, 2} - g_{0, 2}g_{2, 1} - g_{0, 1}) \\
& 21 \\
& T_{[2, 1], [1, 2]} (M_{2, 2}g_{0, 2}g_{2, 0} + g_{0, 0}g_{0, 2} - g_{0, 2}g_{2, 0} - g_{0, 0}) \\
& 22 \\
& T_{[2, 1], [1, 2]} (M_{2, 2}g_{0, 1}g_{2, 0} - g_{0, 1}g_{2, 0} + g_{0, 0} + g_{0, 1}) \\
& 23 \\
& T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) \\
& 24 \\
& T_{[2, 0], [0, 2]} (M_{1, 2} - M_{2, 2}) \\
& 25 \\
& M_{1, 2}g_{1, 2} - 1 \\
& 26 \\
& M_{1, 2}g_{1, 0}g_{1, 1} - g_{1, 0}g_{1, 1} + g_{1, 0} + g_{1, 1} \\
& 27 \\
& T_{[2, 0], [0, 2]} (M_{0, 2} - M_{2, 2}) \\
& 28 \\
& M_{0, 2}g_{0, 2} - 1
\end{aligned}$$

29

$$T_{[2, 1], [1, 2]} (M_{0, 2} g_{0, 1} - M_{2, 2} g_{2, 1} - g_{0, 1} + g_{2, 1})$$

30

$$T_{[2, 1], [1, 2]} (g_{0, 0} M_{0, 2} - M_{2, 2} g_{2, 0} - g_{0, 0} + g_{2, 0})$$

31

$$M_{0, 2} g_{0, 0} g_{0, 1} - g_{0, 0} g_{0, 1} + g_{0, 0} + g_{0, 1}$$

32

$$M_{2, 1} g_{2, 1} - 1$$

33

$$g_{2, 0} M_{2, 1} + M_{2, 2} g_{2, 0} - g_{2, 0} + 1$$

34

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{0, 1} g_{0, 2} - M_{2, 1} g_{0, 1} + M_{2, 2} g_{0, 2} - g_{0, 2})$$

35

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{0, 0} + M_{2, 1} g_{0, 1} + M_{2, 2} g_{0, 0} - g_{0, 0})$$

36

$$T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1})$$

37

$$T_{[2, 0], [0, 2]} (M_{1, 1} - M_{2, 1})$$

38

$$M_{1, 1} g_{1, 1} - 1$$

39

$$g_{1, 0} M_{1, 1} + M_{1, 2} g_{1, 0} - g_{1, 0} + 1$$

40

$$T_{[2, 0], [0, 2]} (M_{0, 1} - M_{2, 1})$$

41

$$T_{[2, 1], [1, 2]} (M_{0, 2} M_{2, 1} g_{2, 2} + M_{0, 1} g_{2, 2} - M_{2, 1} g_{2, 2} - M_{0, 1})$$

42

$$T_{[2, 1], [1, 2]} (M_{0, 1} g_{2, 0} + M_{0, 1} g_{2, 1} + M_{0, 2} g_{2, 0} - g_{2, 0})$$

43

$$M_{0, 1} g_{0, 1} - 1$$

44

$$M_{0, 1} g_{0, 0} + g_{0, 0} M_{0, 2} - g_{0, 0} + 1$$

45

$$T_{[2, 1], [1, 2]} (M_{0, 1} M_{2, 2} - M_{0, 2} M_{2, 1} - M_{0, 1} + M_{2, 1})$$

"====="

"trop long", \emptyset

(1.5.1.1)

particle i can overtake $i-1 \bmod 3$

```

> # -> Initialisation
unassign('T','M');
K:=3;

> # Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(2,K) do
    for v in ensem(2,K) do
        if( not [u,v] in {[ [2,1],[1,2] ], [ [0,2],[2,0] ] ,
[ [1,0],[0,1] ] } )
            then
                T[u,v]:=0:
            else
                NonZeroT := NonZeroT, T[u,v]:
            fi:
        od:
od:

"Parameters = NonZeroTransition", NonZeroT;
> ## product of M over 4 letters
MM:=proc(a,b,c,d) return( M[a,b]*M[b,c]*M[c,d]): end:

Z4:=proc(u) ## for a word u of size 4 and L = 2 we need the
following Z
    return( add( MM(u[1],v[1],v[2],u[4]) *T[v,[u[2],
u[3]]]/MM( op(u) ) -T[[u[2],u[3]],v], v in ensem(2,K))): end:

>
> Cycle7MT:=proc(a,b,c,d) option remember: local Vec:
    Vec :=[ a, b, c, d, 0, 0, 0]:
    return( simplify( add(Z4( [seq( Vec[modu(i +j, 7)],j=1..4) ] ),i=1..7)))):
end:
>

for i in {0,1,2} do M[i,0]:=1-M[i,1]-M[i,2]: od:

>
> SystemEquation := { seq( Cycle7MT(op(u)), u in ensem(4,K)
), seq( M[op(u)]*g[op(u)]-1,u in ensem(2,K))}:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= seq(seq(M[i,j],i=0..K-1),j=1..K-1) , seq(g[op
(u)],u in ensem(2,K)), NonZeroT :
#####
# grobner
G:= Basis(PolynomialSystem,plex( Variables)):
Affiche(G,2000);
unassign('M'); # for further computations
K := 3
"Parameters = NonZeroTransition", T[0, 2], [2, 0], T[1, 0], [0, 1], T[2, 1], [1, 2]

```

$$T_{[0, 2], [2, 0]} + T_{[1, 0], [0, 1]} + T_{[2, 1], [1, 2]}$$

$$g_{2,0}g_{2,1}g_{2,2}-g_{2,0}g_{2,1}-g_{2,0}g_{2,2}-g_{2,1}g_{2,2}$$

3

$$T_{[1,0], [0,1]} T_{[2,1], [1,2]} \begin{pmatrix} g_{1,2} - g_{2,2} \\ 4 \end{pmatrix}$$

$$T_{[1,0], [0,1]} T_{[2,1], [1,2]} (g_{1,1} - g_{2,1})$$

5

$$T_{[2,1], [1,2]} \left(g_{1,1}g_{2,2} - g_{1,2}g_{2,1} \right)$$

$$T_{[2,1], [1,2]} \left(-g_{1,2}g_{2,0}g_{2,1} + g_{1,1}g_{2,0} + g_{1,2}g_{2,0} + g_{1,2}g_{2,1} \right) \\ 7$$

$$T_{[1,0], [0,1]}(g_{1,1}g_{1,2}g_{2,1} - g_{1,1}g_{2,1}g_{2,2} + g_{1,1}g_{2,2} - g_{1,2}g_{2,1})$$

8

$$T_{[1, 0], [0, 1]}(g_{1, 1}g_{1, 2}g_{2, 0} - g_{1, 1}g_{2, 0} - g_{1, 1}g_{2, 2} - g_{1, 2}g_{2, 0})$$

9

$$T_{[1,0], [0,1]} T_{[2,1], [1,2]} (g_{1,0} - g_{2,0})$$

10

$$T_{[1,0], [0,1]}(g_{1,0}g_{2,2} - g_{1,2}g_{2,0})$$

11

$$T_{[1,0], [0,1]} \left(-g_{1,2}g_{2,0}g_{2,1} + g_{1,0}g_{2,1} + g_{1,2}g_{2,0} + g_{1,2}g_{2,1} \right) \\ 12$$

$T_{[2, 1], [1, 2]}(g_{1, 0}g_{1, 2}g_{2, 1} - g_{1, 0}g_{2, 1} - g_{1, 0}g_{2, 2} + g_{1, 2}g_{2, 1})$

$$T_{[2,1], [1,2]}(g_{1,0}g_{1,2}g_{2,0} - g_{1,0}g_{2,0}g_{2,2} + g_{1,0}g_{2,2} - g_{1,2}g_{2,0})$$

14

$$g_{1,0}g_{1,1}g_{1,2}-g_{1,0}g_{1,1}-g_{1,0}g_{1,2}-g_{1,1}g_{1,2}$$

15

$$T_{[1,0], [0,1]} g_{0,2} - T_{[1,0], [0,1]} g_{1,2} + T_{[2,1], [1,2]} g_{0,2} - T_{[2,1], [1,2]} g_{2,2}$$

$T_{[2, 1], [1, 2]}(g_{1, 2} - g_{2, 2})$ 17

$T_{[2,1], [1,2]}(g_{0,2}g_{1,1} - g_{0,2}g_{2,1} - g_{1,2}g_{2,1} + g_{2,1}g_{2,2})$

$T_{[2, 1], [1, 2]}(g_{1, 0} - g_{2, 0}) (g_{0, 2} - g_{2, 2})$

$$g_{0,1} T_{[1,0], [0,1]} - g_{1,1} T_{[1,0], [0,1]} + T_{[2,1], [1,2]} g_{0,1} - T_{[2,1], [1,2]} g_{2,1}$$

20

$$T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{0, 1} - g_{2, 1})$$

21

$$T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{0, 1} - g_{2, 1})$$

22

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 1} - g_{2, 1})$$

23

$$T_{[2, 1], [1, 2]} (g_{0, 1} g_{0, 2} g_{2, 2} - g_{0, 2} g_{2, 1} g_{2, 2} - g_{0, 1} g_{2, 2} + g_{0, 2} g_{2, 1})$$

24

$$T_{[2, 1], [1, 2]} (g_{0, 1} g_{0, 2} g_{2, 0} - g_{0, 1} g_{2, 0} - g_{0, 2} g_{2, 0} - g_{0, 2} g_{2, 1})$$

25

$$g_{0, 0} T_{[1, 0], [0, 1]} - g_{1, 0} T_{[1, 0], [0, 1]} + T_{[2, 1], [1, 2]} g_{0, 0} - T_{[2, 1], [1, 2]} g_{2, 0}$$

26

$$T_{[2, 1], [1, 2]} (-g_{0, 1} g_{2, 0} g_{2, 2} + g_{0, 0} g_{2, 2} + g_{0, 1} g_{2, 0} + g_{0, 1} g_{2, 2})$$

27

$$T_{[2, 1], [1, 2]} (g_{0, 0} g_{2, 1} - g_{0, 1} g_{2, 0})$$

28

$$T_{[2, 1], [1, 2]} (-g_{0, 1} g_{2, 0} g_{2, 2} + g_{0, 0} g_{1, 2} + g_{0, 1} g_{2, 0} + g_{0, 1} g_{2, 2} - g_{1, 2} g_{2, 0} + g_{2, 0} g_{2, 2})$$

29

$$T_{[2, 1], [1, 2]} (-g_{1, 2} g_{2, 0} g_{2, 1} + g_{0, 0} g_{1, 1} - g_{0, 1} g_{2, 0} + g_{1, 2} g_{2, 0} + g_{1, 2} g_{2, 1} + g_{2, 0} g_{2, 1})$$

30

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 0} - g_{2, 0})$$

31

$$g_{0, 0} g_{0, 1} g_{0, 2} - g_{0, 0} g_{0, 1} - g_{0, 0} g_{0, 2} - g_{0, 1} g_{0, 2}$$

32

$$M_{2, 2} g_{2, 2} - 1$$

33

$$M_{2, 2} g_{2, 0} g_{2, 1} - g_{2, 0} g_{2, 1} + g_{2, 0} + g_{2, 1}$$

34

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{1, 2} g_{2, 1} - g_{1, 1})$$

35

$$T_{[1, 0], [0, 1]} (M_{2, 2} g_{1, 2} g_{2, 0} - g_{1, 0})$$

36

$$T_{[1, 0], [0, 1]} (M_{2, 2} g_{1, 1} g_{2, 0} - g_{1, 0} g_{1, 1} + g_{1, 0} + g_{1, 1})$$

37

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{1, 0} g_{2, 1} - g_{1, 0} g_{1, 1} + g_{1, 0} + g_{1, 1})$$

38

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 2} g_{2, 1} + g_{0, 1} g_{0, 2} - g_{0, 2} g_{2, 1} - g_{0, 1})$$

39

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 2} g_{2, 0} + g_{0, 0} g_{0, 2} - g_{0, 2} g_{2, 0} - g_{0, 0})$$

40

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 1} g_{2, 0} - g_{0, 1} g_{2, 0} + g_{0, 0} + g_{0, 1})$$

41

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})$$

42

$$M_{1, 2} g_{1, 2} - 1$$

43

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 1} - M_{2, 2} g_{2, 1})$$

44

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{1, 1} g_{2, 1} - M_{2, 2} g_{1, 1} g_{2, 1} - M_{1, 2} g_{1, 1} + M_{2, 2} g_{2, 1})$$

45

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{1, 1} g_{2, 0} + M_{1, 2} g_{1, 1} g_{2, 2} - g_{1, 1} g_{2, 0} + g_{2, 0})$$

46

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{1, 0} - M_{2, 2} g_{2, 0})$$

47

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 0} g_{2, 1} + M_{1, 2} g_{1, 0} g_{2, 2} - g_{1, 0} g_{2, 1} + g_{2, 1})$$

48

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 0} g_{2, 0} - M_{2, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{1, 0} + M_{2, 2} g_{2, 0})$$

49

$$M_{1, 2} g_{1, 0} g_{1, 1} - g_{1, 0} g_{1, 1} + g_{1, 0} + g_{1, 1}$$

50

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{0, 2} - M_{1, 2} g_{2, 2} - M_{2, 2} g_{0, 2} + 1)$$

51

$$T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

52

$$T_{[2, 1], [1, 2]} (g_{0, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

53

$$M_{0, 2} T_{[1, 0], [0, 1]} + T_{[2, 1], [1, 2]} M_{0, 2} - M_{1, 2} T_{[1, 0], [0, 1]} - M_{2, 2} T_{[2, 1], [1, 2]}$$

54

$$T_{[2, 1], [1, 2]} (M_{0, 2} g_{1, 2} - M_{0, 2} g_{2, 2} - M_{2, 2} g_{1, 2} + 1)$$

55

$$T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (M_{0, 2} - M_{2, 2})$$

56

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{0, 2} - M_{2, 2})$$

57

$$M_{0, 2} g_{0, 2} - 1$$

58

$$T_{[2, 1], [1, 2]} (M_{0, 2} g_{0, 1} - M_{2, 2} g_{2, 1} - g_{0, 1} + g_{2, 1})$$

59

$$T_{[2, 1], [1, 2]} (g_{0, 0} M_{0, 2} - M_{2, 2} g_{2, 0} - g_{0, 0} + g_{2, 0})$$

60

$$M_{0, 2} g_{0, 0} g_{0, 1} - g_{0, 0} g_{0, 1} + g_{0, 0} + g_{0, 1}$$

61

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{0, 2} - M_{2, 2})$$

62

$$M_{2, 1} g_{2, 1} - 1$$

63

$$g_{2, 0} M_{2, 1} + M_{2, 2} g_{2, 0} - g_{2, 0} + 1$$

64

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{1, 1} - M_{2, 2} g_{1, 2})$$

65

$$T_{[1, 0], [0, 1]} (M_{2, 2} g_{1, 1} g_{1, 2} + M_{2, 1} g_{1, 1} - M_{2, 2} g_{1, 2} - g_{1, 1})$$

66

$$T_{[2, 1], [1, 2]} (-M_{2, 2} g_{1, 0} g_{1, 2} + M_{2, 1} g_{1, 0} + M_{2, 2} g_{1, 0} + M_{2, 2} g_{1, 2})$$

67

$$T_{[1, 0], [0, 1]} (M_{2, 1} g_{1, 0} + M_{2, 2} g_{1, 0} + M_{2, 2} g_{1, 2} - g_{1, 0})$$

68

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{0, 1} g_{0, 2} - M_{2, 1} g_{0, 1} + M_{2, 2} g_{0, 2} - g_{0, 2})$$

69

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{0, 0} + M_{2, 1} g_{0, 1} + M_{2, 2} g_{0, 0} - g_{0, 0})$$

70

$$T_{[2, 1], [1, 2]} (-M_{1, 2} M_{2, 1} g_{2, 2} + M_{1, 1})$$

71

$$T_{[1, 0], [0, 1]} (-M_{1, 2} M_{2, 1} g_{2, 2} + M_{1, 2} g_{2, 2} + M_{1, 1} - 1)$$

72

$$M_{1, 1} g_{1, 1} - 1$$

73

$$g_{1, 0} M_{1, 1} + M_{1, 2} g_{1, 0} - g_{1, 0} + 1$$

74

$$-M_{1, 2} M_{2, 1} T_{[1, 0], [0, 1]} g_{2, 2} + M_{1, 2} T_{[1, 0], [0, 1]} g_{2, 2} + M_{0, 1} T_{[1, 0], [0, 1]}$$

$$\begin{aligned}
& + M_{0,1} T_{[2,1], [1,2]} - M_{2,1} T_{[2,1], [1,2]} - T_{[1,0], [0,1]} \\
& \quad \quad \quad 75 \\
& T_{[2,1], [1,2]} (M_{0,2} M_{2,1} g_{2,2} + M_{0,1} g_{2,2} - M_{2,1} g_{2,2} - M_{0,1}) \\
& \quad \quad \quad 76 \\
& T_{[2,1], [1,2]} (M_{0,1} g_{2,0} + M_{0,1} g_{2,1} + M_{0,2} g_{2,0} - g_{2,0}) \\
& \quad \quad \quad 77 \\
& T_{[2,1], [1,2]} (M_{0,2} M_{2,1} g_{2,2} + M_{0,1} g_{1,2} - M_{2,1} g_{1,2} - M_{0,1}) \\
& \quad \quad \quad 78 \\
& T_{[2,1], [1,2]} (M_{0,1} g_{1,1} - M_{0,1} g_{2,1} - M_{2,2} g_{1,2} + 1) \\
& \quad \quad \quad 79 \\
& T_{[2,1], [1,2]} (-M_{2,2} g_{1,0} g_{1,2} + M_{0,1} g_{1,0} + M_{0,1} g_{2,1} + M_{0,2} g_{2,0} + M_{2,2} g_{1,0} \\
& \quad + M_{2,2} g_{1,2} - M_{2,2} g_{2,0} - 1) \\
& \quad \quad \quad 80 \\
& M_{0,1} g_{0,1} - 1 \\
& \quad \quad \quad 81 \\
& M_{0,1} g_{0,0} + g_{0,0} M_{0,2} - g_{0,0} + 1 \\
& \quad \quad \quad 82 \\
& T_{[2,1], [1,2]} (M_{0,1} M_{2,2} - M_{0,2} M_{2,1} - M_{0,1} + M_{2,1}) \\
& \quad \quad \quad 83 \\
& T_{[2,1], [1,2]} (M_{0,1} M_{1,2} - M_{0,2} M_{2,1} - M_{1,2} M_{2,1} + M_{2,1} M_{2,2} - M_{0,1} + M_{2,1}) \\
& \quad \quad \quad "=====\\
& \quad \quad \quad "trop long", \emptyset \quad \quad \quad (1.5.2.1)
\end{aligned}$$

Variant with parameter $T[[a,b],[b,a]]$

```

> # -> Initialisation
unassign('T','M');
K:=3;

> # Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(2,K) do
  for v in ensem(2,K) do
    if( u=v or (u[1]<>v[2]) or(v[1]<>u[2]) )
      then
        T[u,v]:=0:
      else
        NonZeroT := NonZeroT, T[u,v]:
      fi:
    od:
od:

"Parameters = NonZeroTransition", NonZeroT;

```

```

## product of M over 4 letters
MM:=proc(a,b,c,d) return( M[a,b]*M[b,c]*M[c,d]): end:

Z4:=proc(u) ## for a word u of size 4 and L = 2 we need the
following Z
    return( add( MM(u[1],v[1],v[2],u[4]) *T[v,[u[2],
u[3]]]/MM( op(u) ) -T[[u[2],u[3]],v], v in ensem(2,K))): end:

> Cycle7MT:=proc(a,b,c,d) option remember: local Vec:
    Vec :=[ a, b, c, d, 0, 0, 0]:
    return( simplify( add(Z4( [seq( Vec[modu(i +j, 7)],j=1..4) ] ),i=1..7))): end:
> for i in {0,1,2} do M[i,0]:=1-M[i,1]-M[i,2]: od:
> SystemEquation := { seq( Cycle7MT(op(u)), u in ensem(4,K)),
seq( M[op(u)]*g[op(u)]-1,u in ensem(2,K))}:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= seq(seq(M[i,j],i=0..K-1),j=1..K-1) , seq(g[op(u)],u in ensem(2,K)), NonZeroT :
#####
# grobner
G:= Basis(PolynomialSystem,tdeg( Variables)):
Affiche(G,500);
unassign('M'); # for further computations
K:=3

"Parameters = NonZeroTransition", T[0, 1], T[1, 0], T[0, 2], T[2, 0], T[1, 0], T[0, 1], T[1, 2], T[2, 1],
T[2, 0], T[0, 2], T[2, 1], T[1, 2]
1
T[1, 0], T[0, 1] g0, 2 - g1, 2 T[1, 0], T[0, 1] - g0, 2 T[1, 2], T[2, 1] + g1, 2 T[1, 2], T[2, 1]
- T[2, 0], T[0, 2] g0, 2 + T[2, 0], T[0, 2] g2, 2 + g0, 2 T[2, 1], T[1, 2] - g2, 2 T[2, 1], T[1, 2]
2
g0, 1 T[1, 0], T[0, 1] - g1, 1 T[1, 0], T[0, 1] - g0, 1 T[1, 2], T[2, 1] + g1, 1 T[1, 2], T[2, 1]
- T[2, 0], T[0, 2] g0, 1 + T[2, 0], T[0, 2] g2, 1 + g0, 1 T[2, 1], T[1, 2] - g2, 1 T[2, 1], T[1, 2]
3
g0, 0 T[1, 0], T[0, 1] - g1, 0 T[1, 0], T[0, 1] - g0, 0 T[1, 2], T[2, 1] + g1, 0 T[1, 2], T[2, 1]
- T[2, 0], T[0, 2] g0, 0 + T[2, 0], T[0, 2] g2, 0 + g0, 0 T[2, 1], T[1, 2] - g2, 0 T[2, 1], T[1, 2]
4
M0, 2 T[1, 0], T[0, 1] - M0, 2 T[1, 2], T[2, 1] - T[2, 0], T[0, 2] M0, 2 + M0, 2 T[2, 1], T[1, 2]
- M1, 2 T[1, 0], T[0, 1] + M1, 2 T[1, 2], T[2, 1] + T[2, 0], T[0, 2] M2, 2 - M2, 2 T[2, 1], T[1, 2]
5
M0, 1 T[1, 0], T[0, 1] - M0, 1 T[1, 2], T[2, 1] - M0, 1 T[2, 0], T[0, 2] + M0, 1 T[2, 1], T[1, 2]

```

$$-M_{1,1}T_{[1,0],[0,1]}+M_{1,1}T_{[1,2],[2,1]}+M_{2,1}T_{[2,0],[0,2]}-M_{2,1}T_{[2,1],[1,2]}$$

7

$$(g_{1,2}-g_{2,2})(T_{[2,0],[0,2]}+T_{[1,2],[2,1]}-T_{[2,1],[1,2]}+T_{[0,1],[1,0]}-T_{[0,2],[2,0]} \\ -T_{[1,0],[0,1]})$$

8

$$(g_{1,1}-g_{2,1})(T_{[2,0],[0,2]}+T_{[1,2],[2,1]}-T_{[2,1],[1,2]}+T_{[0,1],[1,0]}-T_{[0,2],[2,0]} \\ -T_{[1,0],[0,1]})$$

9

$$(g_{1,0}-g_{2,0})(T_{[2,0],[0,2]}+T_{[1,2],[2,1]}-T_{[2,1],[1,2]}+T_{[0,1],[1,0]}-T_{[0,2],[2,0]} \\ -T_{[1,0],[0,1]})$$

10

$$T_{[0,1],[1,0]}g_{0,2}-g_{2,2}T_{[0,1],[1,0]}-g_{0,2}T_{[0,2],[2,0]}+g_{2,2}T_{[0,2],[2,0]}$$

$$-g_{1,2}T_{[1,0],[0,1]}+g_{2,2}T_{[1,0],[0,1]}+g_{1,2}T_{[1,2],[2,1]}-g_{2,2}T_{[1,2],[2,1]}$$

11

$$T_{[0,1],[1,0]}g_{0,1}-g_{2,1}T_{[0,1],[1,0]}-g_{0,1}T_{[0,2],[2,0]}+g_{2,1}T_{[0,2],[2,0]}$$

$$-g_{1,1}T_{[1,0],[0,1]}+g_{2,1}T_{[1,0],[0,1]}+g_{1,1}T_{[1,2],[2,1]}-g_{2,1}T_{[1,2],[2,1]}$$

12

$$T_{[0,1],[1,0]}g_{0,0}-g_{2,0}T_{[0,1],[1,0]}-g_{0,0}T_{[0,2],[2,0]}+g_{2,0}T_{[0,2],[2,0]}$$

$$-g_{1,0}T_{[1,0],[0,1]}+g_{2,0}T_{[1,0],[0,1]}+g_{1,0}T_{[1,2],[2,1]}-g_{2,0}T_{[1,2],[2,1]}$$

13

$$(T_{[2,0],[0,2]}+T_{[1,2],[2,1]}-T_{[2,1],[1,2]}+T_{[0,1],[1,0]}-T_{[0,2],[2,0]})$$

$$-T_{[1,0],[0,1]})(M_{1,2}-M_{2,2})$$

14

$$T_{[0,1],[1,0]}M_{0,2}-M_{0,2}T_{[0,2],[2,0]}-M_{1,2}T_{[1,0],[0,1]}+M_{1,2}T_{[1,2],[2,1]}$$

$$-M_{2,2}T_{[0,1],[1,0]}+T_{[0,2],[2,0]}M_{2,2}+M_{2,2}T_{[1,0],[0,1]}-M_{2,2}T_{[1,2],[2,1]}$$

15

$$(T_{[2,0],[0,2]}+T_{[1,2],[2,1]}-T_{[2,1],[1,2]}+T_{[0,1],[1,0]}-T_{[0,2],[2,0]})$$

$$-T_{[1,0],[0,1]})(M_{1,1}-M_{2,1})$$

16

$$M_{0,1}T_{[0,1],[1,0]}-M_{0,1}T_{[0,2],[2,0]}-M_{1,1}T_{[1,0],[0,1]}+M_{1,1}T_{[1,2],[2,1]}$$

$$-M_{2,1}T_{[0,1],[1,0]}+M_{2,1}T_{[0,2],[2,0]}+M_{2,1}T_{[1,0],[0,1]}-M_{2,1}T_{[1,2],[2,1]}$$

17

$$M_{2,2}g_{2,2}-1$$

18

$$M_{2,1}g_{2,1}-1$$

19

$$g_{2,0} M_{2,1} + M_{2,2} g_{2,0} - g_{2,0} + 1$$

20

$$M_{1,2} g_{1,2} - 1$$

21

$$M_{1,1} g_{1,1} - 1$$

22

$$g_{1,0} M_{1,1} + M_{1,2} g_{1,0} - g_{1,0} + 1$$

23

$$M_{0,2} g_{0,2} - 1$$

24

$$M_{0,1} g_{0,1} - 1$$

25

$$M_{0,1} g_{0,0} + M_{0,2} g_{0,0} - g_{0,0} + 1$$

26

$$T_{[2,1], [1,2]} (g_{1,2} - g_{2,2}) (g_{0,2} - g_{2,2})$$

27

$$T_{[2,1], [1,2]} (g_{1,2} - g_{2,2}) (g_{0,1} - g_{2,1})$$

28

$$T_{[2,1], [1,2]} (g_{1,2} - g_{2,2}) (g_{0,0} - g_{2,0})$$

29

$$T_{[2,1], [1,2]} (M_{0,2} g_{1,2} - M_{0,2} g_{2,2} - M_{2,2} g_{1,2} + 1)$$

30

$$T_{[2,1], [1,2]} (g_{1,2} - g_{2,2}) (M_{0,1} - M_{2,1})$$

31

$$T_{[2,1], [1,2]} (g_{1,1} - g_{2,1}) (g_{0,2} - g_{2,2})$$

32

$$T_{[2,1], [1,2]} (g_{1,1} - g_{2,1}) (g_{0,1} - g_{2,1})$$

33

$$T_{[2,1], [1,2]} (g_{1,1} - g_{2,1}) (g_{0,0} - g_{2,0})$$

34

$$T_{[2,1], [1,2]} (g_{1,1} - g_{2,1}) (M_{0,2} - M_{2,2})$$

35

$$T_{[2,1], [1,2]} (M_{1,1} g_{2,1} - M_{1,2} g_{2,2} + M_{2,1} g_{1,1} - M_{2,2} g_{1,2})$$

36

$$T_{[2,1], [1,2]} (M_{0,1} g_{1,1} - M_{0,1} g_{2,1} + M_{1,1} g_{2,1} - M_{1,2} g_{2,2} - M_{2,2} g_{1,2} + 1)$$

37

$$T_{[2,1], [1,2]} (g_{1,0} - g_{2,0}) (g_{0,2} - g_{2,2})$$

38

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 1} - g_{2, 1})$$

39

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 0} - g_{2, 0})$$

40

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{0, 2} - M_{2, 2})$$

41

$$T_{[2, 1], [1, 2]} (M_{0, 1} g_{1, 0} - M_{0, 1} g_{2, 0} - M_{2, 1} g_{1, 0} - M_{2, 2} g_{2, 0} + g_{2, 0} - 1)$$

42

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{0, 2} - M_{1, 2} g_{2, 2} - M_{2, 2} g_{0, 2} + 1)$$

43

$$T_{[2, 1], [1, 2]} (g_{0, 2} - g_{2, 2}) (M_{1, 1} - M_{2, 1})$$

44

$$T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

45

$$T_{[2, 1], [1, 2]} (M_{1, 1} g_{0, 1} - M_{1, 1} g_{2, 1} - M_{2, 1} g_{0, 1} + 1)$$

46

$$T_{[2, 1], [1, 2]} (g_{0, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

47

$$T_{[2, 1], [1, 2]} (M_{1, 1} g_{0, 0} - M_{1, 1} g_{2, 0} - M_{2, 1} g_{0, 0} - M_{2, 2} g_{2, 0} + g_{2, 0} - 1)$$

48

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{0, 2} - M_{2, 2})$$

49

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{0, 1} - M_{2, 1})$$

50

$$T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1}) (M_{0, 2} - M_{2, 2})$$

51

$$T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1}) (M_{0, 1} - M_{2, 1})$$

52

$$(g_{1, 2} - g_{2, 2}) (T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[1, 2], [2, 1]})$$

53

$$(g_{1, 1} - g_{2, 1}) (T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[1, 2], [2, 1]})$$

54

$$(g_{1, 0} - g_{2, 0}) (T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[1, 2], [2, 1]})$$

55

$$(T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[1, 2], [2, 1]}) (M_{1, 2} - M_{2, 2})$$

56

$$(T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[1, 2], [2, 1]}) (M_{1, 1} - M_{2, 1})$$

57

$$T_{[2, 0], [0, 2]} (g_{1, 2} - g_{2, 2}) (g_{0, 2} - g_{2, 2})$$

58

$$T_{[2, 0], [0, 2]} (g_{1, 2} - g_{2, 2}) (g_{0, 1} - g_{2, 1})$$

59

$$T_{[2, 0], [0, 2]} (g_{1, 2} - g_{2, 2}) (g_{0, 0} - g_{2, 0})$$

60

$$T_{[2, 0], [0, 2]} (M_{0, 2} g_{1, 2} - M_{0, 2} g_{2, 2} - M_{2, 2} g_{1, 2} + 1)$$

61

$$T_{[2, 0], [0, 2]} (g_{1, 2} - g_{2, 2}) (M_{0, 1} - M_{2, 1})$$

62

$$T_{[2, 0], [0, 2]} (g_{1, 1} - g_{2, 1}) (g_{0, 2} - g_{2, 2})$$

63

$$T_{[2, 0], [0, 2]} (g_{1, 1} - g_{2, 1}) (g_{0, 1} - g_{2, 1})$$

64

$$T_{[2, 0], [0, 2]} (g_{1, 1} - g_{2, 1}) (g_{0, 0} - g_{2, 0})$$

65

$$T_{[2, 0], [0, 2]} (g_{1, 1} - g_{2, 1}) (M_{0, 2} - M_{2, 2})$$

66

$$T_{[2, 0], [0, 2]} (M_{0, 1} g_{1, 1} - M_{0, 1} g_{2, 1} - M_{2, 1} g_{1, 1} + 1)$$

67

$$T_{[2, 0], [0, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 2} - g_{2, 2})$$

68

$$T_{[2, 0], [0, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 1} - g_{2, 1})$$

69

$$T_{[2, 0], [0, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 0} - g_{2, 0})$$

70

$$T_{[2, 0], [0, 2]} (g_{1, 0} - g_{2, 0}) (M_{0, 2} - M_{2, 2})$$

71

$$T_{[2, 0], [0, 2]} (M_{0, 1} g_{1, 0} - M_{0, 1} g_{2, 0} - M_{2, 1} g_{1, 0} - M_{2, 2} g_{2, 0} + g_{2, 0} - 1)$$

72

$$T_{[2, 0], [0, 2]} (M_{1, 2} g_{0, 2} - M_{1, 2} g_{2, 2} - M_{2, 2} g_{0, 2} + 1)$$

73

$$T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) (M_{1, 1} - M_{2, 1})$$

74

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

75

$$T_{[2, 0], [0, 2]} (M_{1, 1} g_{0, 1} - M_{1, 1} g_{2, 1} - M_{2, 1} g_{0, 1} + 1)$$

76

$$T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

77

$$T_{[2, 0], [0, 2]} (M_{0, 1} g_{2, 0} + M_{0, 2} g_{2, 0} + M_{0, 2} g_{2, 2} + M_{2, 1} g_{0, 0} + M_{2, 2} g_{0, 0} + M_{2, 2} g_{0, 2} - g_{0, 0} - g_{2, 0})$$

78

$$T_{[2, 0], [0, 2]} (M_{0, 1} g_{2, 0} + M_{0, 2} g_{2, 0} + M_{0, 2} g_{2, 2} + M_{1, 1} g_{0, 0} - M_{1, 1} g_{2, 0} + M_{2, 2} g_{0, 0} + M_{2, 2} g_{0, 2} - M_{2, 2} g_{2, 0} - g_{0, 0} - 1)$$

79

$$T_{[2, 0], [0, 2]} (M_{1, 2} - M_{2, 2}) (M_{0, 2} - M_{2, 2})$$

80

$$T_{[2, 0], [0, 2]} (M_{1, 2} - M_{2, 2}) (M_{0, 1} - M_{2, 1})$$

83

$$T_{[2, 0], [0, 2]} (M_{1, 1} - M_{2, 1}) (M_{0, 1} - M_{2, 1})$$

89

$$(g_{1, 2} - g_{2, 2}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[2, 0], [0, 2]})$$

90

$$(g_{1, 1} - g_{2, 1}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[2, 0], [0, 2]})$$

91

$$(g_{1, 0} - g_{2, 0}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[2, 0], [0, 2]})$$

92

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[2, 0], [0, 2]}) (M_{1, 2} - M_{2, 2})$$

93

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[1, 0], [0, 1]} - T_{[2, 0], [0, 2]}) (M_{1, 1} - M_{2, 1})$$

95

$$(g_{1, 2} - g_{2, 2}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

96

$$(g_{1, 1} - g_{2, 1}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

97

$$(g_{1, 0} - g_{2, 0}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

98

$$(g_{0, 2} - g_{2, 2}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]})$$

99

$$(g_{0, 1} - g_{2, 1}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]})$$

100

$$(g_{0, 0} - g_{2, 0}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]})$$

101

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 2} - M_{2, 2})$$

102

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]}) (M_{0, 2} - M_{2, 2})$$

103

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 1} - M_{2, 1})$$

104

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]}) (M_{0, 1} - M_{2, 1})$$

105

$$-(g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]})$$

106

$$-(g_{0, 1} g_{2, 2} - g_{0, 2} g_{2, 1}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

107

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 1} g_{2, 1} - M_{1, 2} g_{2, 2})$$

108

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 1} g_{2, 1} - M_{0, 2} g_{2, 2})$$

110

$$T_{[1, 2], [2, 1]} (g_{1, 2} - g_{2, 2}) (-g_{1, 2} + g_{0, 2})$$

111

$$T_{[1, 2], [2, 1]} (g_{1, 2} - g_{2, 2}) (g_{0, 1} - g_{1, 1})$$

112

$$T_{[1, 2], [2, 1]} (g_{1, 2} - g_{2, 2}) (g_{0, 0} - g_{1, 0})$$

113

$$T_{[1, 2], [2, 1]} (M_{0, 2} g_{1, 2} - M_{0, 2} g_{2, 2} + M_{1, 2} g_{2, 2} - 1)$$

114

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 1} g_{1, 2} - M_{2, 1} g_{2, 2})$$

115

$$\begin{aligned} & M_{0, 1} T_{[1, 2], [2, 1]} g_{1, 2} - M_{0, 1} T_{[1, 2], [2, 1]} g_{2, 2} + M_{1, 1} T_{[1, 2], [2, 1]} g_{2, 2} \\ & + M_{1, 1} T_{[2, 1], [1, 2]} g_{1, 2} - M_{2, 1} T_{[1, 2], [2, 1]} g_{2, 2} - M_{2, 1} T_{[2, 1], [1, 2]} g_{2, 2} \end{aligned}$$

116

$$\begin{aligned} & -T_{[1, 2], [2, 1]} g_{0, 1} g_{2, 2} + T_{[1, 2], [2, 1]} g_{0, 2} g_{1, 1} - T_{[1, 2], [2, 1]} g_{1, 1} g_{1, 2} \\ & + T_{[1, 2], [2, 1]} g_{1, 1} g_{2, 2} - T_{[2, 0], [0, 2]} g_{0, 1} g_{2, 2} + T_{[2, 0], [0, 2]} g_{0, 2} g_{2, 1} \\ & + T_{[2, 1], [1, 2]} g_{1, 1} g_{2, 2} - T_{[2, 1], [1, 2]} g_{1, 2} g_{2, 1} \end{aligned}$$

117

$$T_{[1, 2], [2, 1]} (g_{1, 1} - g_{2, 1}) (g_{0, 1} - g_{1, 1})$$

118

$$T_{[1, 2], [2, 1]} (g_{1, 1} - g_{2, 1}) (g_{0, 0} - g_{1, 0})$$

119

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 2} g_{1, 1} - M_{2, 2} g_{2, 1})$$

120

$$\begin{aligned} & M_{0, 2} T_{[1, 2], [2, 1]} g_{1, 1} - M_{0, 2} T_{[1, 2], [2, 1]} g_{2, 1} + M_{1, 2} T_{[1, 2], [2, 1]} g_{2, 1} \\ & + M_{1, 2} T_{[2, 1], [1, 2]} g_{1, 1} - M_{2, 2} T_{[1, 2], [2, 1]} g_{2, 1} - M_{2, 2} T_{[2, 1], [1, 2]} g_{2, 1} \end{aligned}$$

121

$$\begin{aligned} & -M_{1, 1} T_{[2, 1], [1, 2]} g_{2, 1} + M_{1, 2} T_{[2, 1], [1, 2]} g_{2, 2} + M_{2, 1} T_{[1, 2], [2, 1]} g_{1, 1} \\ & - M_{2, 2} T_{[1, 2], [2, 1]} g_{1, 2} \end{aligned}$$

122

$$\begin{aligned} & M_{0, 1} T_{[1, 2], [2, 1]} g_{1, 1} + M_{0, 1} T_{[2, 0], [0, 2]} g_{2, 1} - M_{0, 2} T_{[1, 2], [2, 1]} g_{2, 2} \\ & - M_{0, 2} T_{[2, 0], [0, 2]} g_{2, 2} - M_{1, 1} T_{[2, 1], [1, 2]} g_{2, 1} + M_{1, 2} T_{[1, 2], [2, 1]} g_{2, 2} \\ & + M_{1, 2} T_{[2, 1], [1, 2]} g_{2, 2} - T_{[1, 2], [2, 1]} \end{aligned}$$

123

$$T_{[1, 2], [2, 1]} (g_{1, 0} - g_{2, 0}) (-g_{1, 2} + g_{0, 2})$$

124

$$T_{[1, 2], [2, 1]} (g_{1, 0} - g_{2, 0}) (g_{0, 1} - g_{1, 1})$$

125

$$T_{[1, 2], [2, 1]} (g_{1, 0} - g_{2, 0}) (g_{0, 0} - g_{1, 0})$$

126

$$T_{[1, 2], [2, 1]} (g_{1, 0} - g_{2, 0}) (-M_{1, 2} + M_{0, 2})$$

128

$$T_{[1, 2], [2, 1]} (M_{1, 2} g_{0, 2} - M_{2, 2} g_{0, 2} + M_{2, 2} g_{1, 2} - 1)$$

129

$$\begin{aligned} & M_{1, 1} T_{[1, 2], [2, 1]} g_{0, 2} + M_{1, 1} T_{[2, 1], [1, 2]} g_{1, 2} - M_{2, 1} T_{[1, 2], [2, 1]} g_{0, 2} \\ & + M_{2, 1} T_{[1, 2], [2, 1]} g_{1, 2} - M_{2, 1} T_{[1, 2], [2, 1]} g_{2, 2} - M_{2, 1} T_{[2, 1], [1, 2]} g_{2, 2} \end{aligned}$$

130

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 1} g_{0, 2} - M_{2, 1} g_{2, 2})$$

131

$$\begin{aligned} & M_{1, 2} T_{[1, 2], [2, 1]} g_{0, 1} + M_{1, 2} T_{[2, 1], [1, 2]} g_{1, 1} - M_{2, 2} T_{[1, 2], [2, 1]} g_{0, 1} \\ & + M_{2, 2} T_{[1, 2], [2, 1]} g_{1, 1} - M_{2, 2} T_{[1, 2], [2, 1]} g_{2, 1} - M_{2, 2} T_{[2, 1], [1, 2]} g_{2, 1} \end{aligned}$$

132

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 2} g_{0, 1} - M_{2, 2} g_{2, 1})$$

133

$$(T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{2, 1} g_{0, 1} - M_{2, 2} g_{0, 2})$$

134

$$\begin{aligned} & M_{1, 1} T_{[1, 2], [2, 1]} g_{0, 1} + M_{1, 1} T_{[2, 1], [1, 2]} g_{2, 1} - M_{1, 2} T_{[2, 1], [1, 2]} g_{2, 2} \\ & + M_{2, 1} T_{[2, 0], [0, 2]} g_{0, 1} - M_{2, 2} T_{[1, 2], [2, 1]} g_{0, 2} + M_{2, 2} T_{[1, 2], [2, 1]} g_{1, 2} \\ & - M_{2, 2} T_{[2, 0], [0, 2]} g_{0, 2} - T_{[1, 2], [2, 1]} \end{aligned}$$

135

$$T_{[1, 2], [2, 1]} (g_{0, 0} - g_{1, 0}) (M_{1, 2} - M_{2, 2})$$

139

$$T_{[1, 2], [2, 1]} (M_{1, 2} - M_{2, 2}) (-M_{1, 2} + M_{0, 2})$$

140

$$- (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 1} M_{2, 2} - M_{1, 2} M_{2, 1})$$

141

$$T_{[1, 2], [2, 1]} (M_{1, 2} - M_{2, 2}) (M_{0, 1} - M_{1, 1})$$

144

$$T_{[1, 2], [2, 1]} (M_{1, 1} - M_{2, 1}) (M_{0, 1} - M_{1, 1})$$

146

$$M_{1, 2} T_{[1, 0], [0, 1]} g_{1, 0} - M_{1, 2} T_{[2, 0], [0, 2]} g_{1, 0} - M_{2, 2} T_{[1, 0], [0, 1]} g_{2, 0}$$

$$+ M_{2, 2} T_{[2, 0], [0, 2]} g_{2, 0} - T_{[0, 2], [2, 0]} g_{1, 0} + T_{[0, 2], [2, 0]} g_{2, 0} - T_{[1, 0], [0, 1]} g_{1, 0}$$

$$+ T_{[1, 0], [0, 1]} g_{2, 0} + T_{[2, 0], [0, 2]} g_{1, 0} - T_{[2, 0], [0, 2]} g_{2, 0} - T_{[2, 1], [1, 2]} g_{1, 0}$$

$$+ T_{[2, 1], [1, 2]} g_{2, 0}$$

161

$$- (g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

162

$$- (g_{1, 0} g_{2, 1} - g_{1, 1} g_{2, 0}) (-T_{[2, 0], [0, 2]} + T_{[2, 1], [1, 2]} + T_{[0, 2], [2, 0]} + T_{[1, 0], [0, 1]})$$

163

$$- (g_{0, 0} g_{2, 2} - g_{0, 2} g_{2, 0}) (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]})$$

165

$$(T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 1} g_{2, 0} + M_{1, 2} g_{2, 0} + M_{1, 2} g_{2, 2} - g_{2, 0})$$

166

$$(T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]}) (M_{0, 1} g_{2, 0} + M_{0, 2} g_{2, 0} + M_{0, 2} g_{2, 2} - g_{2, 0})$$

167

$$(T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 1} g_{1, 2} - M_{2, 1} g_{2, 2} - g_{1, 2} + g_{2, 2})$$

168

$$- T_{[0, 2], [2, 0]} (g_{0, 1} g_{1, 2} - g_{0, 1} g_{2, 2} - g_{0, 2} g_{1, 1} + g_{0, 2} g_{2, 1} + g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1})$$

171

$$M_{0, 1} T_{[0, 2], [2, 0]} g_{1, 1} - M_{0, 2} T_{[0, 2], [2, 0]} g_{1, 2} - M_{2, 1} T_{[2, 0], [0, 2]} g_{1, 0}$$

$$- M_{2, 1} T_{[2, 0], [0, 2]} g_{1, 1} - M_{2, 2} T_{[2, 0], [0, 2]} g_{1, 0} + T_{[2, 0], [0, 2]} g_{1, 0} + T_{[0, 1], [1, 0]}$$

$$- T_{[0, 2], [2, 0]} - T_{[1, 0], [0, 1]} + T_{[1, 2], [2, 1]} + T_{[2, 0], [0, 2]} - T_{[2, 1], [1, 2]}$$

172

$$- T_{[0, 2], [2, 0]} g_{0, 0} g_{1, 2} + T_{[0, 2], [2, 0]} g_{0, 2} g_{1, 0} - T_{[2, 0], [0, 2]} g_{0, 0} g_{2, 2}$$

$$+ T_{[2, 0], [0, 2]} g_{0, 2} g_{2, 0} + T_{[2, 1], [1, 2]} g_{1, 0} g_{2, 2} - T_{[2, 1], [1, 2]} g_{1, 2} g_{2, 0}$$

174

$$(T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 2} g_{1, 0} - M_{2, 2} g_{2, 0})$$

175

$$(T_{[0,2], [2,0]} + T_{[2,1], [1,2]}) (M_{2,1} g_{1,0} + M_{2,2} g_{1,0} + M_{2,2} g_{1,2} - g_{1,0}) \\ 177$$

$$T_{[0,2], [2,0]} (g_{0,2} - g_{2,2}) (-g_{1,2} + g_{0,2}) \\ 178$$

$$T_{[0,2], [2,0]} (-g_{1,2} + g_{0,2}) (g_{0,1} - g_{2,1}) \\ 179$$

$$T_{[0,2], [2,0]} g_{0,0} g_{0,2} - T_{[0,2], [2,0]} g_{0,0} g_{1,2} - T_{[0,2], [2,0]} g_{0,0} g_{2,2} \\ + T_{[0,2], [2,0]} g_{1,0} g_{2,2} - T_{[2,0], [0,2]} g_{0,0} g_{2,2} + T_{[2,0], [0,2]} g_{0,2} g_{2,0} \\ + T_{[2,1], [1,2]} g_{1,0} g_{2,2} - T_{[2,1], [1,2]} g_{1,2} g_{2,0} \\ 180$$

$$T_{[0,2], [2,0]} (M_{0,2} g_{1,2} + M_{2,2} g_{0,2} - M_{2,2} g_{1,2} - 1) \\ 181$$

$$T_{[0,2], [2,0]} (M_{0,2} g_{2,2} + M_{1,2} g_{0,2} - M_{1,2} g_{2,2} - 1) \\ 182$$

$$M_{0,1} T_{[0,2], [2,0]} g_{1,2} + M_{0,1} T_{[2,0], [0,2]} g_{0,2} + M_{2,1} T_{[0,2], [2,0]} g_{0,2} \\ - M_{2,1} T_{[0,2], [2,0]} g_{1,2} - M_{2,1} T_{[0,2], [2,0]} g_{2,2} - M_{2,1} T_{[2,0], [0,2]} g_{2,2} \\ - T_{[0,2], [2,0]} g_{0,2} + T_{[0,2], [2,0]} g_{2,2} - T_{[2,0], [0,2]} g_{0,2} + T_{[2,0], [0,2]} g_{2,2} \\ 183$$

$$M_{0,1} T_{[0,2], [2,0]} g_{2,2} + M_{0,1} T_{[2,0], [0,2]} g_{0,2} + M_{1,1} T_{[0,2], [2,0]} g_{0,2} \\ - M_{1,1} T_{[0,2], [2,0]} g_{2,2} - M_{2,1} T_{[0,2], [2,0]} g_{2,2} - M_{2,1} T_{[2,0], [0,2]} g_{2,2} \\ - T_{[0,2], [2,0]} g_{0,2} + T_{[0,2], [2,0]} g_{2,2} - T_{[2,0], [0,2]} g_{0,2} + T_{[2,0], [0,2]} g_{2,2} \\ 184$$

$$(T_{[0,2], [2,0]} + T_{[2,0], [0,2]}) (M_{0,1} g_{0,2} - M_{2,1} g_{2,2} - g_{0,2} + g_{2,2}) \\ 185$$

$$T_{[0,2], [2,0]} (g_{0,1} - g_{2,1}) (g_{0,1} - g_{1,1}) \\ 191$$

$$M_{0,2} T_{[0,2], [2,0]} g_{2,2} + M_{1,1} T_{[0,2], [2,0]} g_{0,1} - M_{1,1} T_{[2,0], [0,2]} g_{2,0} \\ - M_{1,1} T_{[2,0], [0,2]} g_{2,1} - M_{1,2} T_{[0,2], [2,0]} g_{2,2} - M_{1,2} T_{[2,0], [0,2]} g_{2,0} \\ + T_{[2,0], [0,2]} g_{2,0} - T_{[0,1], [1,0]} + T_{[1,0], [0,1]} - T_{[1,2], [2,1]} - T_{[2,0], [0,2]} \\ + T_{[2,1], [1,2]} \\ 192$$

$$T_{[0,2], [2,0]} (g_{0,0} - g_{2,0}) (g_{0,0} - g_{1,0}) \\ 193$$

$$M_{0,2} T_{[0,2], [2,0]} g_{1,0} + M_{0,2} T_{[2,0], [0,2]} g_{0,0} + M_{2,2} T_{[0,2], [2,0]} g_{0,0} \\ - M_{2,2} T_{[0,2], [2,0]} g_{1,0} - M_{2,2} T_{[0,2], [2,0]} g_{2,0} - M_{2,2} T_{[2,0], [0,2]} g_{2,0} \\ 194$$

$$\begin{aligned}
& M_{0, 2} T_{[0, 2], [2, 0]} g_{2, 0} + M_{0, 2} T_{[2, 0], [0, 2]} g_{0, 0} + M_{1, 2} T_{[0, 2], [2, 0]} g_{0, 0} \\
& - M_{1, 2} T_{[0, 2], [2, 0]} g_{2, 0} - M_{2, 2} T_{[0, 2], [2, 0]} g_{2, 0} - M_{2, 2} T_{[2, 0], [0, 2]} g_{2, 0} \\
& \quad 195 \\
& (T_{[0, 2], [2, 0]} + T_{[2, 0], [0, 2]}) (M_{0, 2} g_{0, 0} - M_{2, 2} g_{2, 0}) \\
& \quad 198 \\
& - (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 1} M_{2, 2} - M_{1, 2} M_{2, 1} + M_{1, 2} - M_{2, 2}) \\
& \quad 199 \\
& T_{[0, 2], [2, 0]} (M_{0, 2} - M_{2, 2}) (-M_{1, 2} + M_{0, 2}) \\
& \quad 203 \\
& T_{[0, 2], [2, 0]} (M_{0, 1} - M_{2, 1}) (M_{0, 1} - M_{1, 1}) \\
& \quad 204 \\
& g_{2, 0} g_{2, 1} g_{2, 2} - g_{2, 0} g_{2, 1} - g_{2, 0} g_{2, 2} - g_{2, 1} g_{2, 2} \\
& \quad 205 \\
& M_{2, 2} g_{2, 0} g_{2, 1} - g_{2, 0} g_{2, 1} + g_{2, 0} + g_{2, 1} \\
& \quad 206 \\
& g_{1, 0} g_{1, 1} g_{1, 2} - g_{1, 0} g_{1, 1} - g_{1, 0} g_{1, 2} - g_{1, 1} g_{1, 2} \\
& \quad 207 \\
& M_{1, 2} g_{1, 0} g_{1, 1} - g_{1, 0} g_{1, 1} + g_{1, 0} + g_{1, 1} \\
& \quad 208 \\
& g_{0, 0} g_{0, 1} g_{0, 2} - g_{0, 0} g_{0, 1} - g_{0, 0} g_{0, 2} - g_{0, 1} g_{0, 2} \\
& \quad 209 \\
& M_{0, 2} g_{0, 0} g_{0, 1} - g_{0, 0} g_{0, 1} + g_{0, 0} + g_{0, 1} \\
& \quad 210 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2})^2 \\
& \quad 211 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 1} - g_{2, 1}) \\
& \quad 212 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 0} - g_{2, 0}) \\
& \quad 213 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{1, 2} g_{2, 2} + M_{2, 2} g_{1, 2} - 2) \\
& \quad 214 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (M_{1, 1} - M_{2, 1}) \\
& \quad 215 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1})^2 \\
& \quad 216 \\
& T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{1, 0} - g_{2, 0}) \\
& \quad 217
\end{aligned}$$

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

218

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0})^2$$

219

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

220

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{1, 1} g_{2, 0} + M_{1, 2} g_{2, 0} + M_{2, 1} g_{1, 0} + M_{2, 2} g_{1, 0} - g_{1, 0} - g_{2, 0} + 2)$$

221

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 2} - g_{2, 2})^2$$

222

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 2} - g_{2, 2}) (g_{0, 1} - g_{2, 1})$$

223

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 2} - g_{2, 2}) (g_{0, 0} - g_{2, 0})$$

224

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{0, 2} g_{2, 2} + M_{2, 2} g_{0, 2} - 2)$$

225

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 2} - g_{2, 2}) (M_{0, 1} - M_{2, 1})$$

226

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1})^2$$

227

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1}) (g_{0, 0} - g_{2, 0})$$

228

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1}) (M_{0, 2} - M_{2, 2})$$

229

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{0, 1} g_{2, 1} + M_{2, 1} g_{0, 1} - 2)$$

230

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 0} - g_{2, 0})^2$$

231

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (g_{0, 0} - g_{2, 0}) (M_{0, 2} - M_{2, 2})$$

232

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})^2$$

233

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{1, 1} - M_{2, 1})$$

234

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{0, 2} - M_{2, 2})^2$$

236

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1})^2$$

237

$$T_{[2, 0], [0, 2]} T_{[2, 1], [1, 2]} (M_{0, 1} - M_{2, 1})^2$$

239

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2})^2$$

240

$$T_{[2, 1], [1, 2]} (T_{[1, 2], [2, 1]} g_{1, 1} g_{1, 2} - 2 T_{[1, 2], [2, 1]} g_{1, 1} g_{2, 2} + T_{[1, 2], [2, 1]} g_{2, 1} g_{2, 2} \\ - T_{[2, 1], [1, 2]} g_{1, 1} g_{2, 2} + T_{[2, 1], [1, 2]} g_{1, 2} g_{2, 1})$$

241

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 0} - g_{2, 0})$$

242

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} g_{2, 2} + M_{2, 2} g_{1, 2} - 2)$$

243

$$T_{[2, 1], [1, 2]} (M_{1, 1} T_{[1, 2], [2, 1]} g_{2, 2} + M_{1, 1} T_{[2, 1], [1, 2]} g_{1, 2} + M_{2, 1} T_{[1, 2], [2, 1]} g_{1, 2} \\ - 2 M_{2, 1} T_{[1, 2], [2, 1]} g_{2, 2} - M_{2, 1} T_{[2, 1], [1, 2]} g_{2, 2})$$

244

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1})^2$$

245

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{1, 0} - g_{2, 0})$$

246

$$T_{[2, 1], [1, 2]} (M_{1, 2} T_{[1, 2], [2, 1]} g_{2, 1} + M_{1, 2} T_{[2, 1], [1, 2]} g_{1, 1} + M_{2, 2} T_{[1, 2], [2, 1]} g_{1, 1} \\ - 2 M_{2, 2} T_{[1, 2], [2, 1]} g_{2, 1} - M_{2, 2} T_{[2, 1], [1, 2]} g_{2, 1})$$

247

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0})^2$$

248

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

250

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})^2$$

251

$$T_{[2, 1], [1, 2]} (M_{1, 1} M_{1, 2} T_{[1, 2], [2, 1]} - 2 M_{1, 1} M_{2, 2} T_{[1, 2], [2, 1]} - M_{1, 1} M_{2, 2} T_{[2, 1], [1, 2]} \\ + M_{2, 1} T_{[2, 1], [1, 2]} M_{1, 2} + M_{2, 1} M_{2, 2} T_{[1, 2], [2, 1]})$$

252

$$T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1})^2$$

254

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2})^2$$

255

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 1} - g_{2, 1})$$

256

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 0} - g_{2, 0})$$

257

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} g_{2, 2} + M_{2, 2} g_{1, 2} - 2)$$

258

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (M_{1, 1} - M_{2, 1})$$

259

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1})^2$$

260

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{1, 0} - g_{2, 0})$$

261

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

262

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0})^2$$

265

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})^2$$

267

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1})^2$$

270

$$T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2})^2 (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

272

$$T_{[2, 1], [1, 2]} (g_{1, 0} g_{1, 2} - 2 g_{1, 0} g_{2, 2} + g_{2, 0} g_{2, 2}) (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

273

$$T_{[2, 1], [1, 2]} (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 2} g_{2, 2} + M_{2, 2} g_{1, 2} - 2)$$

275

$$T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1})^2 (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

278

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0})^2 (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

279

$$T_{[2, 1], [1, 2]} (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]}) (M_{1, 2} g_{2, 0} + M_{2, 2} g_{1, 0} - 2 M_{2, 2} g_{2, 0})$$

280

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})^2 (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

282

$$T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1})^2 (T_{[0, 2], [2, 0]} + T_{[2, 1], [1, 2]})$$

284

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} g_{2, 1}^2 + M_{1, 2} g_{1, 1} g_{2, 2} - M_{1, 2} g_{2, 1} g_{2, 2} - g_{2, 1} \right)$$

285

$$T_{[2, 1], [1, 2]} \left(g_{1, 0} g_{1, 1} g_{2, 2} + g_{1, 2} g_{2, 0} g_{2, 1} - g_{1, 0} g_{2, 1} - g_{1, 0} g_{2, 2} - g_{1, 1} g_{2, 0} \right. \\ \left. - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0} - g_{1, 2} g_{2, 1} \right)$$

287

$$- T_{[2, 1], [1, 2]} \left(g_{1, 2} - g_{2, 2} \right) \left(g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1} \right)$$

288

$$- T_{[2, 1], [1, 2]} \left(g_{1, 1} - g_{2, 1} \right) \left(g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1} \right)$$

289

$$T_{[2, 1], [1, 2]} \left(g_{1, 0} g_{1, 2} g_{2, 1} + g_{1, 1} g_{2, 0} g_{2, 2} - g_{1, 0} g_{2, 1} - g_{1, 0} g_{2, 2} - g_{1, 1} g_{2, 0} \right. \\ \left. - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0} - g_{1, 2} g_{2, 1} \right)$$

290

$$T_{[2, 1], [1, 2]} \left(M_{1, 2} g_{1, 1} g_{2, 2} + M_{2, 2} g_{1, 2} g_{2, 1} - g_{1, 1} - g_{2, 1} \right)$$

291

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} g_{1, 2} g_{2, 1} - M_{1, 1} g_{2, 1} g_{2, 2} + M_{1, 2} g_{2, 2}^2 - g_{2, 2} \right)$$

297

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} M_{1, 2} g_{2, 1} - M_{1, 1} M_{2, 2} g_{2, 1} - M_{1, 2}^2 g_{2, 2} + M_{1, 2} \right)$$

298

$$T_{[2, 1], [1, 2]} \left(M_{1, 1}^2 g_{2, 1} - M_{1, 1} M_{1, 2} g_{2, 2} + M_{1, 2} M_{2, 1} g_{2, 2} - M_{1, 1} \right)$$

299

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} g_{1, 2} g_{2, 0} + M_{2, 1} g_{1, 0} g_{2, 2} - g_{1, 0} g_{1, 2} - g_{2, 0} g_{2, 2} + g_{1, 0} + g_{1, 2} \right. \\ \left. + g_{2, 0} + g_{2, 2} \right)$$

305

$$T_{[2, 1], [1, 2]} \left(g_{1, 2} - g_{2, 2} \right) \left(M_{1, 1} g_{1, 2} - M_{2, 1} g_{2, 2} \right)$$

306

$$- T_{[2, 1], [1, 2]} \left(- M_{1, 2} g_{2, 0} g_{2, 2} - M_{2, 2} g_{1, 0} g_{1, 2} + M_{1, 1} g_{2, 0} + M_{1, 2} g_{2, 0} + M_{1, 2} g_{2, 2} \right. \\ \left. + M_{2, 1} g_{1, 0} + M_{2, 2} g_{1, 0} + M_{2, 2} g_{1, 2} \right)$$

307

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} M_{2, 2} g_{1, 2} + M_{1, 2} M_{2, 1} g_{2, 2} - M_{1, 1} - M_{2, 1} \right)$$

308

$$T_{[2, 1], [1, 2]} \left(M_{1, 1} - M_{2, 1} \right) \left(M_{1, 1} g_{1, 2} - M_{2, 1} g_{2, 2} \right)$$

309

$$T_{[2, 1], [1, 2]} \left(g_{1, 1} - g_{2, 1} \right) \left(M_{1, 2} g_{1, 1} - M_{2, 2} g_{2, 1} \right)$$

310

$$T_{[2, 1], [1, 2]} \left(M_{1, 2} - M_{2, 2} \right) \left(M_{1, 2} g_{1, 1} - M_{2, 2} g_{2, 1} \right)$$

311

$$T_{[2, 1], [1, 2]} (M_{1, 1} M_{2, 2} g_{2, 0} + M_{1, 2} M_{2, 1} g_{1, 0} + M_{1, 2} M_{2, 2} g_{1, 0} + M_{1, 2} M_{2, 2} g_{2, 0} - M_{1, 2} g_{2, 0} - M_{2, 2} g_{1, 0} + M_{1, 2} + M_{2, 2})$$

317

$$- T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{1, 1} M_{2, 2} - M_{1, 2} M_{2, 1})$$

318

$$- T_{[2, 1], [1, 2]} (M_{1, 1} - M_{2, 1}) (M_{1, 1} M_{2, 2} - M_{1, 2} M_{2, 1})$$

334

$$T_{[1, 2], [2, 1]} T_{[2, 0], [0, 2]} (g_{1, 2} - g_{2, 2})^2$$

335

$$T_{[2, 0], [0, 2]} (T_{[1, 2], [2, 1]} g_{1, 1} g_{1, 2} - 2 T_{[1, 2], [2, 1]} g_{1, 1} g_{2, 2} + T_{[1, 2], [2, 1]} g_{2, 1} g_{2, 2} - T_{[2, 1], [1, 2]} g_{1, 1} g_{2, 2} + T_{[2, 1], [1, 2]} g_{1, 2} g_{2, 1})$$

338

$$T_{[2, 0], [0, 2]} (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 1} g_{2, 2} + M_{2, 1} g_{1, 2} - 2 M_{2, 1} g_{2, 2})$$

339

$$T_{[1, 2], [2, 1]} T_{[2, 0], [0, 2]} (g_{1, 1} - g_{2, 1})^2$$

341

$$T_{[2, 0], [0, 2]} (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{1, 2} g_{2, 1} + M_{2, 2} g_{1, 1} - 2 M_{2, 2} g_{2, 1})$$

342

$$T_{[1, 2], [2, 1]} T_{[2, 0], [0, 2]} (g_{1, 0} - g_{2, 0})^2$$

346

$$T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2})^2 (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

347

$$T_{[2, 0], [0, 2]} (g_{0, 1} g_{0, 2} - 2 g_{0, 1} g_{2, 2} + g_{2, 1} g_{2, 2}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

348

$$T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) (g_{0, 0} - g_{2, 0}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

349

$$T_{[2, 0], [0, 2]} (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 2} g_{2, 2} + M_{2, 2} g_{0, 2} - 2)$$

350

$$T_{[2, 0], [0, 2]} (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 1} g_{2, 2} + M_{2, 1} g_{0, 2} - 2 M_{2, 1} g_{2, 2})$$

351

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1})^2 (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

352

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) (g_{0, 0} - g_{2, 0}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

353

$$T_{[2, 0], [0, 2]} (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 2} g_{2, 1} + M_{2, 2} g_{0, 1} - 2 M_{2, 2} g_{2, 1})$$

354

$$T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0})^2 (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

356

$$T_{[1, 2], [2, 1]} T_{[2, 0], [0, 2]} (M_{1, 2} - M_{2, 2})^2$$

357

$$T_{[2, 0], [0, 2]} (M_{1, 1} M_{1, 2} T_{[1, 2], [2, 1]} - 2 M_{1, 1} M_{2, 2} T_{[1, 2], [2, 1]} - M_{1, 1} M_{2, 2} T_{[2, 1], [1, 2]} + M_{2, 1} T_{[2, 1], [1, 2]} M_{1, 2} + M_{2, 1} M_{2, 2} T_{[1, 2], [2, 1]})$$

358

$$T_{[2, 0], [0, 2]} (M_{0, 2} - M_{2, 2})^2 (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

359

$$T_{[2, 0], [0, 2]} (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]}) (M_{0, 1} M_{0, 2} - 2 M_{0, 1} M_{2, 2} + M_{2, 1} M_{2, 2})$$

360

$$T_{[1, 2], [2, 1]} T_{[2, 0], [0, 2]} (M_{1, 1} - M_{2, 1})^2$$

361

$$T_{[2, 0], [0, 2]} (M_{0, 1} - M_{2, 1})^2 (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

399

$$- T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) (g_{0, 0} g_{2, 2} - g_{0, 2} g_{2, 0})$$

401

$$- T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0}) (g_{0, 0} g_{2, 2} - g_{0, 2} g_{2, 0})$$

415

$$T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) (M_{0, 1} g_{0, 2} - M_{2, 1} g_{2, 2} - g_{0, 2} + g_{2, 2})$$

418

$$T_{[2, 0], [0, 2]} (M_{0, 1} - M_{2, 1}) (M_{0, 1} g_{0, 2} - M_{2, 1} g_{2, 2} - g_{0, 2} + g_{2, 2})$$

419

$$T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0}) (M_{0, 2} g_{0, 0} - M_{2, 2} g_{2, 0})$$

420

$$T_{[2, 0], [0, 2]} (M_{0, 2} - M_{2, 2}) (M_{0, 2} g_{0, 0} - M_{2, 2} g_{2, 0})$$

437

$$(g_{1, 1} g_{2, 0} g_{2, 2} - g_{1, 1} g_{2, 0} - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]})$$

438

$$(g_{0, 1} g_{2, 0} g_{2, 2} - g_{0, 1} g_{2, 0} - g_{0, 1} g_{2, 2} - g_{0, 2} g_{2, 0}) (T_{[2, 0], [0, 2]} + T_{[1, 2], [2, 1]})$$

439

$$- (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (- M_{1, 2} g_{2, 0} g_{2, 2} + M_{1, 1} g_{2, 0} + M_{1, 2} g_{2, 0} + M_{1, 2} g_{2, 2})$$

441

$$(g_{1, 0} g_{1, 1} g_{2, 2} - g_{1, 0} g_{2, 1} - g_{1, 0} g_{2, 2} - g_{1, 1} g_{2, 2}) (T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]})$$

442

$$(T_{[1, 2], [2, 1]} + T_{[2, 1], [1, 2]}) (M_{2, 1} g_{1, 0} g_{2, 2} - g_{1, 0} g_{1, 2} + g_{1, 0} + g_{1, 2})$$

449

$$(g_{1,0}g_{1,2}g_{2,0} - g_{1,0}g_{2,0}g_{2,2} + g_{1,0}g_{2,2} - g_{1,2}g_{2,0}) (T_{[1,2], [2,1]} + T_{[2,1], [1,2]})$$

450

$$(g_{1,0}g_{1,1}g_{2,0} - g_{1,0}g_{2,0}g_{2,1} + g_{1,0}g_{2,1} - g_{1,1}g_{2,0}) (T_{[1,2], [2,1]} + T_{[2,1], [1,2]})$$

452

$$(T_{[1,2], [2,1]} + T_{[2,1], [1,2]}) (M_{1,2}g_{1,0}g_{2,0} - M_{2,2}g_{1,0}g_{2,0} - M_{1,2}g_{1,0} + M_{2,2}g_{2,0})$$

454

$$g_{0,0}g_{0,2}g_{2,0}T_{[1,2], [2,1]} - T_{[1,2], [2,1]}g_{0,0}g_{2,0}g_{2,2} + T_{[2,0], [0,2]}g_{0,0}^2g_{2,2} \\ - 2T_{[2,0], [0,2]}g_{0,0}g_{2,0}g_{2,2} + T_{[2,0], [0,2]}g_{0,2}^2g_{2,0} + T_{[1,2], [2,1]}g_{0,0}g_{2,2} \\ - T_{[1,2], [2,1]}g_{0,2}g_{2,0} + T_{[2,0], [0,2]}g_{0,0}g_{2,2} - T_{[2,0], [0,2]}g_{0,2}g_{2,0}$$

457

$$(g_{0,0}g_{0,1}g_{2,0} - g_{0,0}g_{2,0}g_{2,1} + g_{0,0}g_{2,1} - g_{0,1}g_{2,0}) (T_{[2,0], [0,2]} + T_{[1,2], [2,1]})$$

460

$$(T_{[1,2], [2,1]} + T_{[2,1], [1,2]}) (M_{1,1}M_{2,2}g_{2,0} + M_{1,2}M_{2,2}g_{2,0} - M_{1,2}g_{2,0} + M_{1,2})$$

461

$$-M_{1,2}T_{[2,1], [1,2]}g_{2,0}g_{2,2} + M_{2,2}g_{1,0}g_{1,2}T_{[1,2], [2,1]} + M_{1,1}T_{[2,1], [1,2]}g_{2,0} \\ + M_{1,2}T_{[2,1], [1,2]}g_{2,0} + M_{1,2}T_{[2,1], [1,2]}g_{2,2} - M_{2,1}T_{[1,2], [2,1]}g_{1,0} \\ - M_{2,2}T_{[1,2], [2,1]}g_{1,0} - M_{2,2}T_{[1,2], [2,1]}g_{1,2}$$

496

$$(g_{1,0}g_{2,1}g_{2,2} - g_{1,0}g_{2,1} - g_{1,0}g_{2,2} - g_{1,2}g_{2,1}) (T_{[0,2], [2,0]} + T_{[2,1], [1,2]})$$

504

$$T_{[0,2], [2,0]} (M_{0,2}g_{1,2}g_{2,2} + g_{0,2} - g_{1,2} - g_{2,2})$$

513

$$g_{1,1}g_{1,2}g_{2,1}T_{[0,2], [2,0]} - T_{[0,2], [2,0]}g_{1,1}g_{2,1}g_{2,2} + T_{[2,1], [1,2]}g_{1,1}^2g_{2,2} \\ - 2T_{[2,1], [1,2]}g_{1,1}g_{2,1}g_{2,2} + T_{[2,1], [1,2]}g_{1,2}g_{2,1}^2 + T_{[0,2], [2,0]}g_{1,1}g_{2,2} \\ - T_{[0,2], [2,0]}g_{1,2}g_{2,1} + T_{[2,1], [1,2]}g_{1,1}g_{2,2} - T_{[2,1], [1,2]}g_{1,2}g_{2,1}$$

559

$$T_{[2,0], [0,2]}T_{[2,1], [1,2]}(M_{1,2}g_{2,2}^2 + g_{1,2} - 2g_{2,2})$$

560

$$T_{[2,0], [0,2]}T_{[2,1], [1,2]}(M_{0,2}g_{2,2}^2 + g_{0,2} - 2g_{2,2})$$

568

$$T_{[2,0], [0,2]}T_{[2,1], [1,2]}(M_{0,1}g_{2,1}^2 + g_{0,1} - 2g_{2,1})$$

572

$$T_{[2,0], [0,2]}T_{[2,1], [1,2]}(M_{1,1}g_{2,0}^2 + M_{1,2}g_{2,0}^2 - g_{2,0}^2 - g_{1,0} + 2g_{2,0})$$

577

$$\begin{aligned}
& T_{[1, 2], [2, 1]} T_{[2, 1], [1, 2]} \left(M_{1, 2} g_{2, 2}^2 + g_{1, 2} - 2 g_{2, 2} \right) \\
& \quad 588 \\
& T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} \left(M_{1, 2} g_{2, 2}^2 + g_{1, 2} - 2 g_{2, 2} \right) \\
& \quad 607 \\
& - T_{[2, 1], [1, 2]} \left(-M_{1, 2} g_{2, 0} g_{2, 2}^2 + M_{1, 1} g_{2, 0} g_{2, 2} + M_{1, 2} g_{2, 0} g_{2, 2} + M_{1, 2} g_{2, 2}^2 \right. \\
& \quad \left. + M_{2, 1} g_{1, 0} g_{2, 2} - g_{1, 0} g_{1, 2} + g_{1, 0} + g_{1, 2} \right) \\
& \quad 609 \\
& T_{[2, 1], [1, 2]} \left(M_{1, 2} g_{1, 1} g_{2, 2}^2 - g_{1, 1} g_{2, 2} + g_{1, 2} g_{2, 1} - g_{2, 1} g_{2, 2} \right) \\
& \quad 613 \\
& T_{[2, 1], [1, 2]} \left(M_{1, 2} M_{2, 1} g_{2, 2}^2 + M_{1, 1} g_{1, 2} - M_{1, 1} g_{2, 2} - M_{2, 1} g_{2, 2} \right) \\
& \quad 618 \\
& T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 1} g_{2, 0} g_{2, 2} - g_{1, 1} g_{2, 0} - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0}) \\
& \quad 620 \\
& T_{[2, 1], [1, 2]} (g_{1, 1} g_{2, 0} g_{2, 2} - g_{1, 1} g_{2, 0} - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0}) (g_{1, 0} - g_{2, 0}) \\
& \quad 621 \\
& T_{[2, 1], [1, 2]} \left(M_{1, 2} g_{1, 0} g_{2, 0} g_{2, 2} - M_{1, 2} g_{2, 0}^2 g_{2, 2} + M_{1, 1} g_{2, 0}^2 - M_{1, 2} g_{1, 0} g_{2, 2} + M_{1, 2} \right. \\
& \quad \left. g_{2, 0}^2 + M_{1, 2} g_{2, 0} g_{2, 2} - g_{1, 0} g_{2, 0} + g_{2, 0} \right) \\
& \quad 623 \\
& - T_{[2, 1], [1, 2]} \left(-M_{1, 2}^2 g_{2, 0} g_{2, 2} + M_{1, 1} M_{1, 2} g_{2, 0} - M_{1, 1} M_{2, 2} g_{2, 0} + M_{1, 2}^2 g_{2, 0} + \right. \\
& \quad \left. M_{1, 2}^2 g_{2, 2} - M_{1, 2} M_{2, 2} g_{2, 0} + M_{1, 2} g_{2, 0} - M_{1, 2} \right) \\
& \quad 627 \\
& T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{1, 0} g_{1, 1} g_{2, 2} - g_{1, 0} g_{2, 1} - g_{1, 0} g_{2, 2} - g_{1, 1} g_{2, 2}) \\
& \quad 629 \\
& T_{[2, 1], [1, 2]} \left(M_{2, 1} g_{1, 0}^2 g_{2, 2} - g_{1, 0}^2 g_{1, 2} + g_{1, 0} g_{1, 2} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 2} + g_{1, 0}^2 \right. \\
& \quad \left. + g_{1, 0} g_{1, 2} + g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0} \right) \\
& \quad 646 \\
& T_{[2, 1], [1, 2]} \left(M_{1, 1} M_{2, 2} g_{2, 0}^2 + M_{1, 2} M_{2, 2} g_{2, 0}^2 + M_{1, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{2, 0}^2 \right. \\
& \quad \left. - M_{2, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{1, 0} + M_{1, 2} g_{2, 0} + M_{2, 2} g_{2, 0} \right) \\
& \quad 648 \\
& T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{1, 0} g_{1, 2} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 2} + g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0}) \\
& \quad 649 \\
& T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{1, 0} g_{1, 2} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 2} + g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0}) \\
& \quad 650 \\
& T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (g_{1, 0} g_{1, 1} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 1} + g_{1, 0} g_{2, 1} - g_{1, 1} g_{2, 0}) \\
& \quad 651
\end{aligned}$$

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{1, 0} g_{1, 1} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 1} + g_{1, 0} g_{2, 1} - g_{1, 1} g_{2, 0})$$

652

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{1, 2} g_{1, 0} g_{2, 0} - M_{2, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{1, 0} + M_{2, 2} g_{2, 0})$$

653

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{1, 2} g_{1, 0} g_{2, 0} - M_{2, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{1, 0} + M_{2, 2} g_{2, 0})$$

655

$$T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2}) (M_{1, 1} M_{2, 2} g_{2, 0} + M_{1, 2} M_{2, 2} g_{2, 0} - M_{1, 2} g_{2, 0} + M_{1, 2})$$

665

$$T_{[2, 0], [0, 2]} (g_{0, 2} g_{2, 0}^2 - g_{2, 0}^2 g_{2, 2} + g_{0, 0} g_{2, 2} - g_{0, 2} g_{2, 0}) (T_{[2, 0], [0, 2]}$$

$$+ T_{[1, 2], [2, 1]})$$

683

$$T_{[2, 0], [0, 2]} (g_{0, 2} - g_{2, 2}) (g_{0, 1} g_{0, 2} g_{2, 1} - g_{0, 1} g_{2, 1} g_{2, 2} + g_{0, 1} g_{2, 2} - g_{0, 2} g_{2, 1})$$

684

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) (g_{0, 1} g_{0, 2} g_{2, 1} - g_{0, 1} g_{2, 1} g_{2, 2} + g_{0, 1} g_{2, 2} - g_{0, 2} g_{2, 1})$$

685

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) (g_{0, 0} g_{0, 1} g_{2, 1} - g_{0, 1} g_{2, 0} g_{2, 1} - g_{0, 0} g_{2, 1} + g_{0, 1} g_{2, 0})$$

686

$$T_{[2, 0], [0, 2]} (g_{0, 1} - g_{2, 1}) (M_{0, 2} g_{0, 1} g_{2, 1} - M_{2, 2} g_{0, 1} g_{2, 1} - M_{0, 2} g_{0, 1} + M_{2, 2} g_{2, 1})$$

687

$$T_{[2, 0], [0, 2]} (g_{0, 0} - g_{2, 0}) (g_{0, 0} g_{0, 1} g_{2, 1} - g_{0, 1} g_{2, 0} g_{2, 1} - g_{0, 0} g_{2, 1} + g_{0, 1} g_{2, 0})$$

688

$$T_{[2, 0], [0, 2]} (M_{0, 2} - M_{2, 2}) (M_{0, 2} g_{0, 1} g_{2, 1} - M_{2, 2} g_{0, 1} g_{2, 1} - M_{0, 2} g_{0, 1} + M_{2, 2} g_{2, 1})$$

731

$$T_{[2, 1], [1, 2]} (M_{0, 1} g_{2, 1} - M_{0, 2} g_{2, 2}) (M_{0, 1} g_{2, 1} g_{2, 2} - M_{0, 1} g_{2, 1} + M_{0, 2} g_{2, 2} - g_{2, 2})$$

732

$$- T_{[2, 1], [1, 2]} (g_{0, 1} g_{0, 2} g_{2, 2} - g_{0, 2} g_{2, 1} g_{2, 2} - g_{0, 1} g_{2, 2} + g_{0, 2} g_{2, 1}) (g_{0, 1} g_{2, 2}$$

- g_{0, 2} g_{2, 1})

733

$$T_{[2, 1], [1, 2]} (M_{0, 1} g_{0, 2} - M_{2, 1} g_{2, 2}) (M_{0, 1} g_{0, 2} g_{2, 2} - M_{2, 1} g_{0, 2} g_{2, 2} - M_{0, 1} g_{0, 2}$$

+ M_{2, 1} g_{2, 2})

734

$$- T_{[2, 1], [1, 2]} (g_{0, 0} g_{2, 1} - g_{0, 1} g_{2, 0}) (g_{0, 0} g_{0, 1} g_{2, 0} - g_{0, 0} g_{2, 0} g_{2, 1} + g_{0, 0} g_{2, 1}$$

- g_{0, 1} g_{2, 0})

736

$$T_{[2, 1], [1, 2]} (M_{2, 1} g_{0, 1} - M_{2, 2} g_{0, 2}) (M_{2, 1} g_{0, 1} g_{0, 2} - M_{2, 1} g_{0, 1} + M_{2, 2} g_{0, 2} - g_{0, 2})$$

737

$$- T_{[2, 0], [0, 2]} (g_{1, 0} g_{1, 2} g_{2, 2} - g_{1, 2} g_{2, 0} g_{2, 2} - g_{1, 0} g_{2, 2} + g_{1, 2} g_{2, 0}) (g_{1, 0} g_{2, 2}$$

$$- g_{1,2} g_{2,0})$$

739

$$- T_{[2,0], [0,2]} (g_{1,0} g_{1,1} g_{2,1} - g_{1,1} g_{2,0} g_{2,1} - g_{1,0} g_{2,1} + g_{1,1} g_{2,0}) (g_{1,0} g_{2,1} \\ - g_{1,1} g_{2,0})$$

745

$$- T_{[1,0], [0,1]} (g_{1,0} g_{1,2} g_{2,2} - g_{1,2} g_{2,0} g_{2,2} - g_{1,0} g_{2,2} + g_{1,2} g_{2,0}) (g_{1,0} g_{2,2} \\ - g_{1,2} g_{2,0})$$

747

$$- T_{[1,0], [0,1]} (g_{1,0} g_{1,1} g_{2,1} - g_{1,1} g_{2,0} g_{2,1} - g_{1,0} g_{2,1} + g_{1,1} g_{2,0}) (g_{1,0} g_{2,1} \\ - g_{1,1} g_{2,0})$$

"====="

"trop long", {6, 81, 82, 84, 85, 86, 87, 88, 94, 109, 127, 136, 137, 138, 142, 143, (1.5.3.1)
 145, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 164,
 169, 170, 173, 176, 186, 187, 188, 189, 190, 196, 197, 200, 201, 202, 235, 238,
 249, 253, 263, 264, 266, 268, 269, 271, 274, 276, 277, 281, 283, 286, 292, 293,
 294, 295, 296, 300, 301, 302, 303, 304, 312, 313, 314, 315, 316, 319, 320, 321,
 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 336, 337, 340, 343,
 344, 345, 355, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374,
 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390,
 391, 392, 393, 394, 395, 396, 397, 398, 400, 402, 403, 404, 405, 406, 407, 408,
 409, 410, 411, 412, 413, 414, 416, 417, 421, 422, 423, 424, 425, 426, 427, 428,
 429, 430, 431, 432, 433, 434, 435, 436, 440, 443, 444, 445, 446, 447, 448, 451,
 453, 455, 456, 458, 459, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472,
 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488,
 489, 490, 491, 492, 493, 494, 495, 497, 498, 499, 500, 501, 502, 503, 505, 506,
 507, 508, 509, 510, 511, 512, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523,
 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539,
 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555,
 556, 557, 558, 561, 562, 563, 564, 565, 566, 567, 569, 570, 571, 573, 574, 575,
 576, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 589, 590, 591, 592, 593,
 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 608, 610, 611,
 612, 614, 615, 616, 617, 619, 622, 624, 625, 626, 628, 630, 631, 632, 633, 634,
 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 647, 654, 656, 657, 658,
 659, 660, 661, 662, 663, 664, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675,
 676, 677, 678, 679, 680, 681, 682, 689, 690, 691, 692, 693, 694, 695, 696, 697,
 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713,
 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729,
 730, 735, 738, 740, 741, 742, 743, 744, 746, 748, 749, 750, 751, 752, 753, 754}

"Parameters = NonZeroTransition", $T_{[0, 2], [2, 0]}$, $T_{[1, 0], [0, 1]}$, $T_{[2, 1], [1, 2]}$
 1
 $T_{[0, 2], [2, 0]} + T_{[1, 0], [0, 1]} + T_{[2, 1], [1, 2]}$
 2
 $g_{2, 0} g_{2, 1} g_{2, 2} - g_{2, 0} g_{2, 1} - g_{2, 0} g_{2, 2} - g_{2, 1} g_{2, 2}$
 3
 $T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2})$
 4
 $T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1})$
 5
 $T_{[2, 1], [1, 2]} (g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1})$
 6
 $T_{[2, 1], [1, 2]} (-g_{1, 2} g_{2, 0} g_{2, 1} + g_{1, 1} g_{2, 0} + g_{1, 2} g_{2, 0} + g_{1, 2} g_{2, 1})$
 7
 $T_{[1, 0], [0, 1]} (g_{1, 2} g_{2, 1} g_{1, 1} - g_{2, 1} g_{1, 1} g_{2, 2} + g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 1})$
 8
 $T_{[1, 0], [0, 1]} (g_{1, 2} g_{2, 0} g_{1, 1} - g_{1, 1} g_{2, 0} - g_{1, 1} g_{2, 2} - g_{1, 2} g_{2, 0})$
 9
 $T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0})$
 10
 $T_{[1, 0], [0, 1]} (g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0})$
 11
 $T_{[1, 0], [0, 1]} (-g_{1, 2} g_{2, 0} g_{2, 1} + g_{1, 0} g_{2, 1} + g_{1, 2} g_{2, 0} + g_{1, 2} g_{2, 1})$
 12
 $T_{[2, 1], [1, 2]} (g_{1, 0} g_{1, 2} g_{2, 1} - g_{1, 0} g_{2, 1} - g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 1})$
 13
 $T_{[2, 1], [1, 2]} (g_{1, 0} g_{1, 2} g_{2, 0} - g_{1, 0} g_{2, 0} g_{2, 2} + g_{1, 0} g_{2, 2} - g_{1, 2} g_{2, 0})$
 14
 $g_{1, 0} g_{1, 1} g_{1, 2} - g_{1, 0} g_{1, 1} - g_{1, 0} g_{1, 2} - g_{1, 1} g_{1, 2}$
 15
 $T_{[1, 0], [0, 1]} g_{0, 2} - T_{[1, 0], [0, 1]} g_{1, 2} + T_{[2, 1], [1, 2]} g_{0, 2} - T_{[2, 1], [1, 2]} g_{2, 2}$
 16
 $T_{[2, 1], [1, 2]} (g_{1, 2} - g_{2, 2}) (g_{0, 2} - g_{2, 2})$
 17
 $T_{[2, 1], [1, 2]} (g_{0, 2} g_{1, 1} - g_{0, 2} g_{2, 1} - g_{1, 2} g_{2, 1} + g_{2, 1} g_{2, 2})$
 18
 $T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (g_{0, 2} - g_{2, 2})$
 19

$$g_{0,1} T_{[1,0], [0,1]} - g_{1,1} T_{[1,0], [0,1]} + T_{[2,1], [1,2]} g_{0,1} - T_{[2,1], [1,2]} g_{2,1}$$

20

$$T_{[2,1], [1,2]} (g_{1,2} - g_{2,2}) (g_{0,1} - g_{2,1})$$

21

$$T_{[2,1], [1,2]} (g_{1,1} - g_{2,1}) (g_{0,1} - g_{2,1})$$

22

$$T_{[2,1], [1,2]} (g_{1,0} - g_{2,0}) (g_{0,1} - g_{2,1})$$

23

$$T_{[2,1], [1,2]} (g_{0,1} g_{0,2} g_{2,2} - g_{0,2} g_{2,1} g_{2,2} - g_{0,1} g_{2,2} + g_{0,2} g_{2,1})$$

24

$$T_{[2,1], [1,2]} (g_{0,1} g_{0,2} g_{2,0} - g_{0,1} g_{2,0} - g_{0,2} g_{2,0} - g_{0,2} g_{2,1})$$

25

$$g_{0,0} T_{[1,0], [0,1]} - g_{1,0} T_{[1,0], [0,1]} + T_{[2,1], [1,2]} g_{0,0} - T_{[2,1], [1,2]} g_{2,0}$$

26

$$T_{[2,1], [1,2]} (-g_{0,1} g_{2,0} g_{2,2} + g_{0,0} g_{2,2} + g_{0,1} g_{2,0} + g_{0,1} g_{2,2})$$

27

$$T_{[2,1], [1,2]} (g_{0,0} g_{2,1} - g_{0,1} g_{2,0})$$

28

$$T_{[2,1], [1,2]} (-g_{0,1} g_{2,0} g_{2,2} + g_{0,0} g_{1,2} + g_{0,1} g_{2,0} + g_{0,1} g_{2,2} - g_{1,2} g_{2,0} + g_{2,0} g_{2,2})$$

29

$$T_{[2,1], [1,2]} (-g_{1,2} g_{2,0} g_{2,1} + g_{0,0} g_{1,1} - g_{0,1} g_{2,0} + g_{1,2} g_{2,0} + g_{1,2} g_{2,1} + g_{2,0} g_{2,1})$$

30

$$T_{[2,1], [1,2]} (g_{1,0} - g_{2,0}) (g_{0,0} - g_{2,0})$$

31

$$g_{0,0} g_{0,1} g_{0,2} - g_{0,0} g_{0,1} - g_{0,0} g_{0,2} - g_{0,1} g_{0,2}$$

32

$$M_{2,2} g_{2,2} - 1$$

33

$$M_{2,2} g_{2,0} g_{2,1} - g_{2,0} g_{2,1} + g_{2,0} + g_{2,1}$$

34

$$T_{[2,1], [1,2]} (M_{2,2} g_{1,2} g_{2,1} - g_{1,1})$$

35

$$T_{[1,0], [0,1]} (M_{2,2} g_{1,2} g_{2,0} - g_{1,0})$$

36

$$T_{[1,0], [0,1]} (M_{2,2} g_{2,0} g_{1,1} - g_{1,0} g_{1,1} + g_{1,0} + g_{1,1})$$

37

$$T_{[2,1], [1,2]} (M_{2,2} g_{1,0} g_{2,1} - g_{1,0} g_{1,1} + g_{1,0} + g_{1,1})$$

38

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 2} g_{2, 1} + g_{0, 1} g_{0, 2} - g_{0, 2} g_{2, 1} - g_{0, 1})$$

39

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 2} g_{2, 0} + g_{0, 0} g_{0, 2} - g_{0, 2} g_{2, 0} - g_{0, 0})$$

40

$$T_{[2, 1], [1, 2]} (M_{2, 2} g_{0, 1} g_{2, 0} - g_{0, 1} g_{2, 0} + g_{0, 0} + g_{0, 1})$$

41

$$T_{[1, 0], [0, 1]} T_{[2, 1], [1, 2]} (M_{1, 2} - M_{2, 2})$$

42

$$M_{1, 2} g_{1, 2} - 1$$

43

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 1} - M_{2, 2} g_{2, 1})$$

44

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{2, 1} g_{1, 1} - M_{2, 2} g_{2, 1} g_{1, 1} - M_{1, 2} g_{1, 1} + M_{2, 2} g_{2, 1})$$

45

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{2, 0} g_{1, 1} + M_{1, 2} g_{1, 1} g_{2, 2} - g_{1, 1} g_{2, 0} + g_{2, 0})$$

46

$$T_{[1, 0], [0, 1]} (M_{1, 2} g_{1, 0} - M_{2, 2} g_{2, 0})$$

47

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 0} g_{2, 1} + M_{1, 2} g_{1, 0} g_{2, 2} - g_{1, 0} g_{2, 1} + g_{2, 1})$$

48

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{1, 0} g_{2, 0} - M_{2, 2} g_{1, 0} g_{2, 0} - M_{1, 2} g_{1, 0} + M_{2, 2} g_{2, 0})$$

49

$$M_{1, 2} g_{1, 0} g_{1, 1} - g_{1, 0} g_{1, 1} + g_{1, 0} + g_{1, 1}$$

50

$$T_{[2, 1], [1, 2]} (M_{1, 2} g_{0, 2} - M_{1, 2} g_{2, 2} - M_{2, 2} g_{0, 2} + 1)$$

51

$$T_{[2, 1], [1, 2]} (g_{0, 1} - g_{2, 1}) (M_{1, 2} - M_{2, 2})$$

52

$$T_{[2, 1], [1, 2]} (g_{0, 0} - g_{2, 0}) (M_{1, 2} - M_{2, 2})$$

53

$$M_{0, 2} T_{[1, 0], [0, 1]} + T_{[2, 1], [1, 2]} M_{0, 2} - M_{1, 2} T_{[1, 0], [0, 1]} - M_{2, 2} T_{[2, 1], [1, 2]}$$

54

$$T_{[2, 1], [1, 2]} (M_{0, 2} g_{1, 2} - M_{0, 2} g_{2, 2} - M_{2, 2} g_{1, 2} + 1)$$

55

$$T_{[2, 1], [1, 2]} (g_{1, 1} - g_{2, 1}) (M_{0, 2} - M_{2, 2})$$

56

$$T_{[2, 1], [1, 2]} (g_{1, 0} - g_{2, 0}) (M_{0, 2} - M_{2, 2})$$

57

$$\begin{aligned}
& M_{0,2} g_{0,2} - 1 \\
& \text{58} \\
& T_{[2,1], [1,2]} (M_{0,2} g_{0,1} - M_{2,2} g_{2,1} - g_{0,1} + g_{2,1}) \\
& \text{59} \\
& T_{[2,1], [1,2]} (g_{0,0} M_{0,2} - M_{2,2} g_{2,0} - g_{0,0} + g_{2,0}) \\
& \text{60} \\
& M_{0,2} g_{0,0} g_{0,1} - g_{0,0} g_{0,1} + g_{0,0} + g_{0,1} \\
& \text{61} \\
& T_{[2,1], [1,2]} (M_{1,2} - M_{2,2}) (M_{0,2} - M_{2,2}) \\
& \text{62} \\
& M_{2,1} g_{2,1} - 1 \\
& \text{63} \\
& g_{2,0} M_{2,1} + M_{2,2} g_{2,0} - g_{2,0} + 1 \\
& \text{64} \\
& T_{[2,1], [1,2]} (M_{2,1} g_{1,1} - M_{2,2} g_{1,2}) \\
& \text{65} \\
& T_{[1,0], [0,1]} (M_{2,2} g_{1,1} g_{1,2} + M_{2,1} g_{1,1} - M_{2,2} g_{1,2} - g_{1,1}) \\
& \text{66} \\
& T_{[2,1], [1,2]} (-M_{2,2} g_{1,0} g_{1,2} + M_{2,1} g_{1,0} + M_{2,2} g_{1,0} + M_{2,2} g_{1,2}) \\
& \text{67} \\
& T_{[1,0], [0,1]} (M_{2,1} g_{1,0} + M_{2,2} g_{1,0} + M_{2,2} g_{1,2} - g_{1,0}) \\
& \text{68} \\
& T_{[2,1], [1,2]} (M_{2,1} g_{0,1} g_{0,2} - M_{2,1} g_{0,1} + M_{2,2} g_{0,2} - g_{0,2}) \\
& \text{69} \\
& T_{[2,1], [1,2]} (M_{2,1} g_{0,0} + M_{2,1} g_{0,1} + M_{2,2} g_{0,0} - g_{0,0}) \\
& \text{70} \\
& T_{[2,1], [1,2]} (-M_{1,2} M_{2,1} g_{2,2} + M_{1,1}) \\
& \text{71} \\
& T_{[1,0], [0,1]} (-M_{1,2} M_{2,1} g_{2,2} + M_{1,2} g_{2,2} + M_{1,1} - 1) \\
& \text{72} \\
& M_{1,1} g_{1,1} - 1 \\
& \text{73} \\
& g_{1,0} M_{1,1} + M_{1,2} g_{1,0} - g_{1,0} + 1 \\
& \text{74} \\
& -M_{1,2} M_{2,1} T_{[1,0], [0,1]} g_{2,2} + M_{1,2} T_{[1,0], [0,1]} g_{2,2} + M_{0,1} T_{[1,0], [0,1]} + M_{0,1} T_{[2,1], [1,2]} \\
& -M_{2,1} T_{[2,1], [1,2]} - T_{[1,0], [0,1]} \\
& \text{75}
\end{aligned}$$

$$\begin{aligned}
& T_{[2,1], [1,2]} (M_{0,2} M_{2,1} g_{2,2} + M_{0,1} g_{2,2} - M_{2,1} g_{2,2} - M_{0,1}) \\
& \quad 76 \\
& T_{[2,1], [1,2]} (M_{0,1} g_{2,0} + M_{0,1} g_{2,1} + M_{0,2} g_{2,0} - g_{2,0}) \\
& \quad 77 \\
& T_{[2,1], [1,2]} (M_{0,2} M_{2,1} g_{2,2} + M_{0,1} g_{1,2} - M_{2,1} g_{1,2} - M_{0,1}) \\
& \quad 78 \\
& T_{[2,1], [1,2]} (M_{0,1} g_{1,1} - M_{0,1} g_{2,1} - M_{2,2} g_{1,2} + 1) \\
& \quad 79 \\
& T_{[2,1], [1,2]} (-M_{2,2} g_{1,0} g_{1,2} + M_{0,1} g_{1,0} + M_{0,1} g_{2,1} + M_{0,2} g_{2,0} + M_{2,2} g_{1,0} + M_{2,2} g_{1,2} \\
& \quad - M_{2,2} g_{2,0} - 1) \\
& \quad 80 \\
& M_{0,1} g_{0,1} - 1 \\
& \quad 81 \\
& M_{0,1} g_{0,0} + g_{0,0} M_{0,2} - g_{0,0} + 1 \\
& \quad 82 \\
& T_{[2,1], [1,2]} (M_{0,1} M_{2,2} - M_{0,2} M_{2,1} - M_{0,1} + M_{2,1}) \\
& \quad 83 \\
& T_{[2,1], [1,2]} (M_{0,1} M_{1,2} - M_{0,2} M_{2,1} - M_{1,2} M_{2,1} + M_{2,1} M_{2,2} - M_{0,1} + M_{2,1}) \\
& \quad "====" \\
& \quad "trop long", \emptyset \tag{1.5.1}
\end{aligned}$$

> **PolynomialSystem;**

$$\begin{aligned}
& \{0, -T_{[1,0], [0,1]}, -T_{[1,0], [0,1]} (M_{0,1} M_{1,2} - M_{1,1} M_{0,2} - M_{0,1} + M_{1,1}), \\
& \quad -T_{[1,0], [0,1]} (M_{0,1} M_{2,2} - M_{2,1} M_{0,2} - M_{0,1} + M_{2,1}), M_{0,1} g_{0,1} - 1, M_{0,2} g_{0,2} - 1, \\
& \quad M_{1,1} g_{1,1} - 1, M_{1,2} g_{1,2} - 1, M_{2,1} g_{2,1} - 1, M_{2,2} g_{2,2} - 1, -M_{0,1} g_{0,0} - g_{0,0} M_{0,2} \\
& \quad + g_{0,0} - 1, -g_{1,0} M_{1,1} - g_{1,0} M_{1,2} + g_{1,0} - 1, -g_{2,0} M_{2,1} - g_{2,0} M_{2,2} + g_{2,0} - 1\} \tag{1.5.2}
\end{aligned}$$

> **subs({seq([Variables][i]=(i+3)/2,i=1..nops([Variables]))}, SystemEquation);**

$$\left\{ -53, 0, 10, 20, 29, -\frac{147}{4}, -\frac{47}{2}, -\frac{19}{2}, \frac{19}{52}, \frac{19}{88}, \frac{33}{2}, \frac{49}{2}, \frac{79}{2} \right\} \tag{1.5.3}$$

> **ensem(2,3);**

$$[0,0], [0,1], [0,2], [1,0], [1,1], [1,2], [2,0], [2,1], [2,2] \tag{1.5.4}$$

>

▼ Section 3.2 - Hidden Markov chain

```

> K:=3:
unassign('T','M');

Indices:= { seq( seq( [u,v], u in ensem(3,K)), v in ensem(3,K) ) }:
for u in ensem(3,K) do for v in ensem(3,K) do
  T[u,v]:=0:Indices:=Indices minus {[u,u]}:

```

```

od:od:

#definition of T
T[[0,0,0],[0,1,0]]:=255:
T[[0,0,0],[0,2,0]]:=15:
T[[0,1,0],[0,0,0]]:=294:
T[[0,2,0],[0,0,0]]:=294:
T[[0,1,0],[0,2,0]]:=49:
T[[0,2,0],[0,1,0]]:=49:
Indices:=Indices minus {[ [0,0,0],[0,1,0] ],[ [0,0,0],[0,2,0] ],
[ [0,1,0],[0,0,0] ],[ [0,2,0],[0,0,0] ],[ [0,1,0],[0,2,0] ],[ [0,2,
0],[0,1,0] ]}:
# projection function:

NonZeroT:= { seq(T[op(A)], A in Indices)}:

proj:=proc(x) if x>0 then return(1) else return(0):fi:end:

# Condition projection
EQQ:=NULL:
for u in ensem(3,K) do
  for v in ense(3,K) do
    if map(proj,u)=map(proj,v) then
      EQQ:=EQQ, seq( add((T[u,w]-T[v,w])*ind
(map(proj,w),b)*(1-ind(map(proj,u),b)), w in ensem(3,K)),b in
ense(3)):
    fi:
  od:
od:

# T' as given in section 3.2 is clearly correct.

M:= Matrix([[7/15, 1/3, 1/5],[1/2,1/6,1/3],[1/6,1/2,1/3]]):
Rho:=Matrix([35/89,29/89,25/89]):
# checking that Rho is a left main eigenvalue of M
Rho.M -Rho ;

# Projected measure
MesMarkov:=proc(v) local n: n:=nops(v): # the
colour are labeled 0..2
return(Rho[1,v[1]+1]*mul(M[v[i]+1,v[i+1]+1],i=1..n-1)):# but
the matrices entries are labeled 1-3
end: # the
shift +1 is here to compensate that.

Mes:=proc(u) local n:
n:=nops(u):
return( add(MesMarkov(v)*mul(ind(proj(v[i]),u[i]),i=1..n),
v in ensem(n,3)));
end:
Mes([1,1,1])/Mes([1,1]);
Mes([1,1])/Mes([1]);

## adaptation of MM to this matricial expression

```

```
MM:=proc(a,b,c,d,e) return( M[a+1,b+1]*M[b+1,c+1]*M[c+1,d+1]*
M[d+1,e+1]): end:
```

Computation of Z5

```
Z5:=proc(u) ## for a word u of size 5 and L = 3 we need the
following Z
    return( add( MM(u[1],v[1],v[2],v[3],u[5]) *T[v,[u
[2],u[3],u[4]]]/MM( op(u) ) -T[[u[2],u[3],u[4]],v], v in
ensem(3,3))):
```

```

Cycle9MT:=proc(a,b,c,d,e) option remember; local Vec:
  Vec :=[ a, b, c, d, e, 0, 0, 0, 0]:
  return( simplify( add(Z5( [seq( Vec[modu(i +j, 9)],j=1..5) ] ),i=1..9))):
end:

```

```
> seq(Z5(u), u in ensem(5,3));
[ 0 0 0 ]

$$\begin{array}{r} 71 \\ 106 \\ \hline 53 \\ 81 \end{array}$$

```

Section 3.3.1 - Two colour general Markov case

```

> # -> Initialisation
unassign('T','M');
K:=2;

> # Transition definition
NonZeroT:= NULL: # will be the set of nonzero transitions
for u in ensem(2,K) do
    for v in ensem(2,K) do
        if u=v then T[u,u]:=0:
        else
            T[u,v]:=t[it(u),it(v)]:
            NonZeroT := NonZeroT, T[u,v]:
        fi:
    od:
od:

```

```

"Parameters = NonZeroTransition", NonZeroT;
> ## product of M over 4 letters
MM:=proc(a,b,c,d) return( M[a,b]*M[b,c]*M[c,d]): end:

Z4:=proc(u) ## for a word u of size 4 and L = 2 we need the
following Z
    return( add( MM(u[1],v[1],v[2],u[4])      *T[v,[u[2],u
[3]]]/MM( op(u) ) -T[[u[2],u[3]],v], v in ensem(2,K))): end:

> Cycle7MT:=proc(a,b,c,d) option remember: local Vec:
    Vec :=[ a, b, c, d, 0, 0, 0]:
    return( simplify( add(Z4( [seq( Vec[modu(i +j, 7)],j=1..4) ] ),i=1..7))): end:
>
for i in {0,1} do M[i,0]:=1-M[i,1]: od:
>
SystemEquation := { seq( Cycle7MT(op(u)), u in ensem(4,K)),
seq( M[op(u)]*g[op(u)]-1,u in ensem(2,K)), (M[0,1]-M[1,1])*
x-1}:
#####
PolynomialSystem:= map(x-> numer(normal(x)), SystemEquation):
# numerators only
Variables:= seq(g[op(u)],u in ensem(2,K)),x, seq(seq(M[i,j],
i=0..K-1),j=1..K-1) , NonZeroT :
#####
# grobner
G:= Basis(PolynomialSystem,plex( Variables)):
Affiche(G,2000);
unassign('M'); # for further computations

```

$K := 2$

"Parameters = NonZeroTransition", $t_{0,1}, t_{0,2}, t_{0,3}, t_{1,0}, t_{1,2}, t_{1,3}, t_{2,0}, t_{2,1}, t_{2,3}, t_{3,0}, t_{3,1}, t_{3,2}$

1

$t_{3,0}$

2

$t_{2,1}$

3

$t_{1,2}$

4

$t_{0,3}$

5

$t_{0,1}t_{1,0} + t_{0,1}t_{2,0} + t_{0,2}t_{1,0} + t_{0,2}t_{2,0} - t_{1,3}t_{3,1} - t_{1,3}t_{3,2} - t_{2,3}t_{3,1} - t_{2,3}t_{3,2}$

6

$$M_{1,1}^2 t_{1,0} + M_{1,1}^2 t_{2,0} - M_{1,1}^2 t_{3,1} - M_{1,1}^2 t_{3,2} - M_{1,1} t_{1,0} - M_{1,1} t_{1,3} - M_{1,1} t_{2,0} - M_{1,1} t_{2,3} \\ + t_{1,3} + t_{2,3}$$

7

$$M_{1,1}^2 t_{0,1} t_{3,1} + M_{1,1}^2 t_{0,1} t_{3,2} + M_{1,1}^2 t_{0,2} t_{3,1} + M_{1,1}^2 t_{0,2} t_{3,2} - M_{1,1}^2 t_{1,3} t_{3,1} - M_{1,1}^2 t_{1,3} t_{3,2} \\ - M_{1,1}^2 t_{2,3} t_{3,1} - M_{1,1}^2 t_{2,3} t_{3,2} + M_{1,1} t_{0,1} t_{1,3} + M_{1,1} t_{0,1} t_{2,3} + M_{1,1} t_{0,2} t_{1,3} \\ + M_{1,1} t_{0,2} t_{2,3} + M_{1,1} t_{1,3} t_{3,1} + M_{1,1} t_{1,3} t_{3,2} + M_{1,1} t_{2,3} t_{3,1} + M_{1,1} t_{2,3} t_{3,2} \\ - t_{0,1} t_{1,3} - t_{0,1} t_{2,3} - t_{0,2} t_{1,3} - t_{0,2} t_{2,3}$$

8

$$t_{1,3} M_{0,1} + M_{0,1} t_{2,3} + M_{1,1} t_{1,0} + M_{1,1} t_{2,0} - t_{1,3} - t_{2,3}$$

9

$$M_{0,1} t_{0,1} + M_{0,1} t_{0,2} + M_{1,1} t_{3,1} + M_{1,1} t_{3,2} - t_{0,1} - t_{0,2}$$

10

$$M_{0,1} M_{1,1} t_{1,0} + M_{0,1} M_{1,1} t_{2,0} - M_{0,1} M_{1,1} t_{3,1} - M_{0,1} M_{1,1} t_{3,2} - M_{0,1} t_{1,0} - M_{0,1} t_{2,0} \\ + M_{1,1} t_{3,1} + M_{1,1} t_{3,2}$$

11

$$x t_{1,0} t_{1,3} + x t_{1,0} t_{2,3} + x t_{1,3} t_{2,0} - x t_{1,3} t_{3,1} - x t_{1,3} t_{3,2} + x t_{2,0} t_{2,3} - x t_{2,3} t_{3,1} \\ - x t_{2,3} t_{3,2} - M_{1,1} t_{1,0}^2 - M_{1,1} t_{1,0} t_{1,3} - 2 M_{1,1} t_{1,0} t_{2,0} - M_{1,1} t_{1,0} t_{2,3} \\ + M_{1,1} t_{1,0} t_{3,1} + M_{1,1} t_{1,0} t_{3,2} - M_{1,1} t_{1,3} t_{2,0} + M_{1,1} t_{1,3} t_{3,1} + M_{1,1} t_{1,3} t_{3,2} - M_{1,1} t_{2,0}^2 \\ - M_{1,1} t_{2,0} t_{2,3} + M_{1,1} t_{2,0} t_{3,1} + M_{1,1} t_{2,0} t_{3,2} + M_{1,1} t_{2,3} t_{3,1} + M_{1,1} t_{2,3} t_{3,2} + \\ t_{1,0}^2 + t_{1,0} t_{1,3} + 2 t_{1,0} t_{2,0} + t_{1,0} t_{2,3} + t_{1,3}^2 + t_{1,3} t_{2,0} + 2 t_{1,3} t_{2,3} + t_{1,3} t_{3,1} + t_{1,3} t_{3,2} \\ + t_{2,0}^2 + t_{2,0} t_{2,3} + t_{2,3}^2 + t_{2,3} t_{3,1} + t_{2,3} t_{3,2}$$

12

$$x t_{0,1} t_{3,1} + x t_{0,1} t_{3,2} + x t_{0,2} t_{3,1} + x t_{0,2} t_{3,2} - x t_{1,3} t_{3,1} - x t_{1,3} t_{3,2} - x t_{2,3} t_{3,1} \\ - x t_{2,3} t_{3,2} - M_{1,1} t_{0,1} t_{3,1} - M_{1,1} t_{0,1} t_{3,2} - M_{1,1} t_{0,2} t_{3,1} - M_{1,1} t_{0,2} t_{3,2} \\ + M_{1,1} t_{1,0} t_{3,1} + M_{1,1} t_{1,0} t_{3,2} + M_{1,1} t_{1,3} t_{3,1} + M_{1,1} t_{1,3} t_{3,2} + M_{1,1} t_{2,0} t_{3,1} \\ + M_{1,1} t_{2,0} t_{3,2} + M_{1,1} t_{2,3} t_{3,1} + M_{1,1} t_{2,3} t_{3,2} - M_{1,1} t_{3,1}^2 - 2 M_{1,1} t_{3,1} t_{3,2} - M_{1,1} t_{3,2}^2 \\ - t_{0,1} t_{1,3} - t_{0,1} t_{2,3} - t_{0,1} t_{3,1} - t_{0,1} t_{3,2} - t_{0,2} t_{1,3} - t_{0,2} t_{2,3} - t_{0,2} t_{3,1} - t_{0,2} t_{3,2} \\ - t_{1,0} t_{3,1} - t_{1,0} t_{3,2} - t_{1,3} t_{3,1} - t_{1,3} t_{3,2} - t_{2,0} t_{3,1} - t_{2,0} t_{3,2} - t_{2,3} t_{3,1} - t_{2,3} t_{3,2}$$

13

$$x M_{1,1} t_{1,3} + x M_{1,1} t_{2,3} + x M_{1,1} t_{3,1} + x M_{1,1} t_{3,2} - x t_{1,3} - x t_{2,3} + M_{1,1} t_{1,0} + M_{1,1} t_{2,0} \\ - M_{1,1} t_{3,1} - M_{1,1} t_{3,2} - t_{1,0} - t_{2,0}$$

14

$$x M_{1,1} t_{1,0} + x M_{1,1} t_{2,0} - x M_{1,1} t_{3,1} - x M_{1,1} t_{3,2} - M_{1,1} t_{1,0} - M_{1,1} t_{2,0} + M_{1,1} t_{3,1} \\ + M_{1,1} t_{3,2} + t_{1,0} + t_{1,3} + t_{2,0} + t_{2,3}$$

15

$$x M_{1, 1} t_{0, 1} + x M_{1, 1} t_{0, 2} + x M_{1, 1} t_{3, 1} + x M_{1, 1} t_{3, 2} - x t_{0, 1} - x t_{0, 2} + t_{0, 1} + t_{0, 2}$$

16

$$x M_{0, 1} - x M_{1, 1} - 1$$

17

$$\begin{aligned} M_{1, 1} t_{1, 0} + M_{1, 1} t_{2, 0} - M_{1, 1} t_{3, 1} - M_{1, 1} t_{3, 2} + g_{1, 1} t_{1, 3} + g_{1, 1} t_{2, 3} - t_{1, 0} - t_{1, 3} - t_{2, 0} \\ - t_{2, 3} \end{aligned}$$

18

$$\begin{aligned} x t_{1, 0} + x t_{2, 0} - x t_{3, 1} - x t_{3, 2} - M_{1, 1} t_{1, 0} - M_{1, 1} t_{2, 0} + M_{1, 1} t_{3, 1} + M_{1, 1} t_{3, 2} + g_{1, 1} t_{1, 0} \\ + g_{1, 1} t_{2, 0} + t_{1, 3} + t_{2, 3} + t_{3, 1} + t_{3, 2} \end{aligned}$$

19

$$M_{1, 1} g_{1, 1} - 1$$

20

$$x g_{1, 1} t_{0, 1} + x g_{1, 1} t_{0, 2} - x t_{0, 1} - x t_{0, 2} - x t_{3, 1} - x t_{3, 2} - g_{1, 1} t_{0, 1} - g_{1, 1} t_{0, 2}$$

21

$$\begin{aligned} M_{1, 1} t_{1, 0} + M_{1, 1} t_{2, 0} - M_{1, 1} t_{3, 1} - M_{1, 1} t_{3, 2} + g_{1, 0} t_{3, 1} + g_{1, 0} t_{3, 2} - t_{1, 3} - t_{2, 3} - t_{3, 1} \\ - t_{3, 2} \end{aligned}$$

22

$$\begin{aligned} -x t_{0, 1} - x t_{0, 2} + x t_{1, 3} + x t_{2, 3} - M_{1, 1} t_{1, 0} - M_{1, 1} t_{2, 0} + M_{1, 1} t_{3, 1} + M_{1, 1} t_{3, 2} + g_{1, 0} t_{0, 1} \\ + g_{1, 0} t_{0, 2} + t_{1, 0} + t_{1, 3} + t_{2, 0} + t_{2, 3} \end{aligned}$$

23

$$g_{1, 0} M_{1, 1} - g_{1, 0} + 1$$

24

$$x g_{1, 0} t_{1, 0} + x g_{1, 0} t_{2, 0} - x t_{1, 0} - x t_{1, 3} - x t_{2, 0} - x t_{2, 3} + g_{1, 0} t_{1, 3} + g_{1, 0} t_{2, 3}$$

25

$$g_{1, 0} g_{1, 1} - g_{1, 0} - g_{1, 1}$$

26

$$\begin{aligned} x t_{1, 0} + x t_{2, 0} - x t_{3, 1} - x t_{3, 2} - M_{1, 1} t_{1, 0} - M_{1, 1} t_{2, 0} + M_{1, 1} t_{3, 1} + M_{1, 1} t_{3, 2} + g_{0, 1} t_{3, 1} \\ + g_{0, 1} t_{3, 2} + t_{1, 0} + t_{1, 3} + t_{2, 0} + t_{2, 3} \end{aligned}$$

27

$$\begin{aligned} M_{1, 1} t_{1, 0} + M_{1, 1} t_{2, 0} - M_{1, 1} t_{3, 1} - M_{1, 1} t_{3, 2} + g_{0, 1} t_{0, 1} + g_{0, 1} t_{0, 2} - t_{0, 1} - t_{0, 2} - t_{1, 0} \\ - t_{2, 0} \end{aligned}$$

28

$$M_{1, 1} g_{0, 1} t_{1, 0} + M_{1, 1} g_{0, 1} t_{2, 0} - g_{0, 1} t_{1, 3} - g_{0, 1} t_{2, 3} + t_{1, 3} + t_{2, 3}$$

29

$$M_{0, 1} g_{0, 1} - 1$$

30

$x g_{0,1} t_{1,3} + x g_{0,1} t_{2,3} - x t_{1,0} - x t_{1,3} - x t_{2,0} - x t_{2,3} + g_{0,1} t_{1,0} + g_{0,1} t_{2,0}$
 31
 $x M_{1,1} g_{0,1} - x + g_{0,1}$
 32
 $x g_{0,1} - x g_{1,1} + g_{0,1} g_{1,1}$
 33
 $g_{0,1} g_{1,0} t_{1,0} - g_{0,1} g_{1,0} t_{1,3} + g_{0,1} g_{1,0} t_{2,0} - g_{0,1} g_{1,0} t_{2,3} - g_{0,1} t_{1,0} - g_{0,1} t_{2,0}$
 $+ g_{1,0} t_{1,3} + g_{1,0} t_{2,3}$
 34
 $x g_{0,1} g_{1,0} - x g_{0,1} - x g_{1,0} + g_{0,1} g_{1,0}$
 35
 $g_{0,0} t_{3,1} + g_{0,0} t_{3,2} - g_{1,1} t_{0,1} - g_{1,1} t_{0,2}$
 36
 $- x t_{0,1} - x t_{0,2} + x t_{1,3} + x t_{2,3} - M_{1,1} t_{1,0} - M_{1,1} t_{2,0} + M_{1,1} t_{3,1} + M_{1,1} t_{3,2} + g_{0,0} t_{1,3}$
 $+ g_{0,0} t_{2,3} + t_{0,1} + t_{0,2} + t_{1,0} + t_{2,0}$
 37
 $M_{1,1} t_{1,0} + M_{1,1} t_{2,0} - M_{1,1} t_{3,1} - M_{1,1} t_{3,2} + g_{0,0} t_{1,0} + g_{0,0} t_{2,0} - t_{1,0} - t_{1,3} - t_{2,0}$
 $- t_{2,3}$
 38
 $g_{0,0} M_{0,1} - g_{0,0} + 1$
 39
 $x M_{1,1} g_{0,0} - x g_{0,0} + x + g_{0,0}$
 40
 $x g_{0,0} g_{1,1} - x g_{0,0} - x g_{1,1} - g_{0,0} g_{1,1}$
 41
 $- x g_{0,0} + x g_{1,0} + g_{0,0} g_{1,0}$
 42
 $g_{0,0} g_{0,1} - g_{0,0} - g_{0,1}$
 ======
 "trop long", \emptyset (1.7.1)
> collect(G[6],M[1,1]); latex(%);

$$(t_{1,0} + t_{2,0} - t_{3,1} - t_{3,2}) M_{1,1}^2 + (-t_{1,0} - t_{1,3} - t_{2,0} - t_{2,3}) M_{1,1} + t_{1,3} + t_{2,3}$$

$$\left(\text{left}(t_{\{1,0\}} + t_{\{2,0\}} - t_{\{3,1\}} - t_{\{3,2\}}) \text{right}\right) \{M_{\{1,1\}}\}^2$$

$$+ \left(\text{left}(-t_{\{1,0\}} - t_{\{1,3\}} - t_{\{2,0\}} - t_{\{2,3\}}) \text{right}\right) M_{\{1,1\}} + t_{\{1,3\}} + t_{\{2,3\}}$$

▼ Section 3.3.2 - Two colour general product case

```

> # -> Initialisation
unassign('T','M','u','v','rho');
K:=2;

> # Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(2,K) do
  for v in ensem(2,K) do
    if u=v then T[u,u]:=0:
      t[it(u),it(v)]:=0:
    else
      T[u,v]:=t[it(u),it(v)]:
      NonZeroT := NonZeroT, T[u,v]:
    fi:
  od:
od:

"Parameters = NonZeroTransition", NonZeroT;
>
Z2:=proc(u) ## for a word u of size 4 and L = 2 we need the
following Z
  return( add( rho[v[1]]*rho[v[2]] *T[v,[u[1],u[2]]]
/(rho[u[1]]*rho[u[2]]) -T[[u[1],u[2]],v], v in ensem(2,K))):
end:

>
Cycle2MT:=proc(a,b) option remember:
  return( simplify(Z2([a,b])+Z2([b,a]))):
end:
>
rho[0]:=1-rho[1]:
>
SystemEquation := { seq( Cycle2MT(op(u)), u in ensem(2,K))}:
#####
PolynomialSystem:= map(x-> numer(normal(x)), SystemEquation):
# numerators only
Variables:= g[0],g[1], rho[1] , NonZeroT :
#####
# grobner
G:= Basis(PolynomialSystem,tdeg( Variables)):
Affiche(G,20000);
unassign('M'); # for further computations
K := 2
"Parameters = NonZeroTransition", t0, 1, t0, 2, t0, 3, t1, 0, t1, 2, t1, 3, t2, 0, t2, 1, t2, 3, t3, 0, t3, 1, t3, 2
1
ρ1 t0, 1 t3, 0 + ρ1 t0, 1 t3, 1 + ρ1 t0, 1 t3, 2 + ρ1 t0, 2 t3, 0 + ρ1 t0, 2 t3, 1 + ρ1 t0, 2 t3, 2 + ρ1 t0, 3 t3, 1
+ ρ1 t0, 3 t3, 2 + ρ1 t1, 0 t3, 0 + ρ1 t1, 0 t3, 1 + ρ1 t1, 0 t3, 2 + ρ1 t1, 3 t3, 0 + ρ1 t2, 0 t3, 0
+ ρ1 t2, 0 t3, 1 + ρ1 t2, 0 t3, 2 + ρ1 t2, 3 t3, 0 - t0, 1 t3, 0 - t0, 1 t3, 1 - t0, 1 t3, 2 - t0, 2 t3, 0
- t0, 2 t3, 1 - t0, 2 t3, 2 - t0, 3 t3, 1 - t0, 3 t3, 2

```

2

$$\begin{aligned}
& \rho_1 t_{0,1} t_{1,3} + \rho_1 t_{0,1} t_{2,3} + \rho_1 t_{0,2} t_{1,3} + \rho_1 t_{0,2} t_{2,3} + \rho_1 t_{0,3} t_{1,0} + \rho_1 t_{0,3} t_{1,3} + \rho_1 t_{0,3} t_{2,0} \\
& + \rho_1 t_{0,3} t_{2,3} - \rho_1 t_{1,0} t_{3,0} - \rho_1 t_{1,0} t_{3,1} - \rho_1 t_{1,0} t_{3,2} - \rho_1 t_{1,3} t_{3,0} - \rho_1 t_{2,0} t_{3,0} \\
& - \rho_1 t_{2,0} t_{3,1} - \rho_1 t_{2,0} t_{3,2} - \rho_1 t_{2,3} t_{3,0} - t_{0,1} t_{1,3} - t_{0,1} t_{2,3} + t_{0,1} t_{3,0} + t_{0,1} t_{3,1} \\
& + t_{0,1} t_{3,2} - t_{0,2} t_{1,3} - t_{0,2} t_{2,3} + t_{0,2} t_{3,0} + t_{0,2} t_{3,1} + t_{0,2} t_{3,2} - t_{0,3} t_{1,0} - t_{0,3} t_{1,3} \\
& - t_{0,3} t_{2,0} - t_{0,3} t_{2,3} + t_{0,3} t_{3,1} + t_{0,3} t_{3,2}
\end{aligned}$$

3

$$\begin{aligned}
& \rho_1^2 t_{0,3} - t_{1,3} \rho_1^2 - t_{2,3} \rho_1^2 - \rho_1^2 t_{3,0} - \rho_1^2 t_{3,1} - \rho_1^2 t_{3,2} - 2 \rho_1 t_{0,3} + t_{1,3} \rho_1 + t_{2,3} \rho_1 + t_{0,3} \\
& 4
\end{aligned}$$

$$\begin{aligned}
& \rho_1^2 t_{0,1} + \rho_1^2 t_{0,2} + \rho_1^2 t_{1,0} + t_{1,3} \rho_1^2 + \rho_1^2 t_{2,0} + t_{2,3} \rho_1^2 + \rho_1^2 t_{3,1} + \rho_1^2 t_{3,2} - 2 \rho_1 t_{0,1} \\
& - 2 \rho_1 t_{0,2} - \rho_1 t_{1,0} - t_{1,3} \rho_1 - \rho_1 t_{2,0} - t_{2,3} \rho_1 + t_{0,1} + t_{0,2}
\end{aligned}$$

5

$$\begin{aligned}
& - t_{0,1}^2 t_{3,0}^2 - 2 t_{0,1}^2 t_{3,0} t_{3,1} - 2 t_{0,1}^2 t_{3,0} t_{3,2} - t_{0,1}^2 t_{3,1}^2 - 2 t_{0,1}^2 t_{3,1} t_{3,2} - t_{0,1}^2 t_{3,2}^2 \\
& - 2 t_{0,1} t_{0,2} t_{3,0}^2 - 4 t_{0,1} t_{0,2} t_{3,0} t_{3,1} - 4 t_{0,1} t_{0,2} t_{3,0} t_{3,2} - 2 t_{0,1} t_{0,2} t_{3,1}^2 \\
& - 4 t_{0,1} t_{0,2} t_{3,1} t_{3,2} - 2 t_{0,1} t_{0,2} t_{3,2}^2 - 2 t_{0,1} t_{0,3} t_{3,0} t_{3,1} - 2 t_{0,1} t_{0,3} t_{3,0} t_{3,2} \\
& - 2 t_{0,1} t_{0,3} t_{3,1}^2 - 4 t_{0,1} t_{0,3} t_{3,1} t_{3,2} - 2 t_{0,1} t_{0,3} t_{3,2}^2 + t_{0,1} t_{1,0} t_{1,3} t_{3,0} \\
& + t_{0,1} t_{1,0} t_{1,3} t_{3,1} + t_{0,1} t_{1,0} t_{1,3} t_{3,2} + t_{0,1} t_{1,0} t_{2,3} t_{3,0} + t_{0,1} t_{1,0} t_{2,3} t_{3,1} \\
& + t_{0,1} t_{1,0} t_{2,3} t_{3,2} + t_{0,1} t_{1,3} t_{3,0} + t_{0,1} t_{1,3} t_{2,0} t_{3,0} + t_{0,1} t_{1,3} t_{2,0} t_{3,1} \\
& + t_{0,1} t_{1,3} t_{2,0} t_{3,2} + 2 t_{0,1} t_{1,3} t_{2,3} t_{3,0} + t_{0,1} t_{2,0} t_{2,3} t_{3,0} + t_{0,1} t_{2,0} t_{2,3} t_{3,1} \\
& + t_{0,1} t_{2,0} t_{2,3} t_{3,2} + t_{0,1} t_{2,3} t_{3,0} - t_{0,2}^2 t_{3,0}^2 - 2 t_{0,2}^2 t_{3,0} t_{3,1} - 2 t_{0,2}^2 t_{3,0} t_{3,2} - t_{0,2}^2 t_{3,1}^2 \\
& - 2 t_{0,2}^2 t_{3,1} t_{3,2} - t_{0,2}^2 t_{3,2}^2 - 2 t_{0,2} t_{0,3} t_{3,0} t_{3,1} - 2 t_{0,2} t_{0,3} t_{3,0} t_{3,2} - 2 t_{0,2} t_{0,3} t_{3,1}^2 \\
& - 4 t_{0,2} t_{0,3} t_{3,1} t_{3,2} - 2 t_{0,2} t_{0,3} t_{3,2}^2 + t_{0,2} t_{1,0} t_{1,3} t_{3,0} + t_{0,2} t_{1,0} t_{1,3} t_{3,1} \\
& + t_{0,2} t_{1,0} t_{1,3} t_{3,2} + t_{0,2} t_{1,0} t_{2,3} t_{3,0} + t_{0,2} t_{1,0} t_{2,3} t_{3,1} + t_{0,2} t_{1,0} t_{2,3} t_{3,2} + t_{0,2} \\
& t_{1,3}^2 t_{3,0} + t_{0,2} t_{1,3} t_{2,0} t_{3,0} + t_{0,2} t_{1,3} t_{2,0} t_{3,1} + t_{0,2} t_{1,3} t_{2,0} t_{3,2} + 2 t_{0,2} t_{1,3} t_{2,3} t_{3,0} \\
& + t_{0,2} t_{2,0} t_{2,3} t_{3,0} + t_{0,2} t_{2,0} t_{2,3} t_{3,1} + t_{0,2} t_{2,0} t_{2,3} t_{3,2} + t_{0,2} t_{2,3} t_{3,0}^2 - t_{0,3}^2 t_{3,1}^2 - 2 \\
& t_{0,3}^2 t_{3,1} t_{3,2} - t_{0,3}^2 t_{3,2}^2 + t_{0,3} t_{1,0}^2 t_{3,0} + t_{0,3} t_{1,0}^2 t_{3,1} + t_{0,3} t_{1,0}^2 t_{3,2} + 2 t_{0,3} t_{1,0} t_{1,3} t_{3,0} \\
& + t_{0,3} t_{1,0} t_{1,3} t_{3,1} + t_{0,3} t_{1,0} t_{1,3} t_{3,2} + 2 t_{0,3} t_{1,0} t_{2,0} t_{3,0} + 2 t_{0,3} t_{1,0} t_{2,0} t_{3,1} \\
& + 2 t_{0,3} t_{1,0} t_{2,0} t_{3,2} + 2 t_{0,3} t_{1,0} t_{2,3} t_{3,0} + t_{0,3} t_{1,0} t_{2,3} t_{3,1} + t_{0,3} t_{1,0} t_{2,3} t_{3,2} + t_{0,3} \\
& t_{1,3}^2 t_{3,0} + 2 t_{0,3} t_{1,3} t_{2,0} t_{3,0} + t_{0,3} t_{1,3} t_{2,0} t_{3,1} + t_{0,3} t_{1,3} t_{2,0} t_{3,2} + 2 t_{0,3} t_{1,3} t_{2,3} t_{3,0} \\
& + t_{0,3} t_{2,0}^2 t_{3,0} + t_{0,3} t_{2,0}^2 t_{3,1} + t_{0,3} t_{2,0}^2 t_{3,2} + 2 t_{0,3} t_{2,0} t_{2,3} t_{3,0} + t_{0,3} t_{2,0} t_{2,3} t_{3,1} \\
& + t_{0,3} t_{2,0} t_{2,3} t_{3,2} + t_{0,3} t_{2,3}^2 t_{3,0}
\end{aligned}$$

"====="

"trop long", \emptyset

(1.8.1)

```
> ## simplification of the formulas
for i from 1 to 4 do collect(G[i],rho[1]);od
(t0, 1 t3, 0 + t0, 1 t3, 1 + t0, 1 t3, 2 + t0, 2 t3, 0 + t0, 2 t3, 1 + t0, 2 t3, 2 + t0, 3 t3, 1 + t0, 3 t3, 2
+ t1, 0 t3, 0 + t1, 0 t3, 1 + t1, 0 t3, 2 + t1, 3 t3, 0 + t2, 0 t3, 0 + t2, 0 t3, 1 + t2, 0 t3, 2 + t2, 3 t3, 0)
ρ1 - t0, 1 t3, 0 - t0, 1 t3, 1 - t0, 1 t3, 2 - t0, 2 t3, 0 - t0, 2 t3, 1 - t0, 2 t3, 2 - t0, 3 t3, 1 - t0, 3 t3, 2
(t0, 1 t1, 3 + t0, 1 t2, 3 + t0, 2 t1, 3 + t0, 2 t2, 3 + t0, 3 t1, 0 + t0, 3 t1, 3 + t0, 3 t2, 0 + t0, 3 t2, 3
- t1, 0 t3, 0 - t1, 0 t3, 1 - t1, 0 t3, 2 - t1, 3 t3, 0 - t2, 0 t3, 0 - t2, 0 t3, 1 - t2, 0 t3, 2 - t2, 3 t3, 0)
ρ1 - t0, 1 t1, 3 - t0, 1 t2, 3 + t0, 1 t3, 0 + t0, 1 t3, 1 + t0, 1 t3, 2 - t0, 2 t1, 3 - t0, 2 t2, 3 + t0, 2 t3, 0
+ t0, 2 t3, 1 + t0, 2 t3, 2 - t0, 3 t1, 0 - t0, 3 t1, 3 - t0, 3 t2, 0 - t0, 3 t2, 3 + t0, 3 t3, 1 + t0, 3 t3, 2
( t0, 3 - t1, 3 - t2, 3 - t3, 0 - t3, 1 - t3, 2 ) ρ12 + ( -2 t0, 3 + t1, 3 + t2, 3 ) ρ1 + t0, 3
( t0, 1 + t0, 2 + t1, 0 + t1, 3 + t2, 0 + t2, 3 + t3, 1 + t3, 2 ) ρ12 + ( -2 t0, 1 - 2 t0, 2 - t1, 0 - t1, 3
- t2, 0 - t2, 3 ) ρ1 + t0, 1 + t0, 2 (1.8.2)
```

```
> lex := proc(x,y) if x[1]<y[1] or (x[1]=y[1] and x[2]<y[2])
then return(1) else return(0):fi:end:
Smaller:=proc(x,y) if x<y then return(1) else return(0)
:fi:end:
add(add(t[op(u)]*t[op(v)]*lex(u,v), u in {ensem(2,4)}),v in
{ensem(2,4)})
```

```
t0, 1 t0, 2 + t0, 1 t0, 3 + t0, 1 t1, 0 + t0, 1 t1, 2 + t0, 1 t1, 3 + t0, 1 t2, 0 + t0, 1 t2, 1 + t0, 1 t2, 3 + t0, 1 t3, 0 (1.8.3)
+ t0, 1 t3, 1 + t0, 1 t3, 2 + t0, 2 t0, 3 + t0, 2 t1, 0 + t0, 2 t1, 2 + t0, 2 t1, 3 + t0, 2 t2, 0 + t0, 2 t2, 1
+ t0, 2 t2, 3 + t0, 2 t3, 0 + t0, 2 t3, 1 + t0, 2 t3, 2 + t0, 3 t1, 0 + t0, 3 t1, 2 + t0, 3 t1, 3 + t0, 3 t2, 0
+ t0, 3 t2, 1 + t0, 3 t2, 3 + t0, 3 t3, 0 + t0, 3 t3, 1 + t0, 3 t3, 2 + t1, 0 t1, 2 + t1, 0 t1, 3 + t1, 0 t2, 0
+ t1, 0 t2, 1 + t1, 0 t2, 3 + t1, 0 t3, 0 + t1, 0 t3, 1 + t1, 0 t3, 2 + t1, 1 t1, 3 + t1, 1 t2, 0 + t1, 1 t2, 1
+ t1, 1 t2, 3 + t1, 2 t3, 0 + t1, 2 t3, 1 + t1, 2 t3, 2 + t1, 3 t2, 0 + t1, 3 t2, 1 + t1, 3 t2, 3 + t1, 3 t3, 0
+ t1, 3 t3, 1 + t1, 3 t3, 2 + t2, 0 t2, 1 + t2, 0 t2, 3 + t2, 0 t3, 0 + t2, 0 t3, 1 + t2, 0 t3, 2 + t2, 1 t2, 3
+ t2, 1 t3, 0 + t2, 1 t3, 1 + t2, 1 t3, 2 + t2, 3 t3, 0 + t2, 3 t3, 1 + t2, 3 t3, 2 + t3, 0 t3, 1 + t3, 0 t3, 2
+ t3, 1 t3, 2
```

```
> # factorisation of G[5]
S:={seq(t[op(u)]=1,u in ensem(2,4))};
S := {0 = 1, t0, 1 = 1, t0, 2 = 1, t0, 3 = 1, t1, 0 = 1, t1, 2 = 1, t1, 3 = 1, t2, 0 = 1, t2, 1 = 1, t2, 3 = 1, (1.8.4)
t3, 0 = 1, t3, 1 = 1, t3, 2 = 1}
```

```
> m:=5;
pos:=factor(add(op(i,G[m])*ind(sign(subs(S,op(i,G[m]))),1),i
=1..nops(G[m])));
neg:=factor(add(op(i,G[m])*ind(sign(subs(S,op(i,G[m]))),-1),i
=1..nops(G[m))));
```

$$m := 5$$

$$pos := (t_{1,0}t_{3,0} + t_{1,0}t_{3,1} + t_{1,0}t_{3,2} + t_{1,3}t_{3,0} + t_{2,0}t_{3,0} + t_{2,0}t_{3,1} + t_{2,0}t_{3,2} + t_{2,3}t_{3,0}) (t_{0,1}t_{1,3} + t_{0,1}t_{2,3} + t_{0,2}t_{1,3} + t_{0,2}t_{2,3} + t_{0,3}t_{1,0} + t_{0,3}t_{1,3} + t_{0,3}t_{2,0} + t_{0,3}t_{2,3}) \quad (1.8.5)$$

$$neg := - (t_{0,1}t_{3,0} + t_{0,1}t_{3,1} + t_{0,1}t_{3,2} + t_{0,2}t_{3,0} + t_{0,2}t_{3,1} + t_{0,2}t_{3,2} + t_{0,3}t_{3,1} + t_{0,3}t_{3,2})^2$$

> **normal(G[5]-pos-neg);**

$$0 \quad (1.8.6)$$

> **latex(pos+neg);**

$$\left(t_{1,0}t_{3,0} + t_{1,0}t_{3,1} + t_{1,0}t_{3,2} + t_{1,3}t_{3,0} + t_{2,0}t_{3,0} + t_{2,0}t_{3,1} + t_{2,0}t_{3,2} + t_{2,3}t_{3,0} \right) \left(t_{0,1}t_{1,3} + t_{0,1}t_{2,3} + t_{0,2}t_{1,3} + t_{0,2}t_{2,3} + t_{0,3}t_{1,0} + t_{0,3}t_{1,3} + t_{0,3}t_{2,0} + t_{0,3}t_{2,3} \right) + \left(t_{0,1}t_{3,0} + t_{0,1}t_{3,1} + t_{0,1}t_{3,2} + t_{0,2}t_{3,0} + t_{0,2}t_{3,1} + t_{0,2}t_{3,2} + t_{0,3}t_{3,1} + t_{0,3}t_{3,2} \right)^2$$

Section 3.4 2D Applications

Functions to run (once) for the applications that follows

```
> # -> Initialisation
  unassign('T','M','u','v','rho','K');

  Gamma0:= [[0,0],[0,1],[1,0]]:
  Gamma1:= [[0,0],[0,1],[1,0],[2,0]]:
  Gamma2:= [[0,0],[0,1],[1,0],[2,0],[1,1]]:

  ## squares encoded following this order:
  ##   d c
  ##   a b
  ##

  > Prod :=proc(u) mul(rho[u[i]],i=1..4):end:

  Zsquare:=proc(u) ## for a square-word u of size 4 we need
  the following Z
    return( add( Prod(v) * T[v,u] / Prod(u) - T[u,v], v
  in ensem(4,K))):end:

  CartesianProduct:=proc(E1,E2,E3,E4) option remember:
```

```

        return({seq(seq(seq(seq( [e1, e2, e3, e4], e1 in E1), e2
in E2), e3 in E3), e4 in E4)}):
end:

## partial Z... Sommation on lacking variables
ZP:=proc(u) local E, i, Externe:
# we will put -2 in the unit square when they are outside
the domain
Externe:={}:
for i from 1 to 4 do
if u[i] = -2
then
E[i] := {seq(j, j= 0 .. K-1)} ;
Externe:=Externe union { i };
else
E[i]:= {u[i]}: fi:
od:
return( add(Zsquare(w)*mul(rho[w[i]], i in
Externe), w in CartesianProduct( E[1],E[2],E[3],E[4]))):
end:

rank:=proc(element,Seq) # provide the rank of an element in
a list (where it appears once), and return -2 if the
element is absent
if not element in Seq then return(-2) else return(max
({seq(ind(element,Seq[j])*j,j=1..nops(Seq))})):
fi:
end:

SetOfCornersOfSquaresThatIntersects:=proc(S) # position of
the corners bottom, left that intersects the domain S
return({seq( u+[-1,0], u in S),
seq( u+[-1,-1], u in S),
seq( u+[0,-1], u in S),
seq( u, u in S) }):
end:

# the square whose bottom-left vertex is s
SquareWithCorners:=proc(s) return( [ s+[0,0], s+[1,0], s+
[1,1], s+[0,1]]):end:

## Equation of stability of the mass of the config u
indexed by domain, ou Domain
EquationDomain:=proc(Domain, u) local equation,s,S,W,i,C:
equation:=0:
# addition on all squares that intersect the set of
interest
for s in SetOfCornersOfSquaresThatIntersects(Domain) do

S:= SquareWithCorners(s):
W:= [seq(rank(S[i],Domain),i=1..4)]:
for i from 1 to 4 do
if W[i]=-2 then C[i]:=-2 else C[i]:= u [W
[i]]: fi:
od:

```

```

        equation := equation + ZP([seq(C[i],i=1..4)]):
    od:
return(equation):
end:
```

All T zeroes except $T[0111 | 1000] = a$, $T[1000|0111] = 1$

```

> unassign('T','rho');
rho[0] := 1-rho[1];
K:=2;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do # u=(u1,u2,u3,u4)
    for v in ensem(4,K) do
        if([u,v]<> [[0,1,1,1],[1,0,0,0]] and [u,v] <> [
[1,0,0,0],[0,1,1,1]]) then
            T[u,v] := 0:
        else
            NonZeroT:=NonZeroT, T[u,v]:
        fi:
    od:
od:
"Parameters", NonZeroT;
```

"Parameters", $T_{[0, 1, 1, 1], [1, 0, 0, 0]}$, $T_{[1, 0, 0, 0], [0, 1, 1, 1]}$ (1.9.1.1.1)

```

>
EquationParameter := T[[0, 1, 1, 1], [1, 0, 0, 0]]-a, T[
[1, 0, 0, 0], [0, 1, 1, 1]]-1;
EquationGamma0:= seq(EquationDomain (Gamma0, u), u in
ensem(3,K)):
EquationGamma1and2 := seq( EquationDomain (Gamma2, u)
- EquationDomain (Gamma1, [seq(u
[i],i=1..4)]), u in ensem(5,K)):
SystemEquation := [EquationParameter ,EquationGamma0,
EquationGamma1and2 ,seq(g[i]*rho[i]-1,i=0..1)]:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= rho[1] , g[1] ,g[0], a, NonZeroT :
#####
# grobner
G := Basis(PolynomialSystem, tdeg( Variables )):
Affiche(G,20000);
```

$$\begin{aligned}
& \text{EquationParameter} := T_{[0, 1, 1, 1], [1, 0, 0, 0]} - a, T_{[1, 0, 0, 0], [0, 1, 1, 1]} - 1 \\
& \quad 1 \\
& \quad T_{[1, 0, 0, 0], [0, 1, 1, 1]} - 1 \\
& \quad 2 \\
& \quad - T_{[0, 1, 1, 1], [1, 0, 0, 0]} + a \\
& \quad 3 \\
& \quad T_{[0, 1, 1, 1], [1, 0, 0, 0]} g_0 - T_{[0, 1, 1, 1], [1, 0, 0, 0]} - g_1 + 1 \\
& \quad 4
\end{aligned}$$

$$\rho_1 T_{[0, 1, 1, 1], [1, 0, 0, 0]} - g_1 - \rho_1 + 2$$

5

$$g_0 g_1 - g_0 - g_1$$

6

$$g_0 \rho_1 - g_0 + 1$$

7

$$g_1^2 - T_{[0, 1, 1, 1], [1, 0, 0, 0]} - 2 g_1 + 1$$

8

$$g_1 \rho_1 - 1$$

"=====

"trop long", \emptyset

(1.9.1.1.2)

> normal(subs(g[1]=1/rho[1],g[0]=1/rho[0],G));solve(%,{NonZeroT,rho[1]});

$$\left[\begin{array}{l} T_{[1, 0, 0, 0], [0, 1, 1, 1]} - 1, -T_{[0, 1, 1, 1], [1, 0, 0, 0]} + a, \\ -\frac{\rho_1^2 T_{[0, 1, 1, 1], [1, 0, 0, 0]} - \rho_1^2 + 2 \rho_1 - 1}{(-1 + \rho_1) \rho_1}, \\ \frac{\rho_1^2 T_{[0, 1, 1, 1], [1, 0, 0, 0]} - \rho_1^2 + 2 \rho_1 - 1}{\rho_1}, 0, 0, \\ -\frac{\rho_1^2 T_{[0, 1, 1, 1], [1, 0, 0, 0]} - \rho_1^2 + 2 \rho_1 - 1}{\rho_1^2}, 0 \end{array} \right]$$

$\{T_{[0, 1, 1, 1], [1, 0, 0, 0]} = a, T_{[1, 0, 0, 0], [0, 1, 1, 1]} = 1, \rho_1 = \text{RootOf}(-1 + (a - 1) Z^2 + 2 Z)\}$ (1.9.1.1.3)

$$+ 2 Z\}$$

$$\frac{-1 + \sqrt{a}}{a - 1}, -\frac{1 + \sqrt{a}}{a - 1}$$

(1.9.1.1.4)

All T zeroes except $T[1010|1010] = a$, $T[1010|0101] = 1$

```
> unassign('T','rho');
rho[0] := 1-rho[1];
K:=2;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do    # u=(u1,u2,u3,u4)
  for v in ensem(4,K) do
    if([u,v]<> [[0,1,0,1],[1,0,1,0]] and [u,v] <> [
[1,0,1,0],[0,1,0,1]]) then
      T[u,v] := 0:
```

```

    else
      NonZeroT:=NonZeroT, T[u,v]:
      fi:
    od:
od:
"Parameters", NonZeroT;
"Parameters",  $T_{[0, 1, 0, 1]}, [1, 0, 1, 0], T_{[1, 0, 1, 0]}, [0, 1, 0, 1]$  (1.9.1.2.1)

```

> $\text{EquationParameter} := T[[0,1,0,1],[1,0,1,0]] - a, T[[1,0,1,0],[0,1,0,1]] - b;$
 $\text{EquationGamma0} := \text{seq}(\text{EquationDomain}(\text{Gamma0}, u), u \in \text{ensem}(3, K));$
 $\text{EquationGamma1and2} := \text{seq}(\text{EquationDomain}(\text{Gamma2}, u) - \text{EquationDomain}(\text{Gamma1}, [\text{seq}(u[i], i=1..4)]), u \in \text{ensem}(5, K));$
 $\text{SystemEquation} := [\text{EquationParameter}, \text{EquationGamma0},$
 $\text{EquationGamma1and2}, \text{seq}(g[i]*\rho[i]-1, i=0..1)];$
 #####
 $\text{PolynomialSystem} := \text{map}(x \rightarrow \text{numer}(\text{normal}(x)),$
 $\text{SystemEquation});$ # numerators only
 $\text{Variables} := \rho[1], g[1], g[0], a, b, \text{NonZeroT}:$
 #####
 \# grobner
 $\text{G} := \text{Basis}(\text{PolynomialSystem}, \text{tdeg}(\text{Variables}));$
 $\text{Affiche}(\text{G}, 20000);$

$$\begin{aligned} \text{EquationParameter} &:= T_{[0, 1, 0, 1]}, [1, 0, 1, 0] - a, T_{[1, 0, 1, 0]}, [0, 1, 0, 1] - b \\ &\quad 1 \\ &T_{[0, 1, 0, 1]}, [1, 0, 1, 0] - T_{[1, 0, 1, 0]}, [0, 1, 0, 1] \\ &\quad 2 \\ &\quad - T_{[1, 0, 1, 0]}, [0, 1, 0, 1] + b \\ &\quad 3 \\ &a - T_{[1, 0, 1, 0]}, [0, 1, 0, 1] \\ &\quad 4 \\ &g_0 g_1 - g_0 - g_1 \\ &\quad 5 \\ &g_0 \rho_1 - g_0 + 1 \\ &\quad 6 \\ &g_1 \rho_1 - 1 \end{aligned}$$

"====="
 $\text{"trop long"}, \emptyset$ (1.9.1.2.2)

> $\text{normal}(\text{subs}(g[0]=1/\rho[0], g[1]=1/\rho[1], G));$
 $[T_{[0, 1, 0, 1]}, [1, 0, 1, 0] - T_{[1, 0, 1, 0]}, [0, 1, 0, 1], -T_{[1, 0, 1, 0]}, [0, 1, 0, 1] + b, a$ (1.9.1.2.3)
 $- T_{[1, 0, 1, 0]}, [0, 1, 0, 1], 0, 0, 0]$

All T zeroes except $T[0011 | 0110]$
> unassign('T','rho');

```

rho[0] := 1-rho[1]:
K:=2;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do    # u=(u1,u2,u3,u4)
    for v in ensem(4,K) do
        if([u,v]<> [[0,0,1,1],[0,1,1,0]]) then
            T[u,v] := 0:
        else
            NonZeroT:=NonZeroT, T[u,v]:
        fi:
    od:
od:
"Parameters", NonZeroT;
"Parameters", T[0, 0, 1, 1], [0, 1, 1, 0] (1.9.1.3.1)

```

>

```

EquationGamma0:= seq(EquationDomain (Gamma0, u), u in
ensem(3,K)):
EquationGamma1and2 := seq( EquationDomain (Gamma2, u)
                           - EquationDomain (Gamma1, [seq(u
[i],i=1..4)]), u in ensem(5,K)):
SystemEquation := [EquationGamma0, EquationGamma1and2 ,
seq(g[i]*rho[i]-1,i=0..1)]:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= rho[1] , g[1] ,g[0], NonZeroT :
#####
# grobner
G := Basis(PolynomialSystem, tdeg( Variables )):
Affiche(G,20000);

```

```

1
T[0, 0, 1, 1], [0, 1, 1, 0]
2
g0g1-g0-g1
3
g0ρ1-g0+1
4
g1ρ1-1
=====
"trop long", ∅ (1.9.1.3.2)

```

All T zeroes except T[0011 | 0110], T[0110 | 1100], T[1100 | 1001], T[1001 | 0011]

```

> unassign('T','rho');
rho[0] := 1-rho[1]:
K:=2;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do    # u=(u1,u2,u3,u4)

```

```

    for v in ensem(4,K) do
        if( not [u,v] in { [[0,0,1,1],[0,1,1,0]],[[0,1,
1,0],[1,1,0,0]],[[1,1,0,0],[1,0,0,1]],[[1,0,0,1],[0,0,1,
1]]} ) then
            T[u,v] := 0:
        else
            NonZeroT:=NonZeroT, T[u,v]:
        fi:
    od:
od:
"Parameters", NonZeroT;
"Parameters",  $T_{[0, 0, 1, 1]}, [0, 1, 1, 0], T_{[0, 1, 1, 0]}, [1, 1, 0, 0], T_{[1, 0, 0, 1]}, [0, 0, 1, 1]$ ,  

 $T_{[1, 1, 0, 0]}, [1, 0, 0, 1]$  (1.9.1.4.1)

```

```

> EquationGamma0:= seq(EquationDomain (Gamma0, u), u in
ensem(3,K)):
EquationGamma1and2 := seq( EquationDomain (Gamma2, u)
- EquationDomain (Gamma1, [seq(u
[i],i=1..4)]), u in ensem(5,K)):
SystemEquation := [EquationGamma0, EquationGamma1and2 ,
seq(g[i]*rho[i]-1,i=0..1)]:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= rho[1] , g[1] ,g[0], NonZeroT :
#####
# grobner
G := Basis(PolynomialSystem, tdeg( Variables )):
Affiche(G,20000);

```

$$\begin{aligned}
& 1 \\
& T_{[1, 0, 0, 1]}, [0, 0, 1, 1] - T_{[1, 1, 0, 0]}, [1, 0, 0, 1] \\
& 2 \\
& T_{[0, 1, 1, 0]}, [1, 1, 0, 0] - T_{[1, 1, 0, 0]}, [1, 0, 0, 1] \\
& 3 \\
& T_{[0, 0, 1, 1]}, [0, 1, 1, 0] - T_{[1, 1, 0, 0]}, [1, 0, 0, 1] \\
& 4 \\
& g_0 g_1 - g_0 - g_1 \\
& 5 \\
& g_0 \rho_1 - g_0 + 1 \\
& 6 \\
& g_1 \rho_1 - 1
\end{aligned}$$

=====

"trop long", \emptyset (1.9.1.4.2)

>

All T zeroes except $T[abcd|a(1-b)(1-c)d]$
> unassign('T','rho');

```

rho[0] := 1-rho[1]:
K:=2;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do # u=(u1,u2,u3,u4)
    for v in ensem(4,K) do
        if( u <> [v[1],1-v[2],1-v[3],v[4]] ) then
            T[u,v] := 0:
        else
            NonZeroT:=NonZeroT, T[u,v]:
        fi:
    od:
od:
"Parameters", NonZeroT;
"Parameters",  $T_{[0, 0, 0, 0]}, [0, 1, 1, 0], T_{[0, 0, 0, 1]}, [0, 1, 1, 1], T_{[0, 0, 1, 0]}, [0, 1, 0, 0]$ , (1.9.1.5.1)
 $T_{[0, 0, 1, 1]}, [0, 1, 0, 1], T_{[0, 1, 0, 0]}, [0, 0, 1, 0], T_{[0, 1, 0, 1]}, [0, 0, 1, 1],$ 
 $T_{[0, 1, 1, 0]}, [0, 0, 0, 0], T_{[0, 1, 1, 1]}, [0, 0, 0, 1], T_{[1, 0, 0, 0]}, [1, 1, 1, 0],$ 
 $T_{[1, 0, 0, 1]}, [1, 1, 1, 1], T_{[1, 0, 1, 0]}, [1, 1, 0, 0], T_{[1, 0, 1, 1]}, [1, 1, 0, 1],$ 
 $T_{[1, 1, 0, 0]}, [1, 0, 1, 0], T_{[1, 1, 0, 1]}, [1, 0, 1, 1], T_{[1, 1, 1, 0]}, [1, 0, 0, 0],$ 
 $T_{[1, 1, 1, 1]}, [1, 0, 0, 1]$ 
> EquationGamma0:= seq(EquationDomain (Gamma0, u), u in ensem(3,K)):
EquationGamma1and2 := seq( EquationDomain (Gamma2, u)
    - EquationDomain (Gamma1, [seq(u
    [i],i=1..4)]) , u in ensem(5,K)):
SystemEquation := [EquationGamma0, EquationGamma1and2,
seq(g[i]*rho[i]-1,i=0..1)]:
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= rho[1] , g[1] ,g[0], NonZeroT :
#####
# grobner
G := Basis(PolynomialSystem, plex( Variables )):
subs(
Affiche(G,20000);
    1
 $(T_{[1, 0, 1, 0]}, [1, 1, 0, 0] - T_{[1, 0, 1, 1]}, [1, 1, 0, 1] - T_{[1, 1, 0, 0]}, [1, 0, 1, 0]$ 
 $+ T_{[1, 1, 0, 1]}, [1, 0, 1, 1]) (T_{[1, 0, 0, 1]}, [1, 1, 1, 1] - T_{[1, 1, 1, 1]}, [1, 0, 0, 1])$ 
    2
 $T_{[1, 0, 0, 0]}, [1, 1, 1, 0] T_{[1, 1, 1, 1]}, [1, 0, 0, 1] - T_{[1, 0, 0, 1]}, [1, 1, 1, 1] T_{[1, 1, 1, 0]}, [1, 0, 0, 0]$ 
 $+ T_{[1, 0, 1, 0]}, [1, 1, 0, 0] T_{[1, 1, 1, 1]}, [1, 0, 0, 1]$ 
 $- T_{[1, 0, 1, 1]}, [1, 1, 0, 1] T_{[1, 1, 1, 1]}, [1, 0, 0, 1]$ 
 $- T_{[1, 1, 0, 0]}, [1, 0, 1, 0] T_{[1, 1, 1, 1]}, [1, 0, 0, 1]$ 
 $+ T_{[1, 1, 0, 1]}, [1, 0, 1, 1] T_{[1, 1, 1, 1]}, [1, 0, 0, 1]$ 
    3

```

$$\begin{aligned} & \left(T_{[1, 0, 1, 0]}, [1, 1, 0, 0] - T_{[1, 0, 1, 1]}, [1, 1, 0, 1] - T_{[1, 1, 0, 0]}, [1, 0, 1, 0] \right. \\ & + T_{[1, 1, 0, 1]}, [1, 0, 1, 1] \Big) \left(T_{[1, 0, 1, 0]}, [1, 1, 0, 0] + T_{[1, 0, 0, 0]}, [1, 1, 1, 0] \right. \\ & - T_{[1, 0, 1, 1]}, [1, 1, 0, 1] - T_{[1, 1, 0, 0]}, [1, 0, 1, 0] + T_{[1, 1, 0, 1]}, [1, 0, 1, 1] \\ & \left. - T_{[1, 1, 1, 0]}, [1, 0, 0, 0] \right) \end{aligned}$$

4

$$T_{[0, 0, 1, 1], [0, 1, 0, 1]} - T_{[0, 1, 0, 1], [0, 0, 1, 1]} - T_{[1, 0, 1, 0], [1, 1, 0, 0]} + T_{[1, 1, 0, 0], [1, 0, 1, 0]}$$

5

$$T_{[0, 0, 1, 0]}, [0, 1, 0, 0] - T_{[0, 1, 0, 0]}, [0, 0, 1, 0] - 2 T_{[1, 0, 1, 0]}, [1, 1, 0, 0] \\ + T_{[1, 0, 1, 1]}, [1, 1, 0, 1] + 2 T_{[1, 1, 0, 0]}, [1, 0, 1, 0] - T_{[1, 1, 0, 1]}, [1, 0, 1, 1]$$

6

$$\begin{aligned}
& T_{[0, 0, 0, 1], [0, 1, 1, 1]} T_{[1, 1, 1, 1], [1, 0, 0, 1]} - T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 0, 0, 1], [1, 1, 1, 1]} \\
& - T_{[1, 0, 1, 0], [1, 1, 0, 0]} T_{[1, 1, 1, 1], [1, 0, 0, 1]} \\
& + T_{[1, 0, 1, 1], [1, 1, 0, 1]} T_{[1, 1, 1, 1], [1, 0, 0, 1]} \\
& + T_{[1, 1, 0, 0], [1, 0, 1, 0]} T_{[1, 1, 1, 1], [1, 0, 0, 1]} \\
& - T_{[1, 1, 0, 1], [1, 0, 1, 1]} T_{[1, 1, 1, 1], [1, 0, 0, 1]}
\end{aligned}$$

7

$$\begin{aligned}
& T_{[0, 0, 0, 1], [0, 1, 1, 1]} T_{[1, 1, 1, 0], [1, 0, 0, 0]} - T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 0, 0, 0], [1, 1, 1, 0]} \\
& - T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 0, 1, 0], [1, 1, 0, 0]} \\
& + T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\
& + T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& - T_{[0, 1, 1, 1], [0, 0, 0, 1]} T_{[1, 1, 0, 1], [1, 0, 1, 1]} \\
& - T_{[1, 0, 1, 0], [1, 1, 0, 0]} T_{[1, 1, 1, 0], [1, 0, 0, 0]} \\
& + T_{[1, 0, 1, 1], [1, 1, 0, 1]} T_{[1, 1, 1, 0], [1, 0, 0, 0]} \\
& + T_{[1, 1, 0, 0], [1, 0, 1, 0]} T_{[1, 1, 1, 0], [1, 0, 0, 0]} \\
& - T_{[1, 1, 0, 1], [1, 0, 1, 1]} T_{[1, 1, 1, 0], [1, 0, 0, 0]}
\end{aligned}$$

8

$$\begin{aligned} & \left(T_{[1, 0, 1, 0]}, [1, 1, 0, 0] - T_{[1, 0, 1, 1]}, [1, 1, 0, 1] - T_{[1, 1, 0, 0]}, [1, 0, 1, 0] \right. \\ & \quad \left. + T_{[1, 1, 0, 1]}, [1, 0, 1, 1] \right) \left(-T_{[1, 0, 1, 0]}, [1, 1, 0, 0] + T_{[0, 0, 0, 1]}, [0, 1, 1, 1] \right. \\ & \quad \left. - T_{[0, 1, 1, 1]}, [0, 0, 0, 1] + T_{[1, 0, 1, 1]}, [1, 1, 0, 1] + T_{[1, 1, 0, 0]}, [1, 0, 1, 0] \right. \\ & \quad \left. - T_{[1, 1, 0, 1]}, [1, 0, 1, 1] \right) \end{aligned}$$

9

$$T_{[0, 0, 0, 0], [0, 1, 1, 0]} T_{[1, 1, 1, 1], [1, 0, 0, 1]} - T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 0, 0, 1], [1, 1, 1, 1]}$$

$${}^T[0, 0, 0, 0], [0, 1, 1, 0] {}^T[1, 1, 1, 0], [1, 0, 0, 0] \quad {}^T[0, 1, 1, 0], [0, 0, 0, 0] {}^T[1, 0, 0, 0], [1, 1, 1, 0]$$

$$\begin{aligned}
& -T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 0, 1, 0], [1, 1, 0, 0]} \\
& + T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\
& + T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& - T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 1, 0, 1], [1, 0, 1, 1]}
\end{aligned}$$

11

$$\begin{aligned}
& (T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& + T_{[1, 1, 0, 1], [1, 0, 1, 1]}) (T_{[0, 0, 0, 0], [0, 1, 1, 0]} - T_{[0, 1, 1, 0], [0, 0, 0, 0]})
\end{aligned}$$

12

$$\begin{aligned}
& T_{[0, 0, 0, 0], [0, 1, 1, 0]} T_{[0, 1, 1, 1], [0, 0, 0, 1]} - T_{[0, 0, 0, 1], [0, 1, 1, 1]} T_{[0, 1, 1, 0], [0, 0, 0, 0]} \\
& + T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 0, 1, 0], [1, 1, 0, 0]} \\
& - T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\
& - T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& + T_{[0, 1, 1, 0], [0, 0, 0, 0]} T_{[1, 1, 0, 1], [1, 0, 1, 1]}
\end{aligned}$$

13

$$\begin{aligned}
& (g_0 - 2) (T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& + T_{[1, 1, 0, 1], [1, 0, 1, 1]})
\end{aligned}$$

14

$$\begin{aligned}
& T_{[1, 1, 1, 1], [1, 0, 0, 1]} g_0^2 - 2 T_{[1, 1, 1, 1], [1, 0, 0, 1]} g_0 - T_{[1, 0, 0, 1], [1, 1, 1, 1]} \\
& + T_{[1, 1, 1, 1], [1, 0, 0, 1]}
\end{aligned}$$

15

$$\begin{aligned}
& T_{[1, 1, 1, 0], [1, 0, 0, 0]} g_0^2 - 2 T_{[1, 1, 1, 0], [1, 0, 0, 0]} g_0 - T_{[1, 0, 0, 0], [1, 1, 1, 0]} \\
& - T_{[1, 0, 1, 0], [1, 1, 0, 0]} + T_{[1, 0, 1, 1], [1, 1, 0, 1]} + T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& - T_{[1, 1, 0, 1], [1, 0, 1, 1]} + T_{[1, 1, 1, 0], [1, 0, 0, 0]}
\end{aligned}$$

16

$$\begin{aligned}
& T_{[0, 1, 1, 1], [0, 0, 0, 1]} g_0^2 - 2 T_{[0, 1, 1, 1], [0, 0, 0, 1]} g_0 - T_{[0, 0, 0, 1], [0, 1, 1, 1]} \\
& + T_{[0, 1, 1, 1], [0, 0, 0, 1]} + T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\
& - T_{[1, 1, 0, 0], [1, 0, 1, 0]} + T_{[1, 1, 0, 1], [1, 0, 1, 1]}
\end{aligned}$$

17

$$\begin{aligned}
& T_{[0, 1, 1, 0], [0, 0, 0, 0]} g_0^2 - 2 T_{[0, 1, 1, 0], [0, 0, 0, 0]} g_0 - T_{[0, 0, 0, 0], [0, 1, 1, 0]} \\
& + T_{[0, 1, 1, 0], [0, 0, 0, 0]}
\end{aligned}$$

18

$$\begin{aligned}
& (g_1 - 2) (T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\
& + T_{[1, 1, 0, 1], [1, 0, 1, 1]})
\end{aligned}$$

19

$$T_{[1, 0, 0, 1], [1, 1, 1, 1]} g_1 - T_{[1, 1, 1, 1], [1, 0, 0, 1]} g_0 - T_{[1, 0, 0, 1], [1, 1, 1, 1]}$$

$$+ T_{[1, 1, 1, 1], [1, 0, 0, 1]}$$

20

$$\begin{aligned} & T_{[1, 0, 0, 0], [1, 1, 1, 0]} g_1 - T_{[1, 1, 1, 0], [1, 0, 0, 0]} g_0 - T_{[1, 0, 0, 0], [1, 1, 1, 0]} \\ & + T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\ & + T_{[1, 1, 0, 1], [1, 0, 1, 1]} + T_{[1, 1, 1, 0], [1, 0, 0, 0]} \end{aligned}$$

21

$$\begin{aligned} & T_{[0, 0, 0, 1], [0, 1, 1, 1]} g_1 - T_{[0, 1, 1, 1], [0, 0, 0, 1]} g_0 - T_{[0, 0, 0, 1], [0, 1, 1, 1]} \\ & + T_{[0, 1, 1, 1], [0, 0, 0, 1]} - T_{[1, 0, 1, 0], [1, 1, 0, 0]} + T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\ & + T_{[1, 1, 0, 0], [1, 0, 1, 0]} - T_{[1, 1, 0, 1], [1, 0, 1, 1]} \end{aligned}$$

22

$$\begin{aligned} & T_{[0, 0, 0, 0], [0, 1, 1, 0]} g_1 - T_{[0, 1, 1, 0], [0, 0, 0, 0]} g_0 - T_{[0, 0, 0, 0], [0, 1, 1, 0]} \\ & + T_{[0, 1, 1, 0], [0, 0, 0, 0]} \end{aligned}$$

23

$$g_0 g_1 - g_0 - g_1$$

24

$$\begin{aligned} & (2 \rho_1 - 1) (T_{[1, 0, 1, 0], [1, 1, 0, 0]} - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} \\ & + T_{[1, 1, 0, 1], [1, 0, 1, 1]}) \end{aligned}$$

25

$$\begin{aligned} & T_{[1, 0, 0, 1], [1, 1, 1, 1]} \rho_1 + T_{[1, 1, 1, 1], [1, 0, 0, 1]} g_0 - T_{[1, 1, 1, 1], [1, 0, 0, 1]} \rho_1 \\ & - T_{[1, 0, 0, 1], [1, 1, 1, 1]} - T_{[1, 1, 1, 1], [1, 0, 0, 1]} \end{aligned}$$

26

$$\begin{aligned} & 2 \rho_1 T_{[1, 0, 0, 0], [1, 1, 1, 0]} + 2 T_{[1, 1, 1, 0], [1, 0, 0, 0]} g_0 - 2 T_{[1, 1, 1, 0], [1, 0, 0, 0]} \rho_1 \\ & - 2 T_{[1, 0, 0, 0], [1, 1, 1, 0]} - T_{[1, 0, 1, 0], [1, 1, 0, 0]} + T_{[1, 0, 1, 1], [1, 1, 0, 1]} \\ & + T_{[1, 1, 0, 0], [1, 0, 1, 0]} - T_{[1, 1, 0, 1], [1, 0, 1, 1]} - 2 T_{[1, 1, 1, 0], [1, 0, 0, 0]} \end{aligned}$$

27

$$\begin{aligned} & 2 T_{[0, 0, 0, 1], [0, 1, 1, 1]} \rho_1 + 2 T_{[0, 1, 1, 1], [0, 0, 0, 1]} g_0 - 2 T_{[0, 1, 1, 1], [0, 0, 0, 1]} \rho_1 \\ & - 2 T_{[0, 0, 0, 1], [0, 1, 1, 1]} - 2 T_{[0, 1, 1, 1], [0, 0, 0, 1]} + T_{[1, 0, 1, 0], [1, 1, 0, 0]} \\ & - T_{[1, 0, 1, 1], [1, 1, 0, 1]} - T_{[1, 1, 0, 0], [1, 0, 1, 0]} + T_{[1, 1, 0, 1], [1, 0, 1, 1]} \end{aligned}$$

28

$$\begin{aligned} & T_{[0, 0, 0, 0], [0, 1, 1, 0]} \rho_1 + T_{[0, 1, 1, 0], [0, 0, 0, 0]} g_0 - T_{[0, 1, 1, 0], [0, 0, 0, 0]} \rho_1 \\ & - T_{[0, 0, 0, 0], [0, 1, 1, 0]} - T_{[0, 1, 1, 0], [0, 0, 0, 0]} \end{aligned}$$

29

$$g_0 \rho_1 - g_0 + 1$$

30

$$g_1 \rho_1 - 1$$

"=====

"trop long", \emptyset

(1.9.1.5.2)

>

3 color case : All T zeroes except $T[i^4 | (i+1 \bmod 3)^4]$
> unassign('T','rho');

```
K:=3;
# Transition definition
NonZeroT:= NULL: # will be the set of nonzerotransitions
for u in ensem(4,K) do    # u=(u1,u2,u3,u4)
    for v in ensem(4,K) do
        if( not [u,v] in {seq([[i,i,i,i],[((i+1) mod 3,
(i+1) mod 3,(i+1) mod 3,(i+1) mod 3]],i=0..3)} ) then
            T[u,v] := 0:
        else
            NonZeroT:=NonZeroT, T[u,v]:
        fi:
    od:
od:
```

```
T[[0, 0, 0, 0], [1, 1, 1, 1]]:=a[0]:
T[[1, 1, 1, 1], [2, 2, 2, 2]]:=a[1]:
T[[2, 2, 2, 2], [0, 0, 0, 0]]:=a[2]:
```

"Parameters", NonZeroT;

$K := 3$

"Parameters", a_0, a_1, a_2

(1.9.1.6.1)

```
> EquationGamma0:= seq(EquationDomain (Gamma0, u), u in
ensem(3,K)):
EquationGamma1and2 := seq( EquationDomain (Gamma2, u)
- EquationDomain (Gamma1, [seq(u
[i],i=1..4)]), u in ensem(5,K)):
SystemEquation := [ rho[0]+rho[1]+rho[2]-1,
EquationGamma0, EquationGamma1and2 ]:#,seq(g[i]*rho[i]-1,
i=0..2]):
#####
PolynomialSystem:= map(x-> numer(normal(x)),
SystemEquation): # numerators only
Variables:= seq( rho[i], i=0..2), seq( g[i], i=0..2),
NonZeroT :
#####
# grobner
G := Basis(PolynomialSystem, tdeg ( Variables )):
#### A BIT LONG
Affiche(G,2000);
```

1

$\rho_0 + \rho_1 + \rho_2 - 1$

2

$$\begin{aligned}
& a_1 \rho_1^4 - a_2 \rho_2^4 \\
& 3 \\
a_0 \rho_1^4 + 4 a_0 \rho_1^3 \rho_2 + 6 a_0 \rho_1^2 \rho_2^2 + 4 a_0 \rho_1 \rho_2^3 + a_0 \rho_2^4 - a_2 \rho_2^4 - 4 a_0 \rho_1^3 - 12 a_0 \\
& \rho_1^2 \rho_2 - 12 a_0 \rho_1 \rho_2^2 - 4 a_0 \rho_2^3 + 6 a_0 \rho_1^2 + 12 a_0 \rho_1 \rho_2 + 6 a_0 \rho_2^2 - 4 a_0 \rho_1 \\
& - 4 a_0 \rho_2 + a_0
\end{aligned}$$

$$\begin{aligned}
& 4 a_0 a_1 \rho_1^3 \rho_2 + 6 a_0 a_1 \rho_1^2 \rho_2^2 + 4 a_0 a_1 \rho_1 \rho_2^3 + a_0 a_1 \rho_2^4 + a_0 a_2 \rho_2^4 - a_1 a_2 \rho_2^4 \\
& - 4 a_0 a_1 \rho_1^3 - 12 a_0 a_1 \rho_1^2 \rho_2 - 12 a_0 a_1 \rho_1 \rho_2^2 - 4 a_0 a_1 \rho_2^3 + 6 a_0 a_1 \rho_1^2 \\
& + 12 a_0 a_1 \rho_1 \rho_2 + 6 a_0 a_1 \rho_2^2 - 4 a_0 a_1 \rho_1 - 4 a_0 a_1 \rho_2 + a_0 a_1
\end{aligned}$$

$$\begin{aligned}
& 5 \\
10 a_0 a_1 \rho_1^2 \rho_2^3 + 10 a_0 a_1 \rho_1 \rho_2^4 + 3 a_0 a_1 \rho_2^5 - 2 a_0 a_2 \rho_1 \rho_2^4 - 5 a_0 a_2 \rho_2^5 \\
& + 2 a_1 a_2 \rho_1 \rho_2^4 - 3 a_1 a_2 \rho_2^5 - 30 a_0 a_1 \rho_1^2 \rho_2^2 - 40 a_0 a_1 \rho_1 \rho_2^3 - 15 a_0 a_1 \rho_2^4 \\
& + 5 a_0 a_2 \rho_2^4 + 3 a_1 a_2 \rho_2^4 + 30 a_0 a_1 \rho_1^2 \rho_2 + 60 a_0 a_1 \rho_1 \rho_2^2 + 30 a_0 a_1 \rho_2^3 \\
& - 10 a_0 a_1 \rho_1^2 - 40 a_0 a_1 \rho_1 \rho_2 - 30 a_0 a_1 \rho_2^2 + 10 a_0 a_1 \rho_1 + 15 a_0 a_1 \rho_2 \\
& - 3 a_0 a_1
\end{aligned}$$

$$\begin{aligned}
& 6 \\
2 a_0 a_1 \rho_1 \rho_2^5 + a_0 a_1 \rho_2^6 + 2 a_0 a_2 \rho_1^2 \rho_2^4 + 6 a_0 a_2 \rho_1 \rho_2^5 + 5 a_0 a_2 \rho_2^6 - 2 a_1 a_2 \rho_1^2 \rho_2^4 \\
& + 2 a_1 a_2 \rho_1 \rho_2^5 - a_1 a_2 \rho_2^6 - 10 a_0 a_1 \rho_1 \rho_2^4 - 6 a_0 a_1 \rho_2^5 - 6 a_0 a_2 \rho_1 \rho_2^4 \\
& - 10 a_0 a_2 \rho_2^5 - 2 a_1 a_2 \rho_1 \rho_2^4 + 2 a_1 a_2 \rho_2^5 + 20 a_0 a_1 \rho_1 \rho_2^3 + 15 a_0 a_1 \rho_2^4 \\
& + 5 a_0 a_2 \rho_2^4 - a_1 a_2 \rho_2^4 - 20 a_0 a_1 \rho_1 \rho_2^2 - 20 a_0 a_1 \rho_2^3 + 10 a_0 a_1 \rho_1 \rho_2 \\
& + 15 a_0 a_1 \rho_2^2 - 2 a_0 a_1 \rho_1 - 6 a_0 a_1 \rho_2 + a_0 a_1
\end{aligned}$$

$$\begin{aligned}
& 7 \\
a_0 a_1 \rho_2^7 - 20 a_0 a_2 \rho_1^3 \rho_2^4 - 70 a_0 a_2 \rho_1^2 \rho_2^5 - 84 a_0 a_2 \rho_1 \rho_2^6 - 35 a_0 a_2 \rho_2^7 \\
& + 20 a_1 a_2 \rho_1^3 \rho_2^4 - 10 a_1 a_2 \rho_1^2 \rho_2^5 + 4 a_1 a_2 \rho_1 \rho_2^6 - a_1 a_2 \rho_2^7 - 7 a_0 a_1 \rho_2^6 \\
& + 70 a_0 a_2 \rho_1^2 \rho_2^4 + 168 a_0 a_2 \rho_1 \rho_2^5 + 105 a_0 a_2 \rho_2^6 + 10 a_1 a_2 \rho_1^2 \rho_2^4 \\
& - 8 a_1 a_2 \rho_1 \rho_2^5 + 3 a_1 a_2 \rho_2^6 + 21 a_0 a_1 \rho_2^5 - 84 a_0 a_2 \rho_1 \rho_2^4 - 105 a_0 a_2 \rho_2^5 \\
& + 4 a_1 a_2 \rho_1 \rho_2^4 - 3 a_1 a_2 \rho_2^5 - 35 a_0 a_1 \rho_2^4 + 35 a_0 a_2 \rho_2^4 + a_1 a_2 \rho_2^4 \\
& + 35 a_0 a_1 \rho_2^3 - 21 a_0 a_1 \rho_2^2 + 7 a_0 a_1 \rho_2 - a_0 a_1
\end{aligned}$$

"====="

"trop long", \emptyset

(1.9.1.6.2)

> ## Comparison with the announced result

```
Gp:=map(normal,
Basis([add(rho[i],i=0..2)-1,
seq(a[(i+1) mod 3]*rho[(i+1) mod 3]^4-a[i]*rho[i]
^4,i=0..2)],tdeg(Variables)));
Affiche(Gp,2000);
```

$$\begin{aligned}
& 1 \\
& \rho_0 + \rho_1 + \rho_2 - 1 \\
& 2 \\
& a_1 \rho_1^4 - a_2 \rho_2^4 \\
& 3 \\
& a_0 \rho_1^4 + 4 a_0 \rho_1^3 \rho_2 + 6 a_0 \rho_1^2 \rho_2^2 + 4 a_0 \rho_1 \rho_2^3 + a_0 \rho_2^4 - a_2 \rho_2^4 - 4 a_0 \rho_1^3 - 12 a_0 \\
& \rho_1^2 \rho_2 - 12 a_0 \rho_1 \rho_2^2 - 4 a_0 \rho_2^3 + 6 a_0 \rho_1^2 + 12 a_0 \rho_1 \rho_2 + 6 a_0 \rho_2^2 - 4 a_0 \rho_1 \\
& - 4 a_0 \rho_2 + a_0 \\
& 4 \\
& 4 a_0 a_1 \rho_1 \rho_2 + 6 a_0 a_1 \rho_1^2 \rho_2^2 + 4 a_0 a_1 \rho_1 \rho_2^3 + a_0 a_1 \rho_2^4 + a_0 a_2 \rho_2^4 - a_1 a_2 \rho_2^4 \\
& - 4 a_0 a_1 \rho_1^3 - 12 a_0 a_1 \rho_1^2 \rho_2 - 12 a_0 a_1 \rho_1 \rho_2^2 - 4 a_0 a_1 \rho_2^3 + 6 a_0 a_1 \rho_1^2 \\
& + 12 a_0 a_1 \rho_1 \rho_2 + 6 a_0 a_1 \rho_2^2 - 4 a_0 a_1 \rho_1 - 4 a_0 a_1 \rho_2 + a_0 a_1 \\
& 5 \\
& 10 a_0 a_1 \rho_1^2 \rho_2^3 + 10 a_0 a_1 \rho_1 \rho_2^4 + 3 a_0 a_1 \rho_2^5 - 2 a_0 a_2 \rho_1 \rho_2^4 - 5 a_0 a_2 \rho_2^5 \\
& + 2 a_1 a_2 \rho_1 \rho_2^4 - 3 a_1 a_2 \rho_2^5 - 30 a_0 a_1 \rho_1^2 \rho_2^2 - 40 a_0 a_1 \rho_1 \rho_2^3 - 15 a_0 a_1 \rho_2^4 \\
& + 5 a_0 a_2 \rho_2^4 + 3 a_1 a_2 \rho_2^4 + 30 a_0 a_1 \rho_1^2 \rho_2 + 60 a_0 a_1 \rho_1 \rho_2^2 + 30 a_0 a_1 \rho_2^3 \\
& - 10 a_0 a_1 \rho_1^2 - 40 a_0 a_1 \rho_1 \rho_2 - 30 a_0 a_1 \rho_2^2 + 10 a_0 a_1 \rho_1 + 15 a_0 a_1 \rho_2 \\
& - 3 a_0 a_1 \\
& 6 \\
& 2 a_0 a_1 \rho_1 \rho_2^5 + a_0 a_1 \rho_2^6 + 2 a_0 a_2 \rho_1^2 \rho_2^4 + 6 a_0 a_2 \rho_1 \rho_2^5 + 5 a_0 a_2 \rho_2^6 - 2 a_1 a_2 \rho_1^2 \rho_2^4 \\
& + 2 a_1 a_2 \rho_1 \rho_2^5 - a_1 a_2 \rho_2^6 - 10 a_0 a_1 \rho_1 \rho_2^4 - 6 a_0 a_1 \rho_2^5 - 6 a_0 a_2 \rho_1 \rho_2^4 \\
& - 10 a_0 a_2 \rho_2^5 - 2 a_1 a_2 \rho_1 \rho_2^4 + 2 a_1 a_2 \rho_2^5 + 20 a_0 a_1 \rho_1 \rho_2^3 + 15 a_0 a_1 \rho_2^4 \\
& + 5 a_0 a_2 \rho_2^4 - a_1 a_2 \rho_2^4 - 20 a_0 a_1 \rho_1 \rho_2^2 - 20 a_0 a_1 \rho_2^3 + 10 a_0 a_1 \rho_1 \rho_2 \\
& + 15 a_0 a_1 \rho_2^2 - 2 a_0 a_1 \rho_1 - 6 a_0 a_1 \rho_2 + a_0 a_1 \\
& 7 \\
& a_0 a_1 \rho_2^7 - 20 a_0 a_2 \rho_1^3 \rho_2^4 - 70 a_0 a_2 \rho_1^2 \rho_2^5 - 84 a_0 a_2 \rho_1 \rho_2^6 - 35 a_0 a_2 \rho_2^7
\end{aligned}$$

$$\begin{aligned}
& + 20 a_1 a_2 \rho_1^3 \rho_2^4 - 10 a_1 a_2 \rho_1^2 \rho_2^5 + 4 a_1 a_2 \rho_1 \rho_2^6 - a_1 a_2 \rho_2^7 - 7 a_0 a_1 \rho_2^6 \\
& + 70 a_0 a_2 \rho_1^2 \rho_2^4 + 168 a_0 a_2 \rho_1 \rho_2^5 + 105 a_0 a_2 \rho_2^6 + 10 a_1 a_2 \rho_1^2 \rho_2^4 \\
& - 8 a_1 a_2 \rho_1 \rho_2^5 + 3 a_1 a_2 \rho_2^6 + 21 a_0 a_1 \rho_2^5 - 84 a_0 a_2 \rho_1 \rho_2^4 - 105 a_0 a_2 \rho_2^5 \\
& + 4 a_1 a_2 \rho_1 \rho_2^4 - 3 a_1 a_2 \rho_2^5 - 35 a_0 a_1 \rho_2^4 + 35 a_0 a_2 \rho_2^4 + a_1 a_2 \rho_2^4 \\
& + 35 a_0 a_1 \rho_2^3 - 21 a_0 a_1 \rho_2^2 + 7 a_0 a_1 \rho_2 - a_0 a_1
\end{aligned}$$

"====="

(1.9.1.6.3)

> {op(G)} minus {op(Gp)};
{op(Gp)} minus {op(G)};

\emptyset

(1.9.1.6.4)

>

>