

# Index of notation

- $2^X$ 
  - family of all subsets, 431
- $A \Delta B$ 
  - symmetric difference of sets, 435
- $B(x, T, \varepsilon)$ 
  - dynamical ball for flows, 318
- $B(x, \infty, \varepsilon)$ 
  - infinite dynamical ball, 325
- $B(x, n, \varepsilon)$ 
  - dynamical ball, 262
- $B(x, r)$ 
  - ball of center  $x$  and radius  $r$ , 453
- $B^\delta$ 
  - $\delta$ -neighborhood of a set, 36
- $C^*$ 
  - dual cone, 52
- $C^0(M)$ 
  - space of continuous functions, 50, 436, 457
- $C_+^0(M)$ 
  - cone of positive functions, 52
- $C^\beta(M)$ 
  - space of Hölder functions, 415
- $C^r(M, N)$ 
  - space of  $C^r$  maps, 462
- $C_n(\varphi, \psi)$ 
  - correlations sequence, 182
- $D_l$ 
  - lower density, 59
- $D_u$ 
  - upper density, 59
- $Df$ 
  - derivative of a map, 463
- $E(A, P)$ 
  - conditional expectation, 152
- $E^*$ 
  - dual of a Banach space, 49
- $G(f, \phi)$ 
  - pressure, via generating sets, 329
- $H(\alpha)$ 
  - entropy of an open cover, 302
- $H_\beta(g)$ 
  - Hölder constant, 402
- $H_\mu(\mathcal{P})$ 
  - entropy of a partition, 245
- $H_\mu(\mathcal{P}/\mathcal{Q})$ 
  - conditional entropy, 247
- $H_{\beta, \rho}(g)$ 
  - local Hölder constant, 402
- $I(U)$ 
  - set of invariant vectors, 66
- $I(\mathcal{A})$ 
  - mean information of an alphabet, 244
- $I(a)$ 
  - information of a symbol, 244
- $I_{\mathcal{P}}$ 
  - information function of a partition, 245
- $L^\infty(\mu)$ 
  - space of essentially bounded functions, 471
- $L^p(\mu)$ 
  - space of  $p$ -integrable functions, 469
- $P(f, \phi)$ 
  - pressure, 326
- $P(f, \phi, \alpha)$ 
  - pressure relative to an open cover, 326
- $P(x, \cdot)$ 
  - transition probability, 190
- $P_{i,j}$ 
  - transition probability, 191
- $R_\theta$ 
  - rotation on circle or torus, 16
- $S(f, \phi)$ 
  - pressure, via separated sets, 329
- $S^1$ 
  - circle, 16
- $S^\perp$ 
  - orthogonal complement, 474
- $S^d$ 
  - sphere of dimension  $d$ , 461

- $TM$   
 tangent bundle, 463  
 $T^1M$   
 unit tangent bundle, 468  
 $T_pM$   
 tangent space at a point, 462  
 $U_f$   
 Koopman operator, 51  
 $U_f^*$   
 dual of the Koopman operator, 51  
 $V(\mu, \Phi, \varepsilon)$   
 neighborhoods in weak\* topology, 36  
 $V(v, \{g_1, \dots, g_N\}, \varepsilon)$   
 neighborhoods in weak topology, 50  
 $V^*(g, \{v_1, \dots, v_N\}, \varepsilon)$   
 neighborhoods in weak\* topology, 50  
 $V_a(\mu, \mathcal{A}, \varepsilon)$   
 neighborhoods in weak\* topology, 37  
 $V_c(\mu, \mathcal{B}, \varepsilon)$   
 neighborhoods in weak\* topology, 37  
 $V_f(\mu, \mathcal{F}, \varepsilon)$   
 neighborhoods in weak\* topology, 37  
 $V_p(\mu, \mathcal{B}, \varepsilon)$   
 neighborhoods in pointwise topology, 44  
 $V_u(\mu, \varepsilon)$   
 neighborhoods in uniform topology, 44  
 $\mathcal{X}_B$   
 characteristic function of a set, 440  
 $\text{Diffeo}^r(M)$   
 space of  $C^r$  diffeomorphisms, 462  
 $\text{Fix}(f)$   
 set of fixed points, 314  
 $\text{GL}(d, \mathbb{R})$   
 linear group, 78, 164, 466  
 $\text{O}(d, \mathbb{R})$   
 orthogonal group, 164  
 $\text{SL}(d, \mathbb{R})$   
 special linear group, 164, 466  
 $\Sigma_A, \Sigma_P$   
 shift of finite type, 193, 315, 316  
 $\alpha \vee \beta$   
 sum of open covers, 302  
 $\alpha < \beta$   
 order relation for open covers, 302  
 $\alpha^n, \alpha^{\pm n}$   
 iterated sum of an open cover, 303, 309, 310  
 $\mathcal{L}^1(\mu)$   
 space of integrable functions, 445  
 $\mathcal{M}(X)$   
 space of measures, 50, 436  
 $\mathcal{M}_1(M)$   
 space of probability measures, 36  
 $\mathcal{M}_1(f)$   
 space of invariant probability measures,  
 116  
 $\mathcal{M}_e(f)$   
 space of ergodic probability measures,  
 116  
 $\mathcal{P} < \mathcal{Q}$   
 order relation for partitions, 247  
 $\mathcal{P} \vee \mathcal{Q}$   
 sum of partitions, 245  
 $\mathcal{P}^n, \mathcal{P}^{\pm n}$   
 iterated sum of a partition, 249, 252  
 $\mathcal{U}^r(f, \varepsilon)$   
 $C^r$  neighborhood of a map, 462  
 $\delta_p$   
 Dirac measure, 47  
 $\text{div} F$   
 divergence of a vector field, 20, 21  
 $\text{degree}(f)$   
 degree of a map, 469  
 $\lambda = (\lambda_\alpha)_\alpha$   
 length vector, 201  
 $\lambda_{\max}$   
 largest Lyapunov exponent, 84  
 $\lambda_{\min}$   
 smallest Lyapunov exponent, 85  
 $\mu \perp \nu$   
 mutually singular measures, 451  
 $\nu \ll \mu$   
 absolutely continuous measure, 450  
 $\partial I$   
 left endpoint of an interval, 203  
 $\partial \mathcal{P}$   
 boundary of a partition, 259, 343  
 $\mathbb{P}^d$   
 projective space, 468  
 $\rho(B)$   
 spectral radius, 317  
 $\text{spec}(L)$   
 spectrum of a linear operator, 477  
 $\text{supess } \varphi$   
 essential supremum of a function, 471  
 $\text{supp } \mu$   
 support of a measure, 439, 477  
 $\tanh$   
 hyperbolic tangent, 407  
 $\tau(E, x)$   
 mean sojourn time, 64  
 $\theta(g_1, g_2)$   
 projective distance, 405  
 $\bar{\varphi}$   
 time average of a function, 72  
 $\mathbb{T}^d$   
 torus of dimension  $d$ , 18, 461  
 $\varphi^+$   
 positive part of a function, 444  
 $\varphi^-$   
 negative part of a function, 444

- $\varphi_n$   
 orbital sum of a function, 326, 381
- $\bigvee_{\alpha} \mathcal{U}_{\alpha}$   
 $\sigma$ -algebra generated by a family, 279
- $d$ -adic interval, 491
- $d(M)$   
 Hausdorff dimension, 418
- $e(\psi, x)$   
 conditional expectation, 150
- $f_{*}\mu$   
 image of a measure, 45, 50
- $f_A$   
 linear endomorphism of the torus, 111
- $g(\phi)$   
 topological entropy of flows, via generating sets, 319
- $g(f)$   
 topological entropy, via generating sets, 305
- $h(f)$   
 topological entropy, 303
- $h(f, \alpha)$   
 entropy relative to an open cover, 303
- $h_{\mu}(f)$   
 entropy of a dynamical system, 250
- $h_{\mu}(f, \mathcal{P})$   
 entropy relative to a partition, 250
- $h_{\mu}(f, \mathcal{P}, x)$   
 entropy (local) at a point, 262
- $h_{\mu}^{\pm}(f, \varepsilon, x)$   
 entropy (local) at a point, 263
- $m_d(M)$   
 $d$ -dimensional Hausdorff measure, 418
- $s(\phi)$   
 topological entropy of flows, via separated sets, 319
- $s(f)$   
 topological entropy, via separated sets, 305
- $w = (w_{\alpha})_{\alpha}$   
 translation vector, 202

