

Index

- 1-parameter group, 67
- σ -additive function, 434, 477
- σ -algebra, 431
 - Borel, ix, 432
 - generated, 279, 432
 - up to measure zero, 435
 - product, 104, 447, 448
- σ -finite measure, 9, 74, 433

- absolute continuity, 114, 438, 450
 - theorem, 133
- absolutely
 - continuous measure, 116, 450
 - summable series, 473
- action-angle coordinates, 123
- adding machine, 170
- additive
 - function, 433
 - sequence, 78
- adjoint linear operator, 476
- admissible sequence, 315
- affine function, 286
- algebra, 431
 - compact, 434
 - of functions, 459
 - separating, 259
 - generating, 11
 - of measures, 233
- almost
 - every point, 95, 446
 - everywhere, 446
 - convergence, 446
 - integrable system, 122
- alphabet, 201
- alternate form, 465
- Anosov
 - flow, 132
 - system, xi
 - theorem, 132

- aperiodic
 - stochastic matrix, 197
 - system, 29, 257
- approximate eigenvalue, 221
- approximation theorem, 435
- area form, 200
- arithmetic progression, 58
 - length, 58
- atlas
 - of class C^r , 460
 - compatible, 461
 - differentiable, 460
- atom, 457, 480
- atomic measure, 457
- Aubry–Mather set, 129
- automorphism
 - Bernoulli, 276
 - of a group, 164
 - Kolmogorov, 280, 283
 - Möbius, 416
- Avogadro constant, 333

- Baire space, 118, 120, 462, 466
- Banach space, 49, 469, 473
- Banach–Alaoglu theorem, 475
- Banach–Mazur theorem, 52
- barycenter of a measure, 287
- basin of a measure, 99, 353
- basis
 - dual, 465
 - Fourier, 474
 - Hammel, 474
 - Hilbert, 474
 - of neighborhoods, 36, 37, 439
 - countable, 439
 - of open sets, 439
 - countable, 439
 - of the topology, 439

- Bernoulli
 - automorphism, 276
 - measure, 191, 448
 - shift, 104, 191
- billiard, 134
 - corner, 134
 - dispersing, 139
 - semi-dispersing, 140
 - table, 134
- Birkhoff
 - ergodic theorem, 65, 70, 72, 74
 - ergodic theorem for flows, 77
 - multiple recurrence theorem, 29
 - normal form theorem, 127, 130
 - recurrence theorem, 8, 48
- Boltzmann
 - constant, 335
 - ergodic hypothesis, xi, 64, 120
- Boltzmann–Sinai ergodic hypothesis, 134
- Borel
 - σ -algebra, ix, 432
 - measure, 453
 - normal theorem, 104
 - set, 432
- Borel–Cantelli lemma, 442
- bottom of a pile, 171
- boundary of a partition, 259, 343
- bounded
 - distortion, 102, 103, 108
 - linear functional, 475
 - linear operator, 475, 476
- Bowen–Manning formula, 381, 421
- branch (inverse), 355, 422
 - contracting, 355, 365, 366
- Brin–Katok theorem, 263
- bundle
 - cotangent, 125, 464
 - tangent, 125, 131
- Bunimovich
 - mushroom billiard, 140
 - stadium billiard, 140
- C^0 topology, 379
- C^1 topology, 379
- C^r topology, 462
- Cantor
 - set, 418
 - substitution, 172
- Cauchy–Schwarz inequality, 470
- Cayley–Klein distance, 416
- Chacon
 - example, 220
 - substitution, 172
- Champernowne constant, 103
- change
 - of coordinates, 460
 - of variables formula, 297
- characteristic function, 440
- circle, 16
 - rotation, 16
- class C^r
 - atlas, 460
 - diffeomorphism, 461
 - manifold, 460
 - map, 461
- closed differential form, 466
- coarser
 - cover, 302
 - partition, 146, 247
- cocycle, 84
- cohomological equation, 160
- cohomologous potentials, 332, 399
- cohomology relation, 332, 337
- commuting maps, 29
- compact
 - algebra, 434
 - group, 167
 - space, 434
- compactness theorem, 41
- compatible atlases, 461
- complete
 - measure, 435
 - measure space, 435
 - metric space, 456
 - metrizable space, 462
- completely metrizable space, 462
- completion of a measure space, 435
- complex measure, 436, 477
- concave function, 472
- condition
 - Keane, 203
 - twist, 124, 126, 127, 130
- conditional
 - entropy, 247
 - expectation, 150, 152, 264
 - probability, 144
- cone, 52, 404
 - dual, 52, 383
 - normal, 52
- configuration space, 333
- conformal
 - map, 421
 - repeller, 381, 421
- conjecture of entropy, 321
- conjugacy (topological), 215, 304
- connected space, 460
- conservative
 - flow, 20
 - map, 19

- system, 49, 120
- constant
 - Avogadro, 333
 - Boltzmann, 335
 - Champernowne, 103
 - of expansivity, 260, 313
- continued fraction
 - expansion, 13
 - of bounded type, 116
- continuity
 - absolute, 114
 - at the empty set theorem, 434
 - from above theorem, 442
 - from below theorem, 442
 - set of a measure, 37
- continuous
 - function, 440
 - linear functional, 458, 475
 - linear operator, 475
 - map, 440
- contracting inverse branch, 355, 365, 366
- contraction, 308
- convergence
 - almost everywhere, 446
 - in distribution, 44
 - to equilibrium, 403
 - in L^2 , 69
- convex
 - function, 472
 - hull, 422
 - set, 45
- convexity, 117, 286
- coordinate change, 460
- correlation, 181
 - decay, 208
- correlations sequence, 182
- cotangent
 - bundle, 125, 464
 - space, 125, 464
- countable basis
 - of neighborhoods, 439
 - of open sets, 439
- countable type shift, 228
- countably
 - additive function, 433
 - generated system, 228
- covariance
 - matrix, 231
 - sequence, 231
- cover, 418
 - coarser, 302
 - diameter, 307, 310, 418
 - finer, 302
 - open, 302, 434
 - cross-ratio, 406
 - cross-section, 89
 - cube, 437
 - cylinder, 448
 - elementary, 449
 - measurable, 55
 - open, 55
 - decay of correlations, 208, 210
 - decimal expansion, 10
 - ergodicity, 102
 - decomposition
 - of Oseledets, 85
 - theorem of Hahn, 436
 - theorem of Lebesgue, 451
 - degree of a map, 355, 365, 469
 - Dehn twist, 487
 - density
 - lower, 59
 - of a measure, 354, 451
 - point, 449
 - upper, 59, 61
 - zero at infinity, 189
 - derivation theorem of Lebesgue, 449
 - derivative, 463
 - exterior, 465
 - Radon–Nikodym, 354, 451
 - diagonal, 31
 - diameter
 - of a cover, 307, 310, 418
 - of a partition, 259, 452
 - diffeomorphism, 460, 461
 - of class C^r , 461
 - difference (orthogonal), 227
 - differentiable
 - atlas, 460
 - manifold, 460
 - map, 461
 - differential
 - form, 465
 - closed, 466
 - exact, 466
 - dimension
 - Hausdorff, 418
 - Hilbert, 474
 - Diophantine
 - number, 162
 - vector, 124
 - Dirac
 - mass, 433
 - measure, 47, 433
 - direct sum (orthogonal), 474
 - discrete
 - spectrum, 213, 222
 - spectrum theorem, 234
 - topology, 106

- disintegration
 - of a measure, 144
 - theorem of Rokhlin, 147, 156
- dispersing billiard, 139
- distance, 453
 - associated with Riemannian metric, 467
 - Cayley–Klein, 416
 - flat on the torus, 101
 - hyperbolic, 416
 - invariant, 168
 - Poincaré, 416
 - projective, 405
- distortion, 102, 103, 108
 - lemma, 356
- distribution
 - function, 44
 - Gibbs, 335
- divergence of a vector field, 20, 21
- domain
 - fundamental, 88
 - of invertibility, 294
- dominated convergence theorem, 447
- dual
 - basis, 465
 - cone, 52, 383
 - linear operator, 51, 381
 - of a Banach space, 49, 471
 - of a Hilbert space, 475
- duality, 50, 209, 381, 471
- dynamical
 - ball, 262, 305
 - for a flow, 318
 - infinite, 325
 - decomposition theorem, 370
 - system, ix
- eigenvalue, 217
 - approximate, 221
 - multiplicity of, 217
- elementary cylinder, 449
- elliptic fixed point, 127, 128, 130
 - generic, 127
- endomorphism
 - of a group, 164
 - of the torus, 111
 - ergodic, 111
- energy
 - hypersurface, 121
 - of a state, 334
- entropy, xii
 - of a communication channel, 244
 - conditional, 247
 - conjecture, 321
 - of a dynamical system, 250
 - formula, 398
 - formula (Pesin), 273
 - function, 258
 - Gauss map, 269
 - of a linear endomorphism, 270
 - local, 262, 263
 - of a Markov shift, 268
 - of an open cover, 302
 - of a partition, 245
 - relative to a partition, 250
 - relative to an open cover, 303
 - semi-continuity, 258
 - of a state, 334
 - topological, 301, 303, 307
- equation
 - cohomological, 160
 - Hamilton–Jacobi, 121, 123, 127
- equidistributed sequence, 174
- equilibrium state, 302, 333, 345
- equivalence
 - ergodic, 161, 184, 213, 214, 233
 - invariant of, 215
 - spectral, 213, 216, 234
 - invariant of, 217
 - topological, 304
 - of flows, 320
- equivalent
 - measures, 14, 450
 - topologies, 37
- ergodic
 - decomposition theorem, 143
 - equivalence, 161, 184, 213, 214, 233
 - invariant of, 215
 - hypothesis, xi, 64, 120, 134
 - isomorphism, 214, 233
 - measure, 74
 - system, 93, 94
 - theorem
 - Birkhoff, 65, 70, 72, 74
 - Birkhoff for flows, 77
 - Kingman, 65, 78
 - Kingman for flows, 86
 - multiplicative, 85, 272
 - Oseledets, 85, 272
 - subadditive, 65, 78
 - subadditive for flows, 86
 - von Neumann, 65, 67, 74
 - von Neumann for flows, 70
 - von Neumann multiple, 190
- ergodicity
 - decimal expansion, 102
 - irrational rotation, 100, 101
 - linear endomorphism, 111
 - Markov shift, 194
- essential supremum, 471
- essentially bounded function, 471

- Euclidean space, 460
- exact differential form, 466
- exactness, 285
 - topological, 359
- example
 - Chacon, 220
 - Furstenberg, 160
- existence theorem, 35
 - for flows, 49
- expanding map, 26
 - of the interval, 361
 - on a manifold, 353
 - on a metric space, 362
- expansive map, 260, 313, 355, 366
 - two-sided, 313
- expansivity
 - constant, 260, 313
 - one-sided, 260
 - two-sided, 260
- expectation (conditional), 264
- exponential
 - decay of correlations, 210
 - decay of interactions, 335
 - map, 468
- extended real line, 432, 440
- extension
 - natural, 54, 57
 - multiple, 57
 - theorem, 434
 - of a transformation, 54
- exterior
 - derivative, 465
 - measure, 438
- extremal element of a convex set, 117
- factor, 253
 - topological, 304, 379
- Fatou lemma, 447
- Feigenbaum substitution, 172
- Fibonacci substitution, 172, 313
- filtration of Oseledets, 85
- finer
 - cover, 302
 - partition, 146, 247
- finite
 - Markov shift, 191
 - measure, 433
 - memory, 190, 199
 - signed measure, 436
- finitely additive function, 434
- first integral, 22, 121
- first-return
 - map, 5, 23, 88, 89
 - time, 5, 23, 89
- fixed point
 - elliptic, 127, 128, 130
 - generic, 127
 - hyperbolic, 128
 - non-degenerate, 127, 130
- flat distance on the torus, 101
- flow, ix, 2, 464
 - Anosov, 132
 - conservative, 20
 - geodesic, 131, 468
 - Hamiltonian, 121, 127
 - horocyclic, 283
 - suspension, 87
 - uniformly continuous, 319
 - uniformly hyperbolic, 132
- flows
 - Birkhoff ergodic theorem, 77
 - existence theorem, 49
 - Kingman ergodic theorem, 86
 - Poincaré recurrence theorem, 5
 - subadditive ergodic theorem, 86
 - topological entropy, 319, 320
 - von Neumann ergodic theorem, 70
- flux of a measure, 90, 92
- foliation
 - stable, 112, 113, 133
 - unstable, 112, 113, 133
- form
 - k -linear, 465
 - alternate, 465
 - area, 200
 - differential, 465
 - closed, 466
 - exact, 466
 - linear, 465
 - symplectic, 124
 - volume, 21, 125
- formula
 - Bowen–Manning, 381, 421
 - change of variables, 297
 - entropy, 398
 - of entropy (Pesin), 273
 - Liouville, 20
 - Pesin, 398
 - Rokhlin, 294, 296, 361
- Fourier
 - basis, 474
 - series, 100, 111
- fractional part, 10
- free energy (Gibbs), 334
- frequency vector, 123
- Friedman–Ornstein theorem, 284
- function
 - σ -additive, 433
 - p -integrable, 469
 - affine, 286

- function (*cont.*)
 - characteristic, 440
 - concave, 472
 - continuous, 440
 - convex, 472
 - countably additive, 433
 - of distribution, 44
 - entropy, 258
 - essentially bounded, 471
 - finitely additive, 433
 - Hölder, 210, 402
 - information of a partition, 245
 - integrable, 445
 - invariant, 69, 94
 - locally constant, 209
 - locally integrable, 449
 - measurable, 440
 - of multiplicity, 480
 - quasi-periodic, 123
 - semi-continuous, 33
 - simple, 441
 - strongly affine, 293
 - uniformly quasi-periodic, 77
- functional
 - bounded, 475
 - continuous, 458
 - norm, 458
 - positive, 445, 458
 - over a cone, 52
 - tangent, 53
- functions algebra, 459
 - separating, 459
- fundamental domain, 88
- Furstenberg
 - example, 160
 - theorem, 160
- Furstenberg–Kesten theorem, 84
- gas
 - ideal, 136
 - lattice, 333
- Gauss map, 13, 24
 - entropy, 269
- Gaussian
 - measure, 231
 - shift, 231, 283
- generated
 - σ -algebra, 279, 432
 - topology, 432
- generating
 - algebra, 11
 - partition, 256, 257
 - set, 305
 - for flows, 318
- generator
 - one-sided, 256
 - two-sided, 256
- geodesic, 468
 - flow, 131, 468
- Gibbs
 - distribution, 335
 - free energy, 334
 - state, 334, 336, 351, 380, 382
- golden ratio, 9, 180
- Gottschalk theorem, 162
- Grünwald theorem, 63
- Grassmannian manifold, 461
- Green–Tao theorem, 60
- group
 - 1-parameter, 67
 - automorphism, 164
 - compact, 167
 - endomorphism, 164
 - Lie, 163
 - linear, 164, 466
 - locally compact, 164
 - metrizable, 167
 - orthogonal, 164
 - special linear, 164, 466
 - topological, 163
- Haar
 - measure, 167
 - theorem, 165
- Hahn decomposition theorem, 436, 446
- Halmos–von Neumann theorem, 234
- Hamilton–Jacobi equation, 121, 123, 127
- Hamiltonian
 - flow, 121, 127
 - function, 121
 - non-degenerate, 123
 - system, 121
 - vector field, 22, 127
- Hammel basis, 474
- Hausdorff
 - dimension, 418
 - measure, 418
 - space, 36, 432
- hereditary property, 42
- heteroclinic
 - point, 486
- h -expansive map, 314, 325, 349
- Hilbert
 - basis, 474
 - dimension, 474
 - space, 473
- Hindman theorem, 162
- Hölder
 - function, 210, 402

- inequality, 471, 472
- map, 454
- homeomorphism, 433
- twist, 128
- homoclinic point, 128
- homomorphism of measure algebras, 233
- horocyclic flow, 283
- hyperbolic
 - distance, 416
 - fixed point, 128
 - matrix, 112
- hypersurface of energy, 121
- ideal gas, 136
- idempotent linear operator, 477
- identity
 - parallelogram, 476
 - polarization, 476
- image of a measure, 45, 50
- independent partitions, 245
- induced map, 24
- inequality
 - Cauchy–Schwarz, 470
 - Hölder, 471, 472
 - Jensen, 472
 - Margulis–Ruelle, 272
 - Minkowski, 470, 472
 - Tchebysheff–Markov, 451
 - Young, 472
- infinite
 - dynamical ball, 325
 - matrix, 231
 - measure, 8
- infinitesimal generator, 67
- information
 - of an alphabet, 244
 - function of a partition, 245
 - of a symbol, 244
- inner product, 470, 473
- integer part, 10
- integrability, 445
 - uniform, 86, 452
- integrable
 - function, 445
 - map, 126
 - system, 122
- integral, 444, 445
 - first, 121
 - with respect to a signed measure, 446
 - with respect to complex measure, 446
 - of a simple function, 444
- interval
 - d -adic, 491
 - exchange, 92, 200
 - irreducible, 202
 - in \mathbb{Z} , 58
- intrinsically ergodic map, 350
- invariant
 - distance, 168
 - of ergodic equivalence, 215
 - function, 69, 94
 - measure, 2, 45
 - set, 56, 94, 359
 - of spectral equivalence, 217
- inverse branch, 355, 422
 - contracting, 355, 365, 366
- invertibility domain, 294
- irrational rotation, 17
 - ergodicity, 100, 101
- irreducible
 - interval exchange, 202
 - stochastic matrix, 194
- isometrically isomorphic spaces, 458, 474
- isometry, 308
 - linear, 51, 476, 477
- isomorphism
 - ergodic, 214, 233
 - of measure algebras, 233
- iterate of a measure, 45, 50
- iterated sum
 - of an open cover, 303, 309, 310
 - of a partition, 249, 252
- Jacobian, 294
- Jacobs theorem, 287, 288
- Jensen inequality, 472
- Kač theorem, 5
- Kakutani–Rokhlin
 - lemma, 29
 - tower, 27, 28
- Keane
 - condition, 203
 - theorem, 204
- Kingman ergodic theorem, 65, 78
 - for flows, 86
- k -linear form, 465
- Kolmogorov
 - automorphism, 280, 283
 - system, 279, 283
- Kolmogorov–Arnold–Moser
 - theory, xi
- Kolmogorov–Arnold–Moser
 - theorem, 124, 126
- Kolmogorov–Sinai
 - entropy, 250
 - theorem, 254
- Koopman operator, 51

- L^2 convergence, 69
- L^∞ norm, 471
- L^p norm, 470
- lattice
 - gas, 333
 - system, 333
 - state, 333
- leaf
 - stable, 113
 - unstable, 113
- Lebesgue
 - decomposition theorem, 451
 - derivation theorem, 449
 - exterior measure, 438
 - integral, 444, 445
 - measurable set, 236, 438, 443
 - measure, 437
 - on the circle, 17
 - number of an open cover, 307, 457
 - space, 233, 236, 238
 - spectrum, 213, 225, 283
 - rank of, 227, 230
- left
 - invariance, 167
 - translation, 164
- lemma
 - Borel–Cantelli, 442
 - distortion, 356
 - Fatou, 447
 - Kakutani–Rokhlin, 29
 - Riemann–Lebesgue, 232
 - shadowing, 367
 - Vitali, 450
 - Zorn, 31
- length
 - of an arithmetic progression, 58
 - of a curve, 467
 - vector, 201
- Levy–Prohorov metric, 39
- Lie group, 163
- lift
 - of an invariant measure, 56
 - of an invariant set, 56
- limit of a sequence of sets
 - inferior, 432
 - superior, 432
- linear
 - endomorphism of the torus, 111
 - form, 465
 - functional
 - bounded, 475
 - continuous, 458, 475
 - norm, 49, 458
 - positive, 445, 458
 - positive over a cone, 52
 - tangent, 53, 351
 - group, 164, 466
 - special, 466
 - isometry, 51, 476, 477
 - operator
 - adjoint, 476
 - bounded, 475, 476
 - continuous, 475
 - dual, 51, 381
 - idempotent, 477
 - Koopman, 51
 - normal, 476, 479, 480
 - positive, 41, 51, 381
 - positive over a cone, 52
 - self-adjoint, 476, 477
 - spectrum, 477
 - unitary, 476, 479
- Liouville
 - formula, 20
 - measure, x , 121
 - theorem, 20, 21
- Lipschitz map, 454
- Livšic theorem, 380, 399
- local
 - chart, 460
 - coordinate, 460
 - diffeomorphism, 469
 - entropy, 262, 263
- local diffeomorphism, 272
- locally
 - compact group, 164
 - constant function, 209
 - integrable function, 449
 - invertible map, 294
- logistic map, 313
- lower density, 59
- Lusin theorem, 455, 457
- Lyapunov exponent, 85
- Möbius automorphism, 416
- manifold
 - differentiable, 460
 - Grassmannian, 461
 - leaf, 133
 - modeled on a Banach space, 460
 - of class C^r , 460
 - Riemannian, 467
 - stable, 113, 133
 - symplectic, 124
 - unstable, 113, 133
- Manneville–Pomeau map, 26
- map
 - h -expansive, 314, 325, 349
 - conformal, 421
 - conservative, 19

- continuous, 440
- decimal expansion, 10
- degree, 355, 365, 469
- derivative, 463
- differentiable, 461
- expanding, 26, 362
 - of the interval, 361
 - on a manifold, 353
- expansive, 260, 313, 355, 366
- exponential, 468
- first-return, 5, 23, 88, 89
- Gauss, 13, 24
- Hölder, 454
- induced, 24
- integrable, 126
- interval exchange, 92, 200
- intrinsically ergodic, 350
- Lipschitz, 454
- locally invertible, 294
- logistic, 313
- Manneville–Pomeau, 26
- measurable, 440
- minimal, 19, 101
- non-degenerate, 126
- of class C^r , 461
- Poincaré, 88, 89
- shift, 60, 104
- symplectic, 125
- time-1, 5
- topologically
 - exact, 359
 - mixing, 184
 - weak mixing, 220
- transitive, 106
- two-sided expansive, 313
- maps
 - topologically conjugate, 304
 - topologically equivalent, 304
- Margulis–Ruelle inequality, 272
- Markov
 - measure, 191
 - shift, 191
 - entropy, 268
 - ergodic, 194
 - finite, 191
 - mixing, 197
- mass distribution principle, 429
- Masur–Veech theorem, 204
- matrix
 - of covariance, 231
 - hyperbolic, 112
 - infinite, 231
 - positive definite, 231
 - stochastic, 191
 - aperiodic, 197
 - irreducible, 194
 - symmetric, 231
 - transition, 315
- maximal entropy measure, 345
- Mazur theorem, 53
- mean
 - information of an alphabet, 244
 - return time, 7
 - sojourn time, 64, 70
- measurable
 - cylinder, 55
 - function, 440
 - map, 440
 - partition, 142, 146
 - set, ix, 431
 - Lebesgue, 236, 438, 443
 - space, 431
- measure, x, 433
 - σ -finite, 9, 74, 433
 - absolutely continuous, 116
 - algebra, 233
 - homomorphism, 233
 - isomorphism, 233
 - atomic, 457
 - barycenter of, 287
 - basin, 353
 - Bernoulli, 191, 448
 - Borel, 453
 - complete, 435
 - complex, 436, 477
 - density, 354
 - Dirac, 47, 433
 - ergodic, 74
 - exterior, 438
 - finite, 433
 - with finite memory, 190, 199
 - flux, 90, 92
 - Gaussian, 231
 - Haar, 167
 - Hausdorff, 418
 - infinite, 8
 - invariant, 2, 45
 - Lebesgue, 437
 - on the circle, 17
 - Liouville, x, 121
 - Markov, 191
 - non-atomic, 457
 - non-singular, 295, 452
 - of maximal entropy, 345
 - of probability, x, 433
 - physical, 360
 - positive, 436
 - product, 104, 447, 448
 - quotient, 143

- measure (*cont.*)
 - reference, 382–384
 - regular, 453
 - signed, 50, 436
 - finite, 436
 - space, 433
 - complete, 435
 - completion, 435
 - spectral, 477
 - stationary, 57, 190
 - suspension of, 91
 - tight, 456
- measures
 - equivalent, 14, 450
 - mutually singular, 118, 451
- metric
 - Levy–Prohorov, 39
 - Riemannian, 467
 - space, 453
 - complete, 456
- metrizable
 - group, 167
 - space, 39, 453
- minimal
 - map, 19, 101
 - set, 8, 159, 162
 - system, 157, 159, 204
- minimality, 19, 157, 204
- minimizing curve, 468
- Minkowski inequality, 470, 472
- mixing, 182
 - Markov shift, 197
 - weak, 218
- monkey paradox, 106
- monotone
 - class, 435
 - theorem, 435
 - convergence theorem, 447
- multiple
 - natural extension, 57
 - recurrence theorem
 - Birkhoff, 29
 - Poincaré, 29
 - von Neumann ergodic theorem, 190
- multiplicative ergodic theorem, 85, 272
- multiplicity
 - function, 480
 - of a Lyapunov exponent, 85, 86
 - of an eigenvalue, 217
- mushroom billiard, 140
- mutually singular measures, 118, 451
- natural extension, 54, 57
 - multiple, 57
- negative
 - curvature, 132
 - part of a function, 444
- neighborhood
 - of a point, 439
 - of a set, 36
- non-atomic measure, 457
- non-degenerate
 - fixed point, 127, 130
 - Hamiltonian, 123
 - map, 126
- non-lacunary sequence, 29
- non-singular measure, 295, 452
- non-trivial
 - partition, 282
 - probability space, 279
- non-wandering
 - point, 34
 - super, 63
 - set, 34
- norm, 470, 473
 - L^∞ , 471
 - L^p , 470
 - of a linear functional, 49, 458
 - of a matrix, 78
 - of a measure, 436
 - of an operator, 168, 317, 320
 - uniform convergence, 457
- normal
 - cone, 52
 - linear operator, 476, 479, 480
 - number, 12, 103, 104
- normalized restriction of a measure, 142, 157
- number
 - Diophantine, 162
 - normal, 12, 103, 104
- odometer, 170
- one-sided
 - expansivity, 260
 - generator, 256
 - iterated sum
 - of an open cover, 302, 310
 - of a partition, 252
 - shift, 104
- open
 - cover, 302, 434
 - diameter, 307, 310
 - cylinder, 55
- operator
 - dual, 51, 381
 - Koopman, 51
 - norm, 168, 317, 320
 - normal, 476, 479, 480

- positive, 41, 51, 381
 - over a cone, 52
- Ruelle–Perron–Frobenius, 381
- transfer, 209, 381
- orbital
 - average, 72
 - sum, 326, 381
- orthogonal
 - complement, 66, 474
 - difference, 227
 - direct sum, 474
 - group, 164
 - projection, 65
 - vectors, 474
- orthonormal set, 474
- Oseledets
 - decomposition, 85
 - ergodic theorem, 85, 272
 - filtration, 85
- Oxtoby–Ulam theorem, 120
- parallelogram identity, 476
- part
 - fractional, 10
 - integer, 10
 - negative, 444
 - positive, 78, 444
- partition, 6, 245, 452
 - boundary, 259, 343
 - defined by a cover, 40, 260
 - diameter, 259, 452
 - generating, 256, 257
 - measurable, 142, 146
 - non-trivial, 282
 - of \mathbb{Z} , 58
- partitions
 - coarser, 146, 247
 - finer, 146, 247
 - independent, 245
- path-connected space, 468
- periodic pre-orbit, 367
- permutation, 76
- Perron–Frobenius theorem, 192
- Pesin entropy formula, 273, 398
- phase transition, 333
- physical measure, 360
- pile
 - bottom, 171
 - simple, 171
 - top, 171
- piling method, 171
- p -integrable function, 469
- Poincaré
 - distance, 416
 - first-return map, 88, 89
 - last theorem, 128
 - recurrence theorem, 4, 7
 - for flows, 5
 - multiple, 29
- Poincaré–Birkhoff fixed point theorem, 128
- point
 - of density, 449
 - heteroclinic, 486
 - non-wandering, 34
 - recurrent, 7
 - simultaneously recurrent, 29
 - super non-wandering, 63
 - transverse homoclinic, 128
- pointwise topology, 44
- polarization identity, 476
- Portmanteau theorem, 37
- positive
 - definite matrix, 231
 - linear functional, 445, 458
 - linear operator, 41, 51, 381
 - measure, 436
 - over a cone, 52
 - part of a function, 78, 444
- potential, 301, 326
 - cohomologous, 332, 399
- pre-orbit, 54, 367
 - periodic, 367
- pressure, 301, 325, 326
 - of a state, 334, 335
- primitive substitution, 172
- principle
 - least action (Maupertuis), 334
 - mass distribution, 429
 - variational, 334, 338
- probability
 - conditional, 144
 - measure, x , 433
 - space, 433
 - non-trivial, 279
 - standard, 233
 - transition, 190
- product
 - σ -algebra, 104, 447, 448
 - inner, 470, 473
 - measure, 104, 448
 - of measures, 447
 - countable case, 448
 - finite case, 447
 - space, 447, 448
 - topology, 106, 442, 449
- Prohorov theorem, 42
- projection, 477
 - orthogonal, 65
 - stereographic, 461

- projective
 - distance, 405
 - quotient, 405
 - space, 468
- pseudo-orbit, 366
 - periodic, 367
- quasi-periodic function, 123
- quotient
 - measure, 143
 - projective, 405
- Radon–Nikodym
 - derivative, 354, 451
 - theorem, 450
- random variable, 44
- rank of Lebesgue spectrum, 227, 230
- rational rotation, 17
- rationaly independent vector, 19, 203
- Rauzy–Veech renormalization, 207
- rectangle, 114, 437
- recurrent point, 7
 - simultaneously, 29
- reference measure, 382–384
- regular
 - measure, 453
 - value of a map, 466
- renormalization of Rauzy–Veech, 207
- repeller, 420
 - conformal, 381, 421
- residual set, 120, 462, 466
- return
 - first, 5
 - simultaneous, 30
 - time, 87, 88
 - time (mean), 7
- Riemann sum, 445
- Riemann–Lebesgue lemma, 232
- Riemannian
 - manifold, 467
 - metric, 467
 - submanifold, 467
- Riesz–Markov theorem, 436, 458
- right
 - invariance, 167
 - translation, 164
- Rokhlin
 - disintegration theorem, 147, 156
 - formula, 294, 296, 361
- root of a system, 286
- rotation, 16
 - on the circle, 16
 - irrational, 17
 - number, 127
 - rational, 17
 - spectrum, 224
 - on the torus, 18
- Ruelle
 - inequality, 272
- Ruelle theorem, 336, 380
- Ruelle–Perron–Frobenius operator, 381
- Sard theorem, 467
- Schauder–Tychonoff theorem, 45
- section transverse to a flow, 89
- self-adjoint linear operator, 476, 477
- semi-continuity of the entropy, 258
- semi-continuous function, 33
- semi-dispersing billiard, 140
- separable
 - Hilbert space, 474
 - space, 39, 455, 458
- separated set, 305
 - for flows, 318
- separating
 - functions algebra, 459
 - sequence, 235
- sequence
 - additive, 78
 - admissible, 315
 - of correlations, 182
 - of covariance, 231
 - equidistributed, 174
 - non-lacunary, 29
 - separating, 235
 - subadditive, 78, 79
- series
 - absolutely summable, 473
 - Fourier, 100, 111
- set
 - Aubry–Mather, 129
 - Borel, 432
 - Cantor, 418
 - of continuity of a measure, 37
 - convex, 45
 - generating, 305
 - for flows, 318
 - invariant, 56, 94, 359
 - of invariant vectors, 66
 - Lebesgue measurable, 236, 438, 443
 - measurable, 431
 - minimal, 8, 159, 162
 - non-wandering, 34
 - orthonormal, 474
 - residual, 120, 462, 466
 - separated, 305
 - for flows, 318
 - strongly convex, 288
 - syndetic, 9, 162
 - tight, 42

- transitive, 118
- with zero volume, 467
- shadowing lemma, 367
- Shannon–McMillan–Breiman theorem, 262
- shift
 - Bernoulli, 104, 191
 - of countable type, 228
 - of finite type, 193, 315
 - Gaussian, 231, 283
 - map, 60, 104
 - Markov, 191
 - entropy, 268
 - ergodic, 194
 - finite, 191
 - mixing, 197
 - multi-dimensional, 333
 - one-sided, 104
 - two-sided, 60, 104
- Sierpinski triangle, 429
- signed measure, 436
 - finite, 436
- simple
 - function, 441
 - pile, 171
- simultaneous return, 30
- simultaneously recurrent point, 29
- Sinai ergodicity theorem, 140
- Sinai, Ruelle, Bowen theory, xii
- skew-product, 53
- space
 - Baire, 118, 120, 462, 466
 - Banach, 49, 469, 473
 - compact, 434
 - completely metrizable, 462
 - of configurations, 333
 - connected, 460
 - cotangent, 125, 464
 - dual, 49, 471, 475
 - Euclidean, 460
 - Hausdorff, 36, 432
 - Hilbert, 473
 - separable, 474
 - Lebesgue, 233, 236, 238
 - measurable, 431
 - measure, 433
 - complete, 435
 - metric, 453
 - complete, 456
 - metrizable, 39, 453
 - complete, 462
 - path-connected, 468
 - probability, 433
 - non-trivial, 279
 - product, 447, 448
 - projective, 468
 - separable, 39, 455, 458
 - tangent at a point, 125, 462
 - topological, 432
 - topological vector, 45
- spaces
 - isometric, 458, 474
 - isomorphic, 458, 474
- special linear group, 164, 466
- specification, 374, 375
 - by periodic orbits, 375
- spectral
 - equivalence, 213, 216, 234
 - invariant of, 217
 - gap property, 209, 415
 - measure, 477
 - radius, 52, 317
 - representation theorem, 480
 - theorem, 479
- spectrum
 - discrete, 213, 222
 - Lebesgue, 213, 225
 - rank of, 227, 230
 - of a linear operator, 217, 477
 - of a rotation, 224
 - of a transformation, 217
- sphere of dimension d , 461
- spin system, 333
- stable
 - foliation, 112, 113, 133
 - leaf, 113, 133
 - manifold, 113, 133
 - set, 55
- stadium billiard, 140
- standard probability space, 233
- state
 - energy of, 334
 - entropy of, 334
 - equilibrium, 302, 333, 345
 - Gibbs, 334, 336, 351, 380, 382
 - of a lattice system, 333
 - pressure of, 334, 335
- stationary measure, 57, 190
- stereographic projection, 461
- stochastic matrix, 191
 - aperiodic, 197
 - irreducible, 194
- Stone theorem, 67
- Stone–Weierstrass theorem, 459
- stronger topology, 37
- strongly
 - affine function, 293
 - convex set, 288
- subadditive
 - ergodic theorem, 65, 78
 - for flows, 86

- subadditive (*cont.*)
 - sequence, 78, 79
- subcover, 302, 434
- submanifold, 461
 - Riemannian, 467
- substitution, 171, 173
 - Cantor, 172
 - Chacon, 172
 - Feigenbaum, 172
 - Fibonacci, 172, 313
 - primitive, 172
 - Thue–Morse, 172
- sum
 - direct orthogonal, 474
 - of a family of subspaces, 473
 - of a family of vectors, 473
 - of open covers, 302
 - orbital, 326, 381
 - of partitions, 245
 - Riemann, 445
- super non-wandering point, 63
- support
 - of a measure, 439
 - of a spectral measure, 477
- suspension
 - flow, 87
 - of a measure, 88, 91
 - of a transformation, 87
- symmetric
 - difference, 435
 - matrix, 231
- symplectic
 - form, 124
 - manifold, 124
 - map, 125
- syndetic set, 9, 162
- system
 - almost everywhere invertible, 240
 - almost integrable, 122
 - Anosov, xi
 - aperiodic, 29, 257
 - conservative, 49, 120
 - countably generated, 228
 - with discrete spectrum, 213, 222
 - ergodic, 93, 94
 - with finite memory, 190, 199
 - Hamiltonian, 121
 - integrable, 122
 - Kolmogorov, 279, 283
 - lattice, 333
 - state, 333
 - with Lebesgue spectrum, 213, 225, 283
 - Lebesgue spectrum
 - rank of, 227, 230
 - minimal, 157, 159, 204
 - mixing, 182
 - root, 286
 - spin, 333
 - totally dissipative, 49
 - uniquely ergodic, 157
 - weak mixing, 185, 218
- Szemerédi theorem, 59, 61
- tangent
 - bundle, 125, 131, 463
 - unit, 131, 468
 - linear functional, 53, 351
 - space at a point, 125, 462
- Tchebysheff–Markov inequality, 451
- theorem
 - absolute continuity, 133
 - Anosov, 132
 - approximation, 435
 - Banach–Alaoglu, 50, 475
 - Banach–Mazur, 52
 - Birkhoff
 - ergodic, 65, 70, 72, 74
 - ergodic for flows, 77
 - multiple recurrence, 29
 - normal form, 127, 130
 - recurrence, 8, 48
 - Borel normal, 104
 - Brin–Katok, 263
 - compactness, 41
 - continuity
 - from above, 442
 - from below, 442
 - at the empty set, 434
 - discrete spectrum, 234
 - disintegration, 147
 - dominated convergence, 447
 - dynamical decomposition, 370
 - ergodic decomposition, 143
 - existence of invariant measures, 35
 - for flows, 49
 - extension of measures, 434
 - Friedman–Ornstein, 284
 - Furstenberg, 160
 - Furstenberg–Kesten, 84
 - Gottschalk, 162
 - Grünwald, 63
 - Green–Tao, 60
 - Haar, 165
 - Hahn decomposition, 436
 - Halmos–von Neumann, 234
 - Hindman, 162
 - Jacobs, 287, 288
 - Kač, 5
 - Keane, 204

- Kingman ergodic, 65, 78
 - for flows, 86
- Kolmogorov–Arnold–Moser, 124, 126
- Kolmogorov–Sinai, 254
- Lebesgue
 - decomposition, 451
 - derivation, 449
- Liouville, 20, 21
- Livšic, 380, 399
- Lusin, 455, 457
- Masur–Veech, 204
- Mazur, 53
- monotone class, 435
- monotone convergence, 446
- multiplicative ergodic, 85, 272
- Oseledets, 85, 272
- Oxtoby–Ulam, 120
- Perron–Frobenius, 192
- Poincaré
 - multiple recurrence, 29
 - recurrence, 4, 7
- Poincaré–Birkhoff fixed point, 128
- Portmanteau, 37
- Prohorov, 42
- Radon–Nikodym, 450
- Riesz–Markov, 436, 458
- Rokhlin, 147, 156
- Ruelle, 336, 380
- Sard, 467
- Schauder–Tychonoff, 45
- Shannon–McMillan–Breiman, 262
- Sinai ergodicity, 140
- spectral, 479
- spectral representation, 480
- Stone, 67
- Stone–Weierstrass, 459
- subadditive ergodic, 65, 78
 - for flows, 86
- Szemerédi, 59, 61
- Tychonoff, 106
- van der Waerden, 58, 60
- von Neumann ergodic, 65, 67, 74
 - for flows, 70
 - multiple, 190
- Weyl, 174
- Whitney, 467
- Thue–Morse substitution, 172
- tight
 - measure, 456
 - set of measures, 42
- time
 - average, 72
 - constant of a subadditive sequence, 86
 - of first return, 5, 23, 89
 - mean sojourn, 64, 70
 - of return, 87, 88
- time-1 map, 5
- top of a pile, 171
- topological
 - conjugacy, 215, 304
 - entropy, 301, 303, 307
 - for flows, 319, 320
 - equivalence, 304
 - of flows, 320
 - factor, 304, 379
 - group, 163
 - space, 432
 - vector space, 45
 - weak mixing, 220
- topologically
 - conjugate maps, 304
 - equivalent maps, 304
 - exact map, 359
 - mixing map, 184
 - weak mixing map, 220
- topology, 432
 - C^0 , 379
 - C^1 , 379
 - C^r , 462
 - defined by
 - a basis of neighborhoods, 36
 - a distance, 453
 - discrete, 106
 - generated, 432
 - pointwise, 44
 - product, 106, 442, 449
 - stronger, 37
 - uniform, 44
 - uniform convergence, 379
 - weak, 50, 475
 - weak*, 36, 50, 475
 - weaker, 37
- torus, 18
 - of dimension d , 110, 461
 - rotation, 18
- total variation, 436
- totally dissipative system, 49
- tower, 27
 - Kakutani–Rokhlin, 28
- transfer operator, 209, 381
- transition
 - matrix, 315
 - phase, 333
 - probability, 190
- transitive
 - map, 106
 - set, 118
- transitivity, 118

- translation
 - in a compact group, 308
 - left, 164
 - right, 164
 - vector, 202
- transversality, 466, 469
- transverse
 - homoclinic point, 128
 - section, 89
- twist
 - condition, 124, 126, 127, 130
 - Dehn, 487
 - homeomorphism, 128
- two-sided
 - expansivity, 260
 - generator, 256
 - iterated sum
 - of a partition, 252
 - of an open cover, 309, 310
 - shift, 60, 104
- Tychonoff theorem, 106
- uniform
 - convergence norm, 457
 - integrability, 86, 452
 - topology, 44
- uniformly
 - continuous flow, 319
 - hyperbolic flow, 132
 - quasi-periodic function, 77
- unique ergodicity, 157
- unit
 - circle, 16
 - tangent bundle, 131, 468
- unitary linear operator, 476, 479
- unstable
 - foliation, 112, 113, 133
 - leaf, 113, 133
 - manifold, 113, 133
 - up to measure zero, 435
 - upper density, 59, 61
- van der Waerden theorem, 58, 60
- variation, 436
- variational principle, 334, 338
- vector
 - Diophantine, 124
 - field, 464
 - Hamiltonian, 22, 127
 - frequency, 123
 - length, 201
 - rationally independent, 19, 203
 - translation, 202
- Vitali
 - lemma, 450
- volume
 - element, 131
 - form, 21, 125
 - induced by a Riemannian metric, 131, 165
- von Neumann ergodic theorem, 65, 67, 74
 - for flows, 70
 - multiple, 190
- weak
 - mixing, 185, 218
 - topology, 50, 475
- weak* topology, 36, 50, 475
- weaker topology, 37
- Weyl theorem, 174
- Whitney theorem, 467
- word, 243
- Young inequality, 472
- zero volume set, 467
- Zorn lemma, 31