# CR16: Exam

# January 28, 2021

To get full marks, answer three out of these five exercises<sup>1</sup>. If you answer more, we will only take into account your three best ones. All lecture notes allowed. All theorems and lemmas discussed in the lectures can be used without a proof.

### Exercise 1

Let  $k \in \mathbb{N}$ . Remember that  $P_3$  is the path on three vertices.

- 1. Argue that there is some function f such that every graph G with no induced copy of  $P_3$  satisfies  $\chi(G) \leq f(\omega(G))$ .
- 2. Can f be a polynomial function?
- 3. Argue that there is some function  $f_k$  such that if a graph G does not contain k pairwise non-adjacent induced copies of  $P_3$ , then  $\chi(G) \leq f_k(\omega(G))$ .
- 4. Can  $f_k$  be a polynomial function?
- 5. Can  $f_k$  be the identity function for all k?

## Exercise 2

1. Recall Euler's formula for connected planar graphs<sup>2</sup>.

<sup>&</sup>lt;sup>1</sup>Please send a scan in pdf format both to marthe.bonamy@u-bordeaux.fr and stephan.thomasse@ens-lyon.fr. Keep your original paper files (if any), in case we need to ask for a higher-quality scan.

<sup>&</sup>lt;sup>2</sup>No proof needed

- 2. Let G be a connected planar graph with no cycle of length less than g. Using Euler's formula, provide an upper bound<sup>3</sup> on |E(G)| as a function of |V(G)| and g.
- 3. Taking g = 4, derive from the bound obtained above that  $K_{3,3}$  is not planar.
- 4. Using the bound for g = 4, argue that a planar triangle-free graph is 4-choosable<sup>4</sup>.

### Exercise 3

- 1. Describe a bipartite graph that is not 10-choosable.
- 2. Using the discharging method, argue that every planar graph G with  $\Delta(G) \geq 10000$  satisfies  $\chi'_{\ell}(G) \leq \Delta(G) + 1$ . Hint for induction purposes: it suffices to argue that for every  $k \geq 10000$ , all planar graphs with  $\Delta(G) \leq k$  satisfy  $\chi'_{\ell}(G) \leq k + 1$ .

### Exercise 4

- 1. Argue that every tree admits an orientation of its edges such that for every vertex,  $|d^+(u) d^-(u)| \le 1$ .
- 2. Argue that every graph whose edges can be decomposed into a tree and a cycle admits an orientation of its edges such that for every vertex,  $|d^+(u) d^-(u)| \le 1$ .
- 3. Argue that every graph admits an orientation of its edges such that for every vertex,  $|d^+(u) d^-(u)| \le 1$ .
- 4. Derive that every bipartite graph G is  $\frac{\Delta(G)+3}{2}$ -choosable.

# Exercise 5

Let  $t \in \mathbb{N}^*$ . Argue that the class of graphs with no induced  $K_{t,t}$  and no  $K_t$  has bounded VC-dimension.

 $<sup>^3</sup>$ Hint: When g tends to infinity the number of edges should get closer to the number of edges in a tree.

<sup>&</sup>lt;sup>4</sup>There is a short argument.